	<b>BELLINZONI S.R.L.</b>	Revision nr. 8
	<b>CERA NERA IN PASTA</b>	Dated 26/02/2020 Printed on 25/03/2020 Page n. 1/14 Replaced revision:7 (Dated: 03/04/2018)

## Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: 001APN - 001APN00750 - 001APN01300 - 001APN1300A - 001APN01300CHU - 001APN01GW - 001APN06 - 001APN20001APN20 - 001APN350  
Product name: CERA NERA IN PASTA

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses	Industrial	Professional	Consumer
Tetrachloroethylene	✓	✓	-

#### 1.3. Details of the supplier of the safety data sheet

Name: BELLINZONI S.R.L.  
Full address: Via Mezzano 64  
District and Country: 28069 Trecate (NO) Italia  
Tel. +39 0321 770558 - +39 02 33912133  
Fax +39 02-33915224  
e-mail address of the competent person responsible for the Safety Data Sheet: laboratorio@bellinzoni.com  
Product distribution by: BELLINZONI S.r.l.

#### 1.4. Emergency telephone number

For urgent inquiries refer to E.U.: Centro Antiveleni - Ospedale di Niguarda - Milano - Tel. +39 0266101029

### SECTION 2. Hazards identification


#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

#### Hazard classification and indication:

Carcinogenicity, category 2	H351	Suspected of causing cancer.
Eye irritation, category 2	H319	Causes serious eye irritation.
Skin irritation, category 2	H315	Causes skin irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, category 3	H336	May cause drowsiness or dizziness.
Hazardous to the aquatic environment, chronic toxicity, category 2	H411	Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

	BELLINZONI S.R.L.	Revision nr. 8
	CERA NERA IN PASTA	Dated 26/02/2020 Printed on 25/03/2020 Page n. 2/14 Replaced revision:7 (Dated: 03/04/2018)

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Warning

Hazard statements:

<b>H351</b>	Suspected of causing cancer.
<b>H319</b>	Causes serious eye irritation.
<b>H315</b>	Causes skin irritation.
<b>H317</b>	May cause an allergic skin reaction.
<b>H336</b>	May cause drowsiness or dizziness.
<b>H411</b>	Toxic to aquatic life with long lasting effects.
<b>EUH210</b>	Safety data sheet available on request.

Precautionary statements:

<b>P280</b>	Wear protective gloves / protective clothing / eye protection / face protection.
<b>P302+P352</b>	IF ON SKIN: wash with plenty of water / . . .
<b>P312</b>	Call a POISON CENTRE / doctor / . . . if you feel unwell.
<b>P403+P233</b>	Store in a well-ventilated place. Keep container tightly closed.
<b>P273</b>	Avoid release to the environment.
<b>P305+P351+P338</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>P308+P313</b>	IF exposed or concerned: Get medical advice / attention.

**Contains:** Tetrachloroethylene

### 2.3. Other hazards


On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

## SECTION 3. Composition/information on ingredients

### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
<b>Tetrachloroethylene</b>		
CAS 127-18-4	$70 \leq x < 85$	Carc. 2 H351, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, STOT SE 3 H336, Aquatic Chronic 2 H411
EC 204-825-9		

	<b>BELLINZONI S.R.L.</b>	Revision nr. 8
	<b>CERA NERA IN PASTA</b>	Dated 26/02/2020 Printed on 25/03/2020 Page n. 3/14 Replaced revision:7 (Dated: 03/04/2018)

INDEX 602-028-00-4

Reg. no. 01-2119475329-28

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

#### UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

### 5.2. Special hazards arising from the substance or mixture

#### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

### 5.3. Advice for firefighters

#### GENERAL INFORMATION


Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	<b>BELLINZONI S.R.L.</b>	Revision nr. 8
	<b>CERA NERA IN PASTA</b>	Dated 26/02/2020 Printed on 25/03/2020 Page n. 4/14 Replaced revision:7 (Dated: 03/04/2018)

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

## 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

## 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

## 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# SECTION 7. Handling and storage

## 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

## 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

## 7.3. Specific end use(s)


Information not available

# SECTION 8. Exposure controls/personal protection

## 8.1. Control parameters

Regulatory References:

BGR	България	МИНИСТЕРСТВО НА ТРУДА И СОЦИАЛНАТА ПОЛИТИКА МИНИСТЕРСТВО НА ЗДРАВЕОПАЗВАНЕТО НАРЕДБА No 13 от 30 декември 2003 г (4 Септември 2018г)
CZE	Česká Republika	Nařízení vlády č. 246/2018 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	TRGS 900 - Seite 1 von 69 (Fassung 29.03.2019)- Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte
DNK	Danmark	Bekendtgørelse om ændring af bekendtgørelse om grænseværdier for stoffer og materialer1- BEK nr 655 af 31/05/2018
ESP	España	LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS EN ESPAÑA 2019 (INSST)
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Third edition,published 2018)
GRC	Ελλάδα	ΕΦΗΜΕΡΙΔΑ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ - ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 152 - 21 Αυγούστου 2018
ITA	Italia	DIRETTIVA (UE) 2017/164 DELLA COMMISSIONE del 31 gennaio 2017
NLD	Nederland	Regeling van de Staatssecretaris van Sociale Zaken en Werkgelegenheid van 13 juli 2018, 2018-0000118517 tot wijziging van de Arbeidsomstandighedenregeling in verband met de implementatie van Richtlijn 2017/164 in Bijlage XIII

	<b>BELLINZONI S.R.L.</b>	Revision nr. 8
	<b>CERA NERA IN PASTA</b>	Dated 26/02/2020 Printed on 25/03/2020 Page n. 5/14 Replaced revision:7 (Dated: 03/04/2018)

POL	Polska	ROZPORZĄDZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 12 czerwca 2018 r Ministério da Economia e do Emprego Consolida as prescrições mínimas em matéria de protecção dos trabalhadores contra os riscos para a segurança e a saúde devido à exposição a agentes químicos no trabalho - Diário da República, 1.ª série - N.º 111 - 11 de junho de 2018 HOTĂRÂRE nr. 584 din 2 august 2018 pentru modificarea Hotărârii Guvernului nr. 1.218/2006 privind stabilirea cerințelor minime de securitate și sănătate în muncă pentru asigurarea protecției lucrătorilor împotriva riscurilor legate de prezența agenților chimici Hygieniska gränsvärden, AFS 2018:1 Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC. ACGIH 2019
PRT	Portugal	
ROU	România	
SWE	Sverige	
EU	OEL EU	
	TLV-ACGIH	

#### Tetrachloroethylene Threshold Limit Value


Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
TLV	BGR	138	20	275	40	SKIN
TLV	CZE	138	20,286	275	40,425	SKIN
AGW	DEU	69	10	138	20	SKIN
TLV	DNK	70	10			SKIN
VLA	ESP	138	20	275	40	SKIN
VLEP	FRA	138	20	275	40	
WEL	GBR	138	20	275	40	SKIN
TLV	GRC	138	20	275	40	SKIN
VLEP	ITA	138	20	275	40	SKIN
TGG	NLD	138		275		SKIN
NDS/NDSch	POL	85		170		SKIN
VLE	PRT	138	20	275	40	SKIN
TLV	ROU	50	7	100	14	SKIN
NGV/KGV	SWE	70	10	170	25	SKIN
OEL	EU	138	20	275	40	SKIN
TLV-ACGIH		170	25	678	100	

#### Predicted no-effect concentration - PNEC

Normal value in fresh water	0,05	mg/l
Normal value in marine water	0,005	mg/l
Normal value for fresh water sediment	0,9	mg/kg
Normal value for marine water sediment	0,009	mg/kg
Normal value for water, intermittent release	3	mg/l
Normal value of STP microorganisms	11,2	mg/l
Normal value for the terrestrial compartment	0,01	mg/kg

#### Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				1,3 mg/kg bw/d				
Inhalation		138 mg/m3		34.5 mg/m3	275	275 mg/m3		138 mg/m3
Skin				23 mg/kg bw/d				39.4 mg/kg bw/d

	<b>BELLINZONI S.R.L.</b>	Revision nr. 8
	<b>CERA NERA IN PASTA</b>	Dated 26/02/2020 Printed on 25/03/2020 Page n. 6/14 Replaced revision:7 (Dated: 03/04/2018)

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

TLV of solvent mixture: 170 mg/m<sup>3</sup>

## 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**CERA NERA IN PASTA**

Appearance	paste
Colour	colourless
Odour	characteristic of solvent
Odour threshold	Not available
pH	Not available
Melting point / freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	> 60 °C
Evaporation Rate	Not available
Flammability of solids and gases	Not available
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	22 hPa
Vapour density	Not available
Relative density	1400 g/l
Solubility	insoluble in water
Partition coefficient: n-octanol/water	2,53
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not available
Oxidising properties	Not available

**9.2. Other information**

Total solids (250°C / 482°F)	17,50 %
VOC (Directive 2010/75/EC) :	82,50 % - 1.155.000,00 g/litre
VOC (volatile carbon) :	34,00 % - 475.975,50 g/litre

**SECTION 10. Stability and reactivity****10.1. Reactivity**


There are no particular risks of reaction with other substances in normal conditions of use.

Tetrachloroethylene

Decomposes at temperatures above 150°C/302°F. Decomposes if exposed to: UV rays, moisture.

**10.2. Chemical stability**

The product is stable in normal conditions of use and storage.

	BELLINZONI S.R.L.	Revision nr. 8
	CERA NERA IN PASTA	Dated 26/02/2020 Printed on 25/03/2020 Page n. 8/14 Replaced revision:7 (Dated: 03/04/2018)

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

Tetrachloroethylene

Risk of explosion on contact with: alkaline metals,aluminium,alkaline hydroxides,sodium amides.May react violently with: strong bases,strong oxidising agents,alkaline earth metals,light metals,metal powders,zinc oxide.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

Information not available

### 10.6. Hazardous decomposition products

Tetrachloroethylene

May develop: hydrogen chloride,phosgenes,chlorine,ethane tetrachloride,chlorine compounds.

## SECTION 11. Toxicological information

### 11.1. Information on toxicological effects

#### Metabolism, toxicokinetics, mechanism of action and other information

Information not available

#### Information on likely routes of exposure

Tetrachloroethylene

WORKERS: inhalation; contact with the skin.

POPULATION: ingestion of contaminated food or water; inhalation of environmental air.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Tetrachloroethylene


Has a toxic effect on the central and peripheral nervous system, liver, kidneys and heart; the mucous membranes and the skin are irritated.

#### Interactive effects

Information not available

#### ACUTE TOXICITY



	<b>BELLINZONI S.R.L.</b>	Revision nr. 8
	<b>CERA NERA IN PASTA</b>	Dated 26/02/2020 Printed on 25/03/2020 Page n. 9/14 Replaced revision:7 (Dated: 03/04/2018)

LC50 (Inhalation) of the mixture:  
Not classified (no significant component)  
LD50 (Oral) of the mixture:  
Not classified (no significant component)  
LD50 (Dermal) of the mixture:  
Not classified (no significant component)

Tetrachloroethylene

LD50 (Oral) 3005 mg/kg dw Ratto femmina - OCSE 401

LD50 (Dermal) > 1000 ml/Kg bw coniglio

LC50 (Inhalation) > 3786 mg/l/4h Ratto - OCSE 403

#### SKIN CORROSION / IRRITATION

Causes skin irritation

#### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

#### RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

#### CARCINOGENICITY

Suspected of causing cancer

Tetrachloroethylene

Classified in Group 2A (probable human carcinogen) by the International Agency for Research on Cancer (IARC).  
Epidemiological studies show evidence of association between exposure to the substance and presence of various types of cancers: bladder cancer, non-Hodgkin's lymphomas and multiple myeloma (US EPA, 2014).  
Classified as a "probable carcinogen" by the US National Toxicology Program (NTP).


#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

May cause drowsiness or dizziness

#### STOT - REPEATED EXPOSURE

	<b>BELLINZONI S.R.L.</b>	Revision nr. 8
	<b>CERA NERA IN PASTA</b>	Dated 26/02/2020 Printed on 25/03/2020 Page n. 10/14 Replaced revision:7 (Dated: 03/04/2018)

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

### 12.1. Toxicity

Tetrachloroethylene	
LC50 - for Fish	5 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	8,5 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	3,64 mg/l/72h Chlamydomonas reinhardtii
Chronic NOEC for Fish	1,99 mg/l 10 giorni Jordanella floridae
Chronic NOEC for Crustacea	510 mg/l 28 giorni Daphnia magna

### 12.2. Persistence and degradability

Tetrachloroethylene	
Solubility in water	150 mg/l
Degradability: information not available	

### 12.3. Bioaccumulative potential

Tetrachloroethylene	
Partition coefficient: n-octanol/water	2,53

### 12.4. Mobility in soil

Information not available


### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### 12.6. Other adverse effects

Information not available

## SECTION 13. Disposal considerations

	<b>BELLINZONI S.R.L.</b>	Revision nr. 8
	<b>CERA NERA IN PASTA</b>	Dated 26/02/2020 Printed on 25/03/2020 Page n. 11/14 Replaced revision:7 (Dated: 03/04/2018)

### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

#### CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information

### 14.1. UN number

ADR / RID, IMDG, 1897  
IATA:

### 14.2. UN proper shipping name

ADR / RID: TETRACHLOROETHYLENE  
IMDG: TETRACHLOROETHYLENE  
IATA: TETRACHLOROETHYLENE

### 14.3. Transport hazard class(es)

ADR / RID: Class: 6.1 Label: 6.1  
IMDG: Class: 6.1 Label: 6.1  
IATA: Class: 6.1 Label: 6.1



### 14.4. Packing group

ADR / RID, IMDG, III  
IATA:


### 14.5. Environmental hazards

ADR / RID: Environmentally Hazardous  
IMDG: Marine Pollutant  
IATA: NO



For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

### 14.6. Special precautions for user

	BELLINZONI S.R.L.	Revision nr. 8
	CERA NERA IN PASTA	Dated 26/02/2020 Printed on 25/03/2020 Page n. 12/14 Replaced revision:7 (Dated: 03/04/2018)

ADR / RID:	HIN - Kemler: 60	Limited Quantities: 5 L	Tunnel restriction code: (E)
IMDG:	Special Provision: - EMS: F-A, S-A	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 220 L	Packaging instructions: 663
	Pass.:	Maximum quantity: 60 L	Packaging instructions: 655
	Special Instructions:	-	

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

## SECTION 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product  
Point 3

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None


Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

	<b>BELLINZONI S.R.L.</b>	Revision nr. 8
	<b>CERA NERA IN PASTA</b>	Dated 26/02/2020 Printed on 25/03/2020 Page n. 13/14 Replaced revision:7 (Dated: 03/04/2018)

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

## 15.2. Chemical safety assessment

A chemical safety assessment has been performed for the product


## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

<b>Carc. 2</b>	Carcinogenicity, category 2
<b>Eye Irrit. 2</b>	Eye irritation, category 2
<b>Skin Irrit. 2</b>	Skin irritation, category 2
<b>Skin Sens. 1</b>	Skin sensitization, category 1
<b>STOT SE 3</b>	Specific target organ toxicity - single exposure, category 3
<b>Aquatic Chronic 2</b>	Hazardous to the aquatic environment, chronic toxicity, category 2
<b>H351</b>	Suspected of causing cancer.
<b>H319</b>	Causes serious eye irritation.
<b>H315</b>	Causes skin irritation.
<b>H317</b>	May cause an allergic skin reaction.
<b>H336</b>	May cause drowsiness or dizziness.
<b>H411</b>	Toxic to aquatic life with long lasting effects.
<b>EUH210</b>	Safety data sheet available on request.

### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

	<b>BELLINZONI S.R.L.</b>	Revision nr. 8
	<b>CERA NERA IN PASTA</b>	Dated 26/02/2020 Printed on 25/03/2020 Page n. 14/14 Replaced revision:7 (Dated: 03/04/2018)

- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
  2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
  3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
  4. Regulation (EU) 2015/830 of the European Parliament
  5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
  6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
  7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
  8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
  9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
  10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
  11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
  12. Regulation (EU) 2016/1179 (IX Atp. CLP)
  13. Regulation (EU) 2017/776 (X Atp. CLP)
  14. Regulation (EU) 2018/669 (XI Atp. CLP)
  15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
  16. Regulation (EU) 2019/521 (XII Atp. CLP)
- The Merck Index. - 10th Edition
  - Handling Chemical Safety
  - INRS - Fiche Toxicologique (toxicological sheet)
  - Patty - Industrial Hygiene and Toxicology
  - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
  - IFA GESTIS website
  - ECHA website
  - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the calculation methods set out in Annex I of the CLP Regulation, unless otherwise indicated in sections 11 and 12.

The data for evaluation of chemical-physical properties are reported in section 9.