PRODUCT CATALOGUE




MASTER CATALOGUE



TABLE OF CONTENTS CONSTRUCTION CONTRACTOR BLADES

CRACK CHASING & JOINT WIDENING BLADES 2 ASPHALT BLADES / NEW CONCRETE 2 OLD CONCRETE BLADES. 3 FLOOR SAWS 3 - 4 HANDHELD SAWS 4 - 5 ICS CHAIN SAWS 5 TWIN WALL CHASER & BLADES 6 WALL SAW MACHINE & BLADES 6 PRE-STRESSED BLADES 6 ELECTRO-PLATED & VACUUM BRAZED 6 RESCUE BLADES 7 DRY CUTTING DUST CONTROL 7	
MASONRY MASONRY BLADES	
TILING TILING BLADES 9 TILE DRILLING 10 ELECTRIC TILE SAWS 11 SIGMA TILE CUTTERS 12 SIGMA SPARES 13 MANUAL TILE CUTTERS 13 TOOL-CO TILE LEVELING SPACERS 14 TILING TOOLS 15 - 16 ELECTRIC MIXERS 17 TILING CHEMICALS 18 TILE TRIM EDGING 19 - 20 RAIMONDI BULLNOSE MACHINE 21 RAIMONDI BULLNOSE WHEELS 21 RAIMONDI LARGE FORMAT TILING TOOLS 22 - 24 SIGMA LARGE FORMAT TILING TOOLS 25	
CARBORUNDUM ABRASIVES	
TCT TOOLS TCT BLADES	
CORE DRILLING DRY DIAMOND CORE BITS	

FLOOR PREPARATION & FINISHIN CONCRETE HAND GRINDING. HAND POLISHING TOOLS DUST SHROUDS. VON ARX FLOOR SCARIFIERS. FLOOR GRINDING HEADS. TOOL-CO FLOOR GRINDERS GRINDING PLATES & WEDGES. SCANMASKIN GRINDING PLATES CONVERSIONS & ADAPTERS FLOOR POLISHING PADS WOOD FLOOR GRINDING. SCANMASKIN FLOOR GRINDERS. VONARX SURFACE SHAVER. PULLMAN ERMATOR. FLOOR VACUUMS TOOL-CO DUST CONTROL. FLOOR FINISHING PADS. FLOOR FINISHING PADS. FLOOR FINISHING FLOOR GRINDERS. FLOOR FINISHING FLOOR FINISHING	33 37 37 37 38 39 39 39 40 40 40 40 40 40 41 41 41 42 44 45 44 45 45 45 45 45 45
STONE INDUSTRY DRY BLADES GRINDING & SHAPING. WET BLADES ACHILLI & BLUE RIPPER BLADES. POLISHING PADS STONE TOOLS SILICONE CORE DRILLING & VACUUM BRAZED BITS BELLINZONI GLUES. BELLINZONI POLISHERS. BELLINZONI SEALANTS BELLINZONI BUILDING BELLINZONI CLEANERS ELECTRIC SAWS. POLISHING MACHINES	
POWER TOOLS POLISHERS & GRINDERS DILLS DIAMOND SAWS	
SAFETY EQUIPMENT SAFETY EQUIPMENT	
MARKETING DISPLAY STANDS	
TECHNICAL INFORMATION DIAMOND BLADE SIZE CHART	



Contractor Blades





DIY RED

general masonry.

CODE	DETAILS		
HS115EC	115 x 2 x 7 x 22.23mm - Segmented		
HS230EC	230 x 2.4 x 7 x 22.23mm - Segmented		
Dry chip free cutting of ceramics and natural stone tiles.			
HC115EC	115 x 2 x 7 x 22.23mm - Continuous Rim		
Dry fast cutting of concrete, bricks, ceramic and natural stone tiles			
HT115EC	115 x 2 x 7 x 22.23mm - Turbo		

TRADE PRO ORANGE

Do it yourself dry cutting for concrete, tiles, stone, and Dry cutting diamond blade for general masonry, concrete, tiles, and abrasive material.

CODE	DETAILS	
HS115TC	115 x 2 x 7 x 22.23mm - Segmented	
HS180TC	180 x 2 x 7 x 25.4mm - Segmented	
HS230TC	230 x 2.4 x 7 x 22.23mm - Segmented	
Dry chip free cutting of ceramics and natural stone tiles.		
HC115TC	115 x 2 x 7 x 22.23mm - Continuous Rim	
HC230TC	230x2.4x7x22.23mm - Continuous Rim	
Dry fast cutting of concrete, bricks, ceramic and natural stone tiles		
HT230TC	230 x 2.4 x 7 x 22.23mm - Turbo	





SEGMENTED TRI-PACK

Pack of three dry cutting diamond blades for general masonry, stone and concrete. Pack of three dry cutting diamond blades for tiles and stone.

CODE	DETAILS	
HS115TC3	115 x 2 x 7 x 22.23mm	

CONTINUOUS RIM TRI-PACK

CODE	DETAILS
HC115TC3	115 x 2 x 7 x 22.23mm





SEGMENTED YELLOW

Economy blade with good cutting speed and life for dry A contractor blade for dry cutting of hard masonry, hard cutting blade or general masonry and concrete.

A contractor blade for dry cutting of hard masonry, hard reinforced concrete, concrete lintels and natural stone.

cutting blade of general masonly and concrete.			
CODE	DETAILS		

CODE	DETAILS	CODE	DETAILS
BS230DA	230 x 2.4 x 10 x 22.23mm	BS115TC	115 x 2 x 7 x 22.23mm
		BS230TC	230 x 2 4 x 10 x 22 23mm





SEGMENTED BLACK

masonry products. Excellent blade for electrical and concrete and masonry products. plumbing applications.

CODE	DETAILS
BS230TCA	230 x 2.4 x 10 x 22.23mm

SEGMENTED SILVER

SEGMENTED BLUE

A contractor blade for dry cutting of concrete and general A semi-professional blade with good life for dry cutting of

_	CODE	DETAILS
	BS230TCP	230 x 2 4 x 10 x 22 23mm





SEGMENTED PREMIUM

cutting of all concrete and general masonry products.

CODE	DETAILS
BS230SP	230 x 2.4 x 10 x 22.23mm

SEGMENTED CONCRETE PRO

A premium, multi-purpose blade with long life for dry Professional blade with long life for dry cutting of hard precast concrete and hard masonry.

CODE	DETAILS	CODE	DETAILS
3S230SP	230 x 2.4 x 10 x 22.23mm	BS115GP	115 x 2 x 10 x 22.23mm
		BS125GP	125 x 2 x 10 x 22.23mm
		BS150GS	150 x 2.4 x 10 x 22.23mm
		BS180GS25	180 x 2.4 x 10 x 25.4mm (22.23mm Bush)
		BS230GS	230 x 2 4 x 10 x 22 23mm





SEGMENTED ABRASIVE PRO

Professional blade with long life for dry cutting of cement Dry cutting of very hard materials including mild steel and blocks, stock bricks, asphalt and all abrasive products. hard refractory bricks.

CODE	DETAILS	CODE	DETAILS
BS115ABP	115 x 2.1 x 8.5 x 22.23mm	LSDC115	115 x 2.4 x 7 x 22.23mm
BS125ABP	125 x 2.2 x 8.5 x 22.23mm	LSDC230	230 x 2.4 x 7 x 22.23mm
BS180ABP	180 x 2.5 x 10 x 22.23mm	LSDC300	300 x 2.4 x 7 x 25.4mm
BS230ABP	230 x 2.4 x 10 x 22.23mm	LSDC350	350 x 3.2 x 5 x 25.4mm
		LSDC450	450 x 4 x 7 x 25.4mm



Crack Chasing & Joint Widening Blades

CRACK CHASER BLADES

A professional diamond blade for chasing cracks and Wet / Dry joint widening or reaming of concrete and cutting joints, designed for delivering the highest cutting asphalt. performance and long life at an affordable price.

JOINT WIDENING BLADES

CODE	DETAILS	_
BTC125P	125 x 6 x 22.23mm	
BTC180P	180 x 6 x 22.23mm	

CODE	DETAILS
BTP125P	125 x 6.4 x 10 x 22.23mm
BTP180P	180 x 6.4 x 10 x 22.23mm
BTP350P6	350 x 6 x 10 x 25.4mm
BTP350P8	350 x 8 x 10 x 25.4mm
BTP350P10	350 x 10 x 10 x 25.4mm
BTP350P12	350 x 12 x 10 x 25.4mm



Asphalt Blades / New Concrete



ASPHALT / NEW CONCRETE TRADE PRO

mix, new concrete and abrasive materials.

CODE	DETAILS	
HA350TP	350 x 3 2 x 12 x 25 4mm	

ASPHALT / NEW CONCRETE

Competitively priced blade for wet cutting of asphalt, pre- Economy blade with good life for wet cutting of asphalt, pre-mix, new concrete, and abrasive materials.

CODE	DETAILS
BA300DA	300 x 3.2 x 10 x 25.4mm
BA350DA	350 x 3 2 x 15 x 25 4mm



ASPHALT / NEW CONCRETE STANDARD

concrete, and abrasive materials.

CODE	DETAILS
BA300AS	300 x 3.2 x 10 x 25.4mm
BA350AS	350 x 3.2 x 15 x 25.4mm
BA400AS	400 x 3.2 x 10 x 25.4mm
BA450AS	450 x 3.2 x 10 x 25.4mm
BA600AS	600 x 4.2 x 10 x 25.4mm

ASPHALT / NEW CONCRETE PREMIUM

Contractor's blade for wet cutting of asphalt, pre-mix, new A premium contractor's blade for wet cutting of asphalt, pre-mix, new concrete, and abrasive materials

CODE	DETAILS
BA350AP	350 x 3.2 x 15 x 25.4mm





NEW CONCRETE SUPER

A professional blade with an arrayed diamond technology for wet cutting of asphalt, new concrete, and abrasive materials.

CODE	DETAILS
DVSEUVCII	2E0 v 2 2 v 1E v 2E 4mm



Old Concrete Blades




OLD CONCRETE TRADE PRO

Competitively priced blade for wet cutting of all old concrete, reinforced concrete and general masonry

Economy	blade with	good life	for wet	cutting	of all	old
concrete,	reinforced	concrete	and	general	maso	nry
products.						

CODE	DETAILS
HO350TP	350 x 3.2 x 12 x 25.4mm
HO450FS	450 x 3.7 x 12 x 25.4mm
HO600FS	600 x 4.6 x 12 x 25.4mm
HO800FS	800 x 4.5 x 12 x 25.4mm
HOGODES	900 x 4 5 x 12 x 25 4mm

CODE	DETAILS
BO300DA	300 x 3 x 12 x 25.4mm
BO350DA	350 x 3.2 x 15 x 25.4mm



BO300CS BO350CS

OLD CONCRETE STANDARD

300 x 3 x 12 x 25.4mm

350 x 3.2 x 15 x 25.4mm

DETAILS

CODE

Contractor's blade for wet cutting of all old concrete, reinforced concrete and general masonry products.

Premium contractor's blade for wet cutting of all old concrete, reinforced concrete, and general masonry products. Designed to be used on low horsepower saws.

CODE	DETAILS	Ī
BO350CP	350 x 3.2 x 15 x 25.4mm (15-35 HP)	
BO400CP	400 x 3.2 x 10 x 25.4mm (15-35 HP)	
BO450CP	450 x 3.6 x 10 x 25.4mm (15-35 HP)	
BO500CP	500 x 3.6 x 10 x 25.4mm (15-35 HP)	
BO600CP	600 x 4.3 x 10 x 25.4mm (15-35 HP)	
BO700CP	700 x 4.2 x 12 x 25.4mm (35+ HP)	

Abrasive Concrete

BO550ABP 550 x 4 x 16 x 25.4mm (15-35 HP)



HARD CONCRETE PREMIUM

CODE	DETAILS
BO350CH	350 x 3 x 15 x 25mm

OLD CONCRETE SUPER

Premium contractor's blade for wet cutting of hard concrete, reinforced concrete, and hard masonry products.

Professional blade with arrayed diamond technology for concrete, reinforced concrete, and hard masonry products. general masonry products. Designed to be used with high horsepower saws

CODE	DETAILS
BO350CU	350 x 3.2 x 15 x 25.4mm (15-35 HP)
BO450CU	450 x 3.6 x 15 x 25.4mm (15-35 HP)
BO600CU2	600 x 4.5 x 14 x 25.4mm (10-20 HP)
BO600CP	600 x 4.5 x 10 x 25.4mm (20-35 HP)
BO600CU	600 x 4.5 x 10 x 25.4mm (35-65 HP)
BO800CU	800 x 5 x 10 x 25.4mm (35+ HP)
BO900CU	900 x 5 x 9.5 x 25.4mm (35+ HP)






OLD CONCRETE / ASPHALT MULTI CUT

Economy all purpose blade for for wet cutting of old concrete, various building materials, and occasionally asphalt.

CODE	DETAILS
BOA350TC	350 x 3.2 x 10 x 25.4mm

Our new Tool-Co all purpose Multi Cut diamond blade has an unique alternating Turbo/Standard segment design to allow durable and smooth cutting in a very wide range of materials without the need to change the blade.



Floor Saws



TOOL-CO MGA500 FLOOR SAW

This versatile and compact petrol push floor saw fits a 300mm to 500mm diamond blade with a unique ability to cut either side of the saw. Ideal for small to mid-sized service and repair jobs in asphalt and concrete. Cuts up

Excluding Diamond Blade

CODE	BMGA500
Petrol Engine	Honda 9.7kW (13 Hp)
Diamond blade, max	500mm
Cutting depth, max	180mm
Weight	110kg

FS524 FLOOR SAW

Our convenient FS 524 is a powerful, yet compact, selfpropelled petrol floor saw ideal for asphalt and concrete cutting. Suitable for small to medium-sized service and repair jobs, up to 241mm cutting depth.

Excluding Diamond Blade





Floor Saws



FS 7000 D FLOOR SAW

The FS 7000 D is a powerful diesel walk-behind floor saw with low emissions, developed to be compliant with Tier 4 / Stage IIIB regulations. It's Ideal for asphalt and concrete cutting up to 411 mm deep. It's highly versatile thanks to a high output, compact size and good manoeuvrability. Equipped with an intuitive digital control panel making all important functions easy to monitor.

Excluding Diamond Blade

CODE	H967207954	
Diesel Engine	50.4kW	
Power at blade shaft	50kW (67Hp)	
Diamond blade, max	1000mm	
Cutting depth, max	411mm	
Weight, approx.	1032kg	

SOFF-CUT 4000

The Soff-Cut 4000 self-propelled petrol saw is designed for heavy-duty commercial, industrial and paving applications. It features technology that enables concrete to be cut within the first one or two hours of finishing and before final set. Soff-Cut™ machines provide the best solution for minimising the risk of random cracking, and it simplifies the working process.


Excluding Diamond Blade

CODE	H966845502
Petrol Engine	15.3kW (20.5Hp)
Diamond blade, max	350mm
Cutting depth, max	70mm
Weight	190.51kg
Soff-Cut Diamond Blade	H542756114



NOTE: OTHER MACHINE SIZES ARE AVAILABLE UPON REQUEST

Handheld Saws



HAND SAW BLADES

Premium contractor's blades for dry/wet cutting of reinforced concrete and bricks. Used with a hand-held petrol or hydraulic power cutter for the fastest cut and lowest cost in professional sawing.

CODE	DETAILS
LS400PRE	400 x 3.2 x 25.4mm - Red (Long Life)
LS400PRO	400 x 3 x 25.4mm- Blue (Quick Cut)
LS400RCP	400 x 3.2 x 25.4mm- Hydraulic
LS400HCP	400 x 4 x 25.4mm- Pre-Cut
LS500RCP	500 x 3.5 x 25.4mm- Hydraulic
B	

Pre-cut blade to be used in conjunction with a Ring Saw Please see page 5

HYCON HCS16 400mm SAW

This hydraulic cut-off saw is capable of cutting every material, including re-bar. The saw offers high safety with it's built-in Automatic Safety Cut Off system (ASCO) which automatically cuts off the power if the disc jams.

Excluding Diamond Blades

CODE	HY3030401
Disc size	400mm
Oil flow, l.p.m.	20-40
Working pressure, bar	120
Max. pressure, bar	172
Weight w/o equipment	7.8kg
Cutting depth	162mm
Noise level 1 m LPA dB	97
Noise level 1 m LWA dB	108



HYCON POWER PACK

The HPP18V hydraulic power pack features infinitely variable flow adjustment from 0 to 40 l.p.m. With its great flow range, it can operate all tools, but it is typically used for cut-off saws, diamond chain saws, ring saws and other 40 l.p.m. tools.

CODE	HY2020018
Oil Flow, l.p.m.	1x20-30-40
Maximum Pressure, bar	160
Weight	105kg
Noise level 1m LPA dB	89
Noise level LWA dB	101
6m Twin Hose	HY4040008

HYCON HCS20 500mm SAW

A larger, more powerful version of the Hycon 400mm Hydraulic Cut-off Saw with all the same features

< 2.5

Excluding Diamond Blade

Vibration level m/s2

CODE	HY3030500
Disc size	500mm
Oil flow l.p.m	30-40
Working pressure, bar	120
Max. pressure, bar	172
Weight w/o equipment	9.2kg
Cutting depth, mm	212mm
Noise level 1 m LPA dB	99
Noise level 1 m LWA dB	110
Vibration level m/s²	<2.5





The C16 is a hand-held saw for concrete, masonry, and This electric all-round cutter minimises the amount of stone. Designed for wet cutting but is also perfectly suitable for dry cutting. The vacuum port can be used either for wet slurry collection or for dry dust collection. Includes full electronic overload and thermal protection.

Excluding Diamond Blade

CODE	PTM-C16
Power	3.2kW (4.3Hp)
Blade Diameter	405mm
Arbour	25.4mm
Max. Cutting Depth	150mm
Weight w/o equipment	9.6kg

K4000 POWER CUTTER

water and slurry. Unlike other electric cutters, the blade rotates forward, cutting into the material efficiently with minimum effort on the operator. It's easily adaptable for dry cutting with the Vac attachment accessory for minimal

Excluding Diamond Blade

CODE	H967079801
Blade size	350mm
Cutting Depth	125mm
Arbor Diameter	25.4mm
Engine Voltage	220-240V, 12A
Engine RPM	19350rpm
Output Shaft RPM	3600prm





Handheld Saws



K7000 HAND SAW & PP65

The PP 70 is a versatile electric power pack. The low weight, compact design and user-friendly interface with digital menu makes the PP 70 very easy to use and transport. Connects to both 3- and 1-phase power.

Excluding Diamond Blade

CODE	H967082901
Power 3-phase	5500W
Power 1-phase	3000W
Diamond Blade	400mm
Cutting Depth	155mm
Bore	25.4mm
Weight w/o equipment	9.8kg
PP70 Power Pack	H967828303

K7000 RING SAW & PP65

The K7000 is equipped with high frequency technology for powerful and precise cutting. **The K 7000 Ring** is equipped with high frequency powerful and precise cutting. ever. The high power output, well-balanced body and low vibration levels make this machine very efficient and easy to use.

> The PP 70 is a versatile electric power pack. Connects to both 3- and 1-phase power.

Excluding Diamond Blade

CODE	H970449801
Power 3-phase	5500W
Power 1-phase	3000W
Diamond Blade	470mm
Cutting Depth	270mm
Weight w/o equipment	13.1kg
PP70 Power Pack	H967828303
Ring Saw Diamond Blade For Hard Concrete	H587024201





K7000 CHAIN & PP65

technology, making it a very powerful electric chain cutter. The high power output, well-balanced body and low vibrations make this machine very efficient and easy to use. With K 7000 Chain it is possible to cut 455 mm deep from one side, making this machine a great complement to wall saws to avoid overcutting at corners. It is also ideal for cutting irregular or small openings (as small as 11x11

The PP 70 is a versatile electric power pack. Connects to Includes a set of Diamond Blades both 3- and 1-phase power.

CODE	H970449701
Power 3-phase	5500W
Power 1-phase	3000W
Max Cutting Depth	450mm
Weight	9.1kg
PP70 Power Pack	H967828303
Replacement Diamond Chain	H5449084-05

CUT-N-BREAK

The K 7000 Chain is equipped with high frequency The K4000 Cut-n-Break enables you to cut as deep as 400mm from one side. Suitable for flush cutting close to walls and floors as well as for smaller jobs like window openings where you want to avoid over-cutting at the

> The new K 4000 has a upgraded electric motor with pop-up carbon brushes for a longer service life.

H967079701
2700W
230mm
400mm
10.4kg
H574836202



ICS Chain Saws



PETROL CONCRETE CHAIN SAW

The new ICS 695XL features include an easy to start engine with higher energy ignition system and durable, longlasting components including a new muffler, carburettor and piston & cylinder. Available with 30cm or 40cm guide bars and the entire line of MAX, ProForce and PowerGrit series diamond chains. Based on the best-selling 695 saw platform, the 695XL is the highest horsepower ICS gas saw for frequent-use by general contractors and concrete professionals.


Excluding Diamond Chain

CODE	ICS575826
Power	4.8kW
Torque	5.7Nm
Noise Level	115dB
Weight w/o equipment	9.5kg

CODE	ICS575826
Power	4.8kW
Torque	5.7Nm
Noise Level	115dB
Weight w/o equipment	9.5kg

ICS CHAINSAW CHAINS

PowerGrit® Utility Saw Chains provide improved access to the cut with less excavation. From ductile iron to plastic pipe, PowerGrit will get you in and out of the job faster, safer and easier than other products.





HYDRAULIC CONCRETE CHAIN SAW

The ICS 890F4 Series hydraulic cutting system offers the superior strength of FORCE4® technology. From the redesigned, more durable rear handle, to the easy to replace drive sprocket, this saw is engineered to stand up to your toughest jobs. In a package that exceeds industry standards this sleek powerhouse is packed with features designed to make it work as hard as you do. Available in 30lpm or 45lpm hydraulic supply on request.

Excluding Diamond Chain

CODE	ICS566357
Power (30LPM / 45LPM)	4.6kW / 6kW
Torque (30LPM / 45LPM)	13.78Nm / 19.2Nm
Noise Level	107dB
Weight w/o equipment	12.4kg



Twin Wall Chaser & Blades

AGP CG150 WALL CHASER

CONCRETE PRO

Specifically designed for cutting double slots and channels Diamond Saw Blade to fit the AGP CG150 wall chaser. in reinforced concrete, masonry, and similar materials.

Including Diamond Blade

CODE		PTM-CG150
Power Input		2500W
Diamond Blade		150mm
Cutting Depth		50mm
Channel Width		47mm
Bore		22.23mm
Cut To Ceiling /	Edge	25mm / 28mm
Weight w/o equ	uipment	7.2kg

CODE	DETAILS
BS150GS	150 x 2.2 x 10 x 22.23mm



Wall Saw Machine & Blades

WS440 HF - 800MM GUARD

WS 440 HF electric wall saw gives you increased Professional wall saw blades with Diamond Arrayed possibilities for fast and efficient cutting in reinforced Technology. Guaranteed fastest cut and lowest cost. concrete, brick and other building materials, up to 530mm thickness. Use this wall saw for all kinds of openings and sawing including stair, bevel and flush cutting. WS 440 HF can be combined with CS 10, transforming it into a perfect wire saw. Including an 800mm Blade Guard (Cutting Depth = 330mm) Excluding Diamond Blade

1	Technology. Guaranteed fastest cut and lowest cost.	,	
ì			
1			



Code for 1200mm Guard	H577660401
Cutting depth, max	530mm (1200mm Blade)
Diamond Blade, min / max	600mm / 1200mm
Spindle output, max	13kW
Motor	Electric 3-phase 1200rpm
CODE	H966868313

CODE	DETAILS
BW0600SB	600 x 4.5 x 12 x 60mm
BW0800HB	800 x 5 x 12 x 60mm PRE CUT
BW0900SB	900 x 4.5 x 12 x 60mm
BW1200Z	1200 x 4.5 x 12 x 60mm
BW1600Z	1600 x 4.5 x 9.5 x 60mm







PRE-STRESSED BLADES

Professional pre-stressed saw blades with a high concentration of diamonds. High quality guaranteed, consistency and performance providing the lowest cost

CODE	DETAILS
BHC600P	600 x 5 x 10 x 40mm
BHC800P	800 x 7.5 x 10 x 100mm
BHD0900P	900 x 6 x 10 x 70mm
BHD1000P	1000 x 7 x 10 x 60mm



Electro-Plated & Vacuum Brazed



FIBREGLASS BLADES

For cutting all types of fibreglass products.

CODE	DETAILS
LVC115TC	115 x 22.23mm
EP180	180mm (Made To Order)
EP200	200mm (Made To Order)
EP250	230mm (Made To Order)
EP300	300mm (Made To Order)

VACUUM BRAZED DIAMOND CORE BITS

Our vacuum brazed diamond core bits are designed to give you uncomplicated, clean, smooth and chip-free holes in $fibreglass, fibre \ concrete, \ ceramic, \ granite \ tops, \ marble \ or$ porcelain.

CODE	DETAILS	CODE	DETAILS
LVRC020P	20 x 3.5 x 7mm x M14	LVRC065P	65 x 3.5 x 7mm x M14
LVRC025P	25 x 3.5 x 7mm x M14	LVRC070P	70 x 3.5 x 7mm x M14
LVRC032P	32 x 3.5 x 7mm x M14	LVRC075P	75 x 3.5 x 7mm x M14
LVRC035P	35 x 3.5 x 7mm x M14	LVRC082P	82 x 3.5 x 7mm x M14
LVRC040P	40 x 3.5 x 7mm x M14	LVRC090P	90 x 3.5 x 7mm x M14
LVRC045P	45 x 3.5 x 7mm x M14	LVRC102P	102 x 3.5 x 7mm x M14
LVRC050P	50 x 3.5 x 7mm x M14	LVRC120P	120 x 3.5 x 7mm x M14
LVRC060P	60 x 3.5 x 7mm x M14		




Rescue Blades



TOOL-CO RESCUE BLADES

The Tool-Co Rescue blades delivers cost efficiency with a much longer tool life and reduces downtime in changing worn abrasive discs by lasting up to 50 times longer than standard abrasives based on internal testing. These jack-of-all trade blades are designed for cutting a long list of materials including but not limited to: carbon steel, ductile iron, steel section, steel bar, steel tube, wood, plastic, PVC, stone, and brick.

CODE	DETAILS
LVR115P	115 x 2.5 x 22.23mm
LVR230P	230 x 2.8 x 22.23mm
LVR300P	300 x 3.1 x 25.4mm
LVR350P	350 x 3.1 x 25.4mm





Dry Cutting Dust Control



DUSTCO DUST HOOD 125MM

 $connection\ ring\ code\ using\ the\ table\ below.$

CODE	PED-201400311	
Grinder Model	Connection Ring Code	
Makita 9557NB; 9558HN; 9558NB or 9558PB	PED-201400317	
Makita 9562CR; 9562CVH; 9562CVR; 9565CV; 9565CVR	PED-201400318	
Bosch GWS10-125 CE/Z; GWS 11-125 /CI/CIE/CIH; GWS12 CI; GWS 1400; GWS14-125 CI/CIE; GWS15- 125CIE	PED-201400315	
Bosch GWS18-125; GWS7-	PED-201400316	

DUSTCO DUST HOOD 230MM

For dustless concrete grinding, to fit 125mm Makita For dustless concrete grinding, to fit 230mm Makita and Bosch grinders. Please enquire with our sales team regarding the correct vacuum and connection ring.

and Bosch grinders. Please enquire with our sales team regarding the correct vacuum and connection ring.

You can match your hand grinder's model with it's You can match your hand grinder's model with it's connection ring code using the table below.

CODE	PED-201400312	
Grinder Model	Connection Ring Code	
Makita GA9010C; GA9020; GA9040S	PED-201400323	
Makita GA9020	PED-201400325	
Bosch GWS22-230H; GWS 24-180JBV; GWS24-230LVI	PED-201400322	



NOTE: DUST HOODS FIT ANY VACUUM WITH A 38MM HOSE





125; GWS8-115

TOOL-CO H13 VACUUM Designed for small grinders and hand held power tools. It's equipped with a HEPA filter and features a pressure gauge that indicates when the filter is clogged. It's also equipped with continuous drop-down fold-bag system for safe dust

CODE	VCM-AZ01361
Power	1200W
Max Air Flow	200m3/h
Max Vacuum	220mbar
Pre-filter	1.50 m², >99.5% @0.3 um
Dimensions	60 x 37 x 105cm
Weight	35kg




Masonry Blades



MASONRY BLADES

Standard wet cutting masonry blades featuring a unique design that provides low cutting cost and high performance when used on a wide range of masonry materials.

Dry / wet cutting of very hard products including mild stee
and hard refractory bricks.



CODE	DETAILS
LSDC300	300 x 2.4 x 7 x 25.4mm
LSDC350	350 x 3.2 x 5 x 25.4mm
LSDC450	450 x 4 x 7 x 25.4mm



Masonry Machines



TOOL-CO BRICK SAW

Heavy Duty brick cutter for cutting bricks, stone and tiles. It has a sliding table that moves under a cutting head. The cutting head can turn to cut 45degrees as well as move up and down to control depth of cut.

Excluding Diamond Blade





Excluding Diamond Blade

CODE - Single Phase	AL06242
CODE - Three Phase	AL06243 (On Request)
Voltage 1-/3-Phase	230V / 380V
Power	2.2kW
Max Blade	350mm
Bore	25.4mm
Max Cutting depth	110mm
Max Cutting length	630mm
Mitre Cut	0°- 45°



HEAVY DUTY BRICK SAW

0°-45°

Single phase masonry and refractory saw. Also available in 3-phase

Excluding Diamond Blade

Mitre Cut



AL06224

Shares the same features as the ALBA TVR 350, but allows you to fit a bigger, 450mm diamond blade

Excluding Diamond Blade





CODE	1471000 (On Request)	CODE
Voltage	230V	Voltage
Power	2.2kW	Power
Max Blade	500mm	Max Blad
Bore	25.4mm	Bore
Max Cutting depth	190mm	Max Cutt
Max Cutting length	500mm	Max Cutt
		Mitre Cu

tage	230V	Voltage	230V
ver	2.2kW	Power	2.2kW
x Blade	500mm	Max Blade	450mm
re	25.4mm	Bore	25.4mm
x Cutting depth	190mm	Max Cutting depth	150mm
x Cutting length	500mm	Max Cutting length	630mm
		Mitre Cut	0°- 45°



PETROL BRICK SAW

Petrol powered 350mm masonry and brick saw.

Excluding Diamond Blade

CODE	BCP350 (On Request)
Power	2.2kW
Max Blade	350mm
Bore	25.4mm
Max Cutting depth	75mm
Max Cutting length	650mm
Weight	106kg

BS650 BLOCK SAW

Powerful block saw for the long term use on any job-site or large construction project.

Excluding Diamond Blade





Tiling Blades



DIY RED

Do it yourself dry cutting for tiles, stone, and general Dry cutting diamond blade for general masonry, concrete, masonry.

CODE	DETAILS
HS115EC	115 x 2 x 7 x 22.23mm - Segmented

HC115EC 115 x 2 x 7 x 22.23mm - Continuous Rim Dry fast cutting of concrete, bricks, ceramic and natural stone tiles

Dry chip free cutting of ceramics and natural stone tiles.

HT115EC 115 x 2 x 7 x 22.23mm - Turbo

TRADE PRO ORANGE

and abrasive material.

CODE	DETAILS
HS115TC	115 x 2 x 7 x 22.23mm - Segmented
Dry chip fre	e cutting of ceramics and natural stone tiles.
HC115TC	115 x 2 x 7 x 22.23mm - Continuous Rim
HC230TC	230 x 2.4 x 7 x 22.23mm - Continuous Rim
Dry fast cut stone tiles	ting of concrete, bricks, ceramic and natural

HT230TC 230 x 2.4 x 7 x 22.23mm - Turbo





SEGMENTED TRI-PACK


masonry, stone and concrete.

CODE DETAILS HS115TC3 115 x 2 x 7 x 22.23mm

CONTINUOUS RIM TRI-PACK

Pack of three dry cutting diamond blades for general Pack of three dry cutting diamond blades for tiles and

stone.







CONTINUOUS RIM DRY

stone tiles.

CODE **DETAILS** BC115TC 115 x 2 x 7 x 22.23mm- Standard BC115TE 115 x 1.6 x 7 x 22.23mm- Porcelain BC115TP 115 x 1.6 x 7 x 22.23mm- Premium BC125TP 125 x 1.6 x 7 x 22.23mm- Premium BC180TP 180 x 1.6 x 7 x 22.23mm- Premium BC230TP 230 x 1.65 x 7 x 22.23mm- Premium

TURBO DRY

Dry chip free cutting of ceramics, porcelain and natural Dry fast cutting of ceramic, porcelain, natural stone tiles, hard concrete and hard bricks.

CODE	DETAILS
BT115E	115 x 2 x 7 x 22.23mm
	A Alexander

The second second

TURBO SUPER THIN WET





CONTINUOUS RIM WET

Chip free cutting of ceramics, and natural stone tiles.

PREMIUM

Chip free and super-fast cutting of hard porcelain, hard ceramics, and natural stone tiles.

Can cut up to 15mm tile thickness.

DETAILS	CODE	DETAILS
180 x 1.5 x 7 x 25.4mm (22.23mm Bush)	BT180P	180 x 1.4 x 8 x 25.4mm
200 x 1.5 x 7 x 25.4mm (22.23mm Bush)	BT200P	200 x 1.8 x 8 x 25.4mm
230 x 1.5 x 7 x 25.4mm (22.23mm Bush)	BT230P	230 x 1.8 x 8 x 25.4mm
250 x 1.8 x 7 x 25.4mm (22.23mm Bush)	BT250P	250 x 1.8 x 8 x 25.4mm
300 x 2 x 7 x 25.4mm	BT300P	300 x 2 x 8 x 25.4mm
350 x 2.2 x 7 x 25.4mm	BT350P	350 x 2 x 8 x 25.4mm





MUSIC SLOT WET PROFESSIONAL

CODE

BC180TS

BC200TS

BC230TS

BC250TS

BC300TS

BC350TS

cutting of porcelain and other hard materials.

CODE	DETAILS	
LCJ250P	250 x 2 x 10 x 25.4mm	
LCJ300P	300 x 2 x 10 x 25.4mm	
LCJ350P	350 x 2 x 10 x 25.4mm	
I C 1400P	400 x 2 x 10 x 25 4mm	

MUSIC SLOT WET SILVER

Professional blade with cooling slots for fast chip free Professional blade designed for multi-blade tile cutting machines.

_		
	CODE	DETAILS
	LCP250P60XF	250 x 1.8 x 10 x 60mm
	LCP310P60XF	310 x 1.6 x 10 x 60mm





CONTINUOUS RIM WET GLASS

various types of glass.

CODE	DETAILS	CODE
LCJ115G	115 x 1.7 x 5 x 22.23mm	RAD1790
LCJ250G	250 x 1.7 x 5 x 25.4mm	RAD1799
LCJ300G	300 x 1.7 x 5 x 25.4mm	

CONTINUOUS RIM WET SPECIALISED

Premium blade for straight, true chip free cutting into Professional blade for cutting a 45° profile on tiles.

CODE	DETAILS
RAD179CC250B	250mm 45° Bevel Blade
RAD179SET300B	300mm Straight Porcelain Blade



Tile Drilling



PORCELAIN CORE DRILLS ECO

Fast drilling into all types of tiles: Porcelain, hard ceramics, $% \left(\frac{1}{2}\right) =\frac{1}{2}\left(\frac{1}{2}\right) =\frac{1}{2}\left($ natural stone.

Estimated life between 5-20 holes depending on the hardness and thickness of the tile.

USE WITH WATER

CODE	DETAILS	
LZV005	5 x 40mm x 10mm Hex Shank	
LZV006	6 x 40mm x 10mm Hex Shank	
LZV008	8 x 40mm x 10mm Hex Shank	
LZV010	10 x 40mm x 10mm Hex Shank	

PORCELAIN CORE DRILLS **PREMIUM**

Professional drilling into all types of tiles: Porcelain, hard ceramics, natural stone.

Estimated life between 50-100 holes depending on the hardness and thickness of the tile.

USE WITH WATER

CODE	DETAILS
LZK006P	6mm x 44mm x 1/2" BSP
LZK008P	8mm x 44mm x 1/2" BSP
LZK010P	10mm x 44mm x 1/2" BSP
LZK012P	12mm x 44mm x 1/2" BSP
LZK016P	16mm x 44mm x 1/2" BSP
LZK020P	20mm x 44mm x 1/2" BSP
LZK032P	32mm x 44mm x 1/2" BSP
LWST10	Water Swivel 10mm Shank x 1/2" BSP





GRANITE CORE DRILLS - BLACK

Economic drilling of all marble and granite. Good life with slower drilling speed.

USE WITH WATER

CODE	DETAILS
BZG020P	Core Drill - 20 x 105mm x M14
BZG025P	Core Drill - 25 x 105mm x M14
BZG032P	Core Drill - 32 x 105mm x M14
BZG035P	Core Drill - 35 x 105mm x M14
BZG051P	Core Drill - 51 x 105mm x M14
BZG065P	Core Drill - 65 x 105mm x M14
BZG080S	Core Drill - 80 x 105mm x M14
BZG085P	Core Drill - 85 x 105mm x M14
BZG102P	Core Drill - 102 x 105mm x M14
GAD008	Adaptor Pin to M14
GAD006	Adaptor Pin to 5/8

TILE CORE DRILLS - BLUE

Fast drilling into all types of tiles: Porcelain, ceramics, and natural stone.

USE WITH WATER

CODE	DETAILS
LZG005P	Dowel Drill - 5 x 40mm x Straight Shank
LZG006P	Dowel Drill - 6 x 40mm x Straight Shank
LZG008P	Core Drill - 8 x 40mm x Straight Shank
LZG010P	Core Drill - 10 x 40mm x Straight Shank
LZG012P	Core Drill - 12 x 40mm x Straight Shank
LZG014P	Core Drill - 14 x 40mm x Straight Shank
LZG016P	Core Drill - 16 x 40mm x Straight Shank
LZG006M	Core Drill - 6 x 40mm x M14
LZG008M	Core Drill - 8 x 40mm x M14
LZG010M	Core Drill - 10 x 40mm x M14
LZG016M	Core Drill - 16 x 40mm x M14
LZG018P	Core Drill - 18 x 40mm x M14
LZG020P	Core Drill - 20 x 50mm x M14
LZG025P	Core Drill - 25 x 50mm x M14
LZG032P	Core Drill - 32 x 70mm x M14
LZG035P	Core Drill - 35 x 70mm x M14
LZG040P	Core Drill - 40 x 70mm x M14
LZG045P	Core Drill - 45 x 70mm x M14
LZG052P	Core Drill - 52 x 70mm x M14
LZG065P	Core Drill - 65 x 70mm x M14
LZG078P	Core Drill - 78 x 70mm x M14
LZG080P	Core Drill - 80 x 70mm x M14
LZG090P	Core Drill - 90 x 70mm x M14
LZG095P	Core Drill - 95 x 70mm x M14
LZG102P	Core Drill - 102 x 70mm x M14
LZG120P	Core Drill - 120 x 70mm x M14
GAD008	Adaptor Pin to M14

Adaptor Pin to 5/8

granite tops, marble or porcelain.







FTTO0116

CORE DRILLING GUIDES

Keeps your core bit in the correct position and prevents Designed to give you uncomplicated, clean, smooth and the bit from jumping or skipping. Produces clean and chip-free holes in fibreglass, fibre concrete, ceramic, accurate holes with ease, every time.

CODE

Diamond Core Bit Guide (Small) 5-12mm



CODE	DETAILS	CODE	DETAILS
LVRC020P	20 x 3.5 x 7mm x M14	LVRC065P	65 x 3.5 x 7mm x M14
LVRC025P	25 x 3.5 x 7mm x M14	LVRC070P	70 x 3.5 x 7mm x M14
LVRC032P	32 x 3.5 x 7mm x M14	LVRC075P	75 x 3.5 x 7mm x M14
LVRC035P	35 x 3.5 x 7mm x M14	LVRC082P	82 x 3.5 x 7mm x M14
LVRC040P	$40 \times 3.5 \times 7$ mm $\times M14$	LVRC090P	90 x 3.5 x 7mm x M14
LVRC045P	45 x 3.5 x 7mm x M14	LVRC102P	102 x 3.5 x 7mm x M14
LVRC050P	50 x 3.5 x 7mm x M14	LVRC120P	120 x 3.5 x 7mm x M14
LVRC060P	60 x 3.5 x 7mm x M14		

VACUUM BRAZED DIAMOND

CORE BITS



FTT00116 - 5-12mm



FTTO0118 - 20-65mm

Electric Tile Saws



RAIMONDI PIKUS 130

Ideal for cutting granite, marble, porcelain and ceramics.

Straight, 45° bevel (Jolly), & plunge cuts.

Machine includes a Diamond Blade.

TECHNICAL DETAILS

Power	1.1kW
Max Blade Size	250mm x 25.4mm
Cut Thickness Single Pass	80mm
Cut Thickness Double Pass	150mm
CODE	RA130PIK
RAS423BL130ADV	Tile Holding Device
RAS423KITDL	Folding Extensions & Left Square 90°
RAS192SQ04A	Right Hand Sliding Square
RAS192SQ07A	Left Hand Sliding Square
RAS191CL04A	Counter-square
RAS240	Water Pump
RAS374RU10D40	Self Standing 10 Roller Bench





MANTA 150 & 200

Available in both 1.5m and 2m versions, the Manta is a heavy duty single phase manual saw for cutting natural stone, porcelain, and ceramics. the head slides on two rectified chrome ground bars by means of linear ball-bearings. It is equipped with a submersible pump placed inside the base, which doubles as the water reservoir. Vertical head motion is by means of a hand-wheel for a fast and stable adjustment. Tilting head for 45° cuts.

EQUIPPED WITH: 1 submersible pump and a set of servicing wrenches.

Excluding Diamond Blade

TECHNICAL DETAILS	Manta 150 / 200
Power	230V, 2.2kW
Max Blade Size	350mm x 25.4mm
Max cutting length	1500mm / 2000mm
Max cutting depth	110mm
Weight	210kg / 260kg
CODE - MANTA 150	MN120350ED
CODE - MANTA 200	MN120458
MNS17M003	Side Stop
MNS17M004	Long Diagonal Square 50cm
MNS17M005	Short Diagonal Square
MNS020022NMM	Water Pump
MNS17M000	Side Roller Bench





SIGMA JOLLY CUT

The Sigma Jolly cut is designed to cut Jolly angles effortlessly. This machine is suited for heavy work. It is fitted with a 2.2kw motor and a 300mm diamond blade. The work table slides on bearings. The machine is made of galvanised steel sheet and painted with high resistance epoxy paint.

Including Diamond Blade

TECHNICAL DETAILS

Power	2.2kW
Max Blade Size	300mm x 30mm
Max Tile Size	750mm x 750mm
Weight	61kg
CODE	SIGT0001
SIGT0002	Complete square with guide & support
SIGT0003	Fixed Square 33cm
SIGT0004	Swivel measure bar 60cm



SIGMA Tile Cutters

sigma°

SIGMA 370 - STANDARD



SIGMA 350 - STANDARD

CODE	DETAILS
SIG03501	Sigma 350 Manual Tile Cutter (6)
SIGS0001	12mm Scoring Wheel & Bolt (14A)
SIG03502	Ruler Guide (19)
SIG03503	Folding Extension (17)
SIG06303	Handle 8mm Groove, 12mm Wheel (24E)
SIGS0008	Universal- Handle Guide Wheel (10144)
SIGS0007	Universal- Handle Foot Rubber (104033)





SIGMA 670 - SERIES 3

CODE	DETAILS	CODE
SIG06301	Sigma 670 Manual Tile Cutter (3B4)	SIG0750
SIGS0001	12mm Scoring Wheel and Bolt (14A)	SIGS000
SIGS0003	Ruler Guide (19D)	SIGS000
SIG06302	Swivel Ruler 47cm-0-35cm (90LB)	SIG0750
SIGS0004	Ruler Clamping Lever (108621)	SIGS000
SIGS0005	Ruler Clamping Level Nut (1079104)	SIGS000
SIGS0016	Complete Adjustable Support Screw (20B)	SIGS001
SIG06303	Handle 8mm Groove, 12mm Wheel (24E)	SIG0930
SIGS0007	Universal- Handle Foot Rubber (104033)	SIGS000
SIGS0008	Universal- Handle Guide Wheel (10144)	SIGS000
SIGS0009	Universal- Spring (10659)	SIGS000
SIG06306	Sliding Bar Support Screws (Old Type)	SIGS000

SIGMA 770 - SERIES 3

CODE	DETAILS			
SIG07501	Sigma 770 Manual Tile Cutter (3C2)			
SIGS0001	12mm Scoring Wheel and Bolt (14A)			
SIGS0003	Ruler Guide (19D)			
SIG07502	Swivel Ruler 54cm-0-40cm (90LC)			
SIGS0004	Ruler Clamping Lever (108621)			
SIGS0005	Ruler Clamping Level Nut (1079104)			
SIGS0016	Complete Adjustable Support Screw (20B)			
SIG09304	Handle 10mm Groove, 12mm Wheel (24AE)			
SIGS0007	Universal- Handle Foot Rubber (104033)			
SIGS0008	Universal- Handle Guide Wheel (10144)			
SIGS0009	Universal- Spring (10659)			
SIGS0006	Sliding Bar Support Screw (Old Type)			





SIGMA 950 - SERIES 3

CODE	DETAILS
SIG09301	Sigma 950 Manual Tile Cutter (3D2)
SIGS0001	12mm Scoring Wheel and Bolt (14A)
SIGS0003	Ruler Guide (19D)
SIG09302	Swivel Ruler 64cm-0-46cm (90LD)
SIGS0004	Ruler Clamping Lever (108621)
SIGS0005	Ruler Clamping Level Nut (1079104)
SIGS0016	Complete Adjustable Support Screw (20B)
SIG09304	Handle 10mm Groove, 12mm Wheel (24AE)
SIGS0007	Universal- Handle Foot Rubber (104033)
SIGS0008	Universal- Handle Guide Wheel (10144)
SIGS0009	Universal- Spring (10659)
SIGS0006	Sliding Bar Support Screw (Old Type)

SIGMA 1.29 - S3 KLICK KLOCK

CODE	DETAILS			
SIG12801	Sigma 1.29 Manual Tile Cutter (3E4K)			
SIG12802	15mm Scoring Wheel and Bolt (14C)			
SIGS0003	Ruler Guide (19D)			
SIG12803	Swivel Ruler 64cm-0-64cm (90LE)			
SIGS0004	Ruler Clamping Lever (108621)			
SIGS0005	Ruler Clamping Level Nut (1079104)			
SIGS0016	Complete Adjustable Support Screw (20B)			
SIG12804	Handle 15mm Groove, 15mm Wheel (24EK)			
SIGS0007	Universal- Handle Foot Rubber (104033)			
SIGS0008	Universal- Handle Guide Wheel (10144)			
SIGS0009	Universal- Spring (10659)			





			30
	8		
0		1	

CODE	DETAILS
SIG15101	Sigma 1.56 Manual Tile Cutter (3F4M)
SIGS0010	19mm Scoring Wheel & Bolt (14MX)
SIGS0003	Ruler Guide (19D)
SIG12803	Swivel Ruler 64cm-0-64cm (90LE)
SIGS0004	Ruler Clamping Lever (108621)
SIGS0005	Ruler Clamping Level Nut (1079104)
SIGS0016	Complete Adjustable Support Screw (20B)
SIG15102	Handle 20mm Groove, 19mm Wheel (24M20X)
SIG15103	Handle Foot Rubber (104058)
CIC1E104	Handle Guide Wheel (10166)

SIGMA 2.05 - SERIES 3 XL

Sliding Bar Support Screw (Old Type)

CODE	DETAILS
SIG20501	Sigma 2.05 Manual Tile Cutter (12D1)
SIG20502	13mm Scoring Wheel & Bolt (14X)
SIGS0003	Ruler Guide (19D)
SIG20504	Swivel Ruler 55cm-0-55cm (90LG)
SIGS0004	Ruler Clamping Lever (108621)
SIGS0005	Ruler Clamping Level Nut (1079104)
SIG20503	Handle 20mm Groove, 13mm Scoring Wheel (24XL)
SIG15103	Handle Foot Rubber (104058)

SIGS0006





SIGMA 2.45 - SERIES 3 XL

CODE	DETAILS
SIG24501	Sigma 2.45 Manual Tile Cutter (12E1)
SIG20502	13mm Scoring Wheel & Bolt (14X)
SIGS0003	Ruler Guide (19D)
SIG20504	Swivel Ruler 55cm-0-55cm (90LG)
SIGS0004	Ruler Clamping Lever (108621)
SIGS0005	Ruler Clamping Level Nut (1079104)
SIG20503	Handle 20mm Groove, 13mm Scoring Wheel (24XL)

Handle Foot Rubber (104058)

SIG15103



SIGMA Spares



SERIES 3 MAX HANDLE

Supplied standard with the 1.51m (20mm) it's a Push type that creates deep incisions into larger tiles. It has double spring cushioning which is essential for working with rough or texture surfaces. 100mm rigid foot width.

CODE	DETAILS

SIGS0011 10mm Handle & Scoring Wheel (ART:24M10X)

SIGS0012 15mm Handle & Scoring Wheel (ART:24M15X)

SIG15102 20mm Handle & Scoring Wheel (ART:24M20)

SIGS0010 Scoring Wheel & Bolt 19mm (ART:14MX) SIGS0013 No Mark Rubber Foot (ART:106725)

Series 3 handle that is supplied standard with the 350 (8mm), 670 (8mm), 770 (10mm), & 950 (10mm) models is a pull type handle that gives you fast and precise incisions into the tile

CODE DETAILS

SIG06303 Handle 8mm Groove, 12mm Wheel (24E)

SIG09304 Handle 10mm Groove, 12mm Wheel (24AE)

SIGS0001 12mm Scoring Wheel and Bolt (14A)

SIGS0002 $\begin{array}{c} 12 mm \ Titanium \ Scoring \ Wheel \ \& \ Bolt \ (ART14T) \\ 20\% - 30\% \ more \ scoring \ life \end{array}$

SIGS0007 Universal- Handle Foot Rubber (104033)



NOTE: SIGMA DISPLAY STANDS AVAILABLE, TILE CUTTERS ARE SOLD SEPARATELY.

DISPLAY STAND CODE: SIGZ001

SIGMA HANDLE INFORMATION

When looking at which handle you require please refer to the list below for your tile cutter's bar thickness for the correct handle. There are two basic types available. The standard pull type that comes with the smaller machines and the push type that comes with the larger machines.

TILE CUTTER BAR THICKNESS:

- 350 & 670-8mm Bar Thickness
- 770 & 950- 10mm Bar Thickness
- 1.28- 15mm Bar Thickness
- 1.51- 20mm Bar Thickness
- 2.05- 20mm Bar Thickness
- 2.45- 20mm Bar Thickness





SERIES 3 KLICK KLOCK HANDLE


Series 3 Klick Klock handle that is supplied standard with the 1.28m (15mm) is a Push type that gives you deep incision into larger tiles. It has a spring cushion which is essential for working with rough or textured surfaces. The Klick Klock system ensures greater splitting rigidity.

DETAILS CODE

SIGS0014 10mm Handle & Scoring Wheel (ART:24AK)

SIGS0015 15mm Handle & Scoring Wheel (ART:24FK)

SIGS0013 No Mark Rubber Foot (ART:106725)



Manual Tile Cutters



430MM MANUAL TILE CUTTER

Manual tile cutter is for ceramic tiles only.

CODE	DETAILS
MTT11000	Manual Tile Cutter DIY 430mm
MTT11003	Replacement Scoring Wheel (15 x 6 x 1.5mm)

600MM MANUAL TILE CUTTERS

Available in Heavy Duty and Light Duty versions. These tile cutters are for ceramic tiles only

CODE	DETAILS
MTT11001	Light Duty 600mm Tile Cutter
MTT11002	Heavy Duty 600mm Tile Cutter
MTT11004	Replacement Scoring Wheel (22 x 6 x 2mm)

Light Duty

1200MM MANUAL TILE CUTTER


A heavy duty manual tile cutter for cutting ceramic and A heavy duty manual tile cutter for cutting ceramic and porcelain tiles.

porc	elain tiles.	






1650MM MANUAL TILE CUTTER



Tool-Co Tile Levelling System

Tile Levelling System













2 Slide a reunable wedge into each oig. Tighten until ties are away against before of the wedge Adjust bles so the sone are sold and wedge life.



Use the Tool-Co Lovelling Piers to firsely secure the verige into the clip to create a perfectly level, aligned & spaced tile for a professional installation.

Let the mortar dry as required by the manufacturer's instructions. Use a nativer material or simply lack the side of the clips to state the side of the clips to If you're a tile installer, you're well aware of how difficult it is to properly set flexible, large format, heavy or low-thickness tiles, because often times the floor foundation is uneven and/or contains imperfections.

Tiles that seemed uniformly levelled while first installing them can show differences as the tile adhesive sets, compromising the overall aesthetics of your initial hard work.

With Tool-Co levelling spacers, this potential is no longer a threat to your perfect tile project. In addition to ensuring the proper levelling of tiles, this system helps speed the tile setting process.

Tool-Co Levelling System Clips are suitable for various materials with thicknesses ranging from 3-12mm up to 11-20mm and the clips leave a 1.5mm gap between tiles.



All Tool-Co clips have the breaking point very close to the plane where the tiles lay. This means the system can be used without any problems, even on very thin tiles (3mm) since there remains enough of a gap for tile grout.

Acn															- 1						
10	1980														4						
15	1312	676													1						
20	495	326	490												Į.						
25	395	263	391	312												•		8		•	
30	660	436	489	389	431																
40	495	328	365	291	322	240									. 1	xame	ple				
45	440	292	324	258	265	213	180						-	333	38.0	4	•		to	ŀ	
50	376	263	291	232	256	191	169	152						1	1	1				1	
55	360	239	264	211	232	173	154	138	125				10			I				IE	
50	330	219	242	193	212	158	141	126	114	105			1	-	1	1	•	1	1	T	
75	395	263	258	706	212	158	140	126	114	104	99		8On	120		77 p	leces	for	10	sqn	
80	371	246	241	192	198	148	131	117	107	97	93	87									
90	330	219	214	171	176	131	116	104	94	85	82	77	68								
100	297	197	192	153	157	112	104	93	84	77	73	48	61	54							
120	333	219	200	160	157	312	104	93	84	77	71	66	59	52	49						
150	330	270	192	153	140	109	98	86	78	71	64	60	53	47	44	38					
180	330	219	186	149	139	103	91	82	74	66	60	56	49	44	40	34	31				

200 347 230 192 153 140 104 92 83 75 68 59 55 49 44 39 33 30 28

10 15 20 25 30 40 45 50 55 60 75 80 90 100 120 150 180 200 8 on

CODE	DETAILS
MTT01510	100pcs x Tool-Co Levelling System Clips (3-12mm)
MTT01512	500pcs x Tool-Co Levelling System Clips (3-12mm) + Bucket
MTT01520	100pcs x Tool-Co Levelling System Clips (11-20mm)
MTT01530	100pcs x Tool-Co Levelling System Wedges (Reusable)
MTT01540	Tool-Co Levelling System Pliers
-	

Tiling Tools



TILE SPACERS

CODE	DETAILS	CODE	DETAILS
MTT01002	2mm x 300pcs	MTT06000	Light Duty Grout Remover
MTT01003	3mm x 120pcs	MTT06001	Heavy Duty Grout Remover
MTT01005	5mm x 120pcs		(Includes 2 Blades)
MTT01006	6mm x 120pcs	MTT06002	Heavy Duty Grout Remover Replacement Blades (2pcs)
MTT01008	8mm x 60pcs		Replacement blades (2pcs)
MTT01010	10mm x 60pcs		





NIPPERS & CUTTERS

		CODE
CODE	DETAILS	RAT183Q3G
MTT03000	Mosaic Nipper	MTT05007
MTT03001	Tile Cutter Pliers	MTT05006
MTT03002	Tile Nipper	MTT05005
MTT03003	Tile Scorer	SIGR0001
		DAT104LIEV/10



Square Notched Trowel 3mm

DETAILS







SILICONE GUNS

CODE	DETAILS
MTT05008	Silicone Sealant Gun
GS0023	Bulk Fill Gun 12inch

SILICONE SEALANT SET

RUBBER MALLETS

CODE	DETAILS
MTT05009	Silicone Sealant Set






CHIPPING HAMMERS

APPLICATORS

CODE	DETAILS
MTT02005	Chipping Hammer
MTT02006	Chinning Hammer Blade Refill (each)

DETAILS MTT02002 Rubber Mallet Black 340g Rubber Mallet White 340g MTT02003 RAT176500B Solid Rubber Mallet White 500g MTT02004 Rubber Mallet White 680g





-	
10x10: MTT05003	6x6x: MTT05004

MTT05000	Dual Purpose Squeegee
MTT05001	Grout Floor Squeegee & Applicator 10x10mm
MTT05002	Grout Wall Squeegee & Applicator 6x6mm
MTT05003	Plastic Floor Applicator 10x10mm
MTT05004	Plastic Wall Applicator 6x6mm

KNEE PADS

Knee Pads Plain
Knee Pads Plastic Cap



CODE

Tiling Tools

CHINA MARKERS

CODE	DETAILS
GM0001	Yellow China Markers (Twin Pack)
GM0002	Red China Markers (Twin Pack)
GM0003	White China Markers (Twin Pack)
GM0004	Yellow China Marker (Single)
GM0005	Red China Marker (Single)
GM0006	White China Marker (Single)

CHALK LINE & PENCILS

CODE	DETAILS
MTT09007	Chalk Line- Including Chalk
MTT12001	Carpenters Pencil (Twin Pack)



Chalk Line Carpenters Pencil Including Chalk



Plastic Casing

TAPE MEASURES

CODE	DETAILS
MTT09000	Tape Measure 3m x 16mm Rubber Case Magnetic H/D
MTT09001	Tape Measure 5m x 19mm Rubber Case Magnetic H/D
MTT09002	Tape Measure 8m x 25mm Rubber Case Magnetic H/D
MTT09003	Tape Measure 10m x 25mm Rubber Case Magnetic H/D
MTT09008	Tape Measure 3m x 16mm Plastic Case 2-Stop
MTT09009	Tape Mesure 5m x 19mm Plastic Case 2-Stop
MTT09010	Tape Measure 8m x 25mm Plastic Case 2-Stop

SPIRIT LEVELS

CODE	DETAILS
MTT09004	Spirit Level 400mm
MTT09005	Spirit Level 600mm






SUCTION CUPS

Suction cups used for lifting slabs and tiles.

CODE	DETAILS
MTT13000	Single Suction Cup
MTT13001	Double Suction Cup
MTT13002	Triple Suction Cup
RAT185	Raimondi Single Suction Cup







TILE CLEANING

CODE	DETAILS
MTT12000	Cleaning Sponge
SIGX0001	Sigma Sponge - 300x140mm (Complet
SIGX0002	Sigma Sponge Refill
RAT244SWE4	Raimondi Smart Bucket & Sponge

Raimond Smart Bucket

BLOCK BRUSH

CODE	DETAILS
MTT12005	Block Brush Synthetic 190g





MICROFIBRE MOP

CODE	DETAILS
FAPA1000	Microfibre Mop- Complete
FAPA1001	Microfibre Mop- Frame 385 x 110mm
FAPA1022	Microfibre Mop-Sleeve (Dry) 450 x 140mm
FAPA1023	Microfibre Mop-Sleeve (Wet) 460 x 150mm
FA-HA1300	Aluminium Broomstick Handle 1.3m x 22mm

CLOTHS & RAGS

CODE	DETAILS
MTT12004	Mutton Cloth 400g roll
GM0044	Rags 5kg Assorted Colours
GM0046	Rags 5kg Off-White (Un-dyed)



Mutton Cloth



Rags Assorted Colours



Electric Mixers

RAIMONDI IPERBET

 $230 v \; \text{mixer, including two } 45 \; \text{litre drums.}$

CODE	DETAILS
RAI110	Iperbet Mixer with two 45 litre drums included.
RAI289IPER	Standalone black 45 litre drum to fit the Iperbet.



A mixing drum attached to a trolley to easily manoeuvre and pour out the contents.

Mixing machines sold separately.

CODE	DETAILS
RA238EUN	Raimondi Fluid Mix Bucket





AGP EV160 PADDLE MIXERS

Helix style mixing paddles to fit the AGP EV160.

General Purpose Paddle: Ideal for liquid materials with a low viscosity, including wall paints, lacquers, concrete paints, chemicals, and coating compounds.

High Viscosity Paddles: Extra-robust stirring paddle for finished mortar, finished plaster, floor compounds, refractory concrete, insulating materials and epoxy resins.

AGP EV160

The AGP EV series electric mixers with revolutionary ergonomic design and sturdy mechanics features electronic speed control thumb wheels which allows the operator to adjust the speed without taking his hands off the handles.

Compound, curved handle gives extra strength and ideal ergonomic hand positioning. Locking trigger switch. Fibre reinforced nylon motor housing with easily accessible brushes. Anti-dust staggered vent.

We recommend using the AGP EV160 electric mixer with our Raimondi Fluid Mix bucket.



PT0101006	
F10101000	

PT0101004

CODE	DETAILS
PT0101003	160 x 590mm x M14 (General Purpose)
PT0101004	120 x 590mm x M14 (High Viscosity)
PT0101005	140 x 590mm x M14 (High Viscosity)
PT0101006	$160 \times 590 \text{mm} \times \text{M}14$ (Highest Viscosity)

CODE	PTM-EV160
Voltage	230V
Power	1600W
Load Speed	180 - 350 / 280 - 550rpm
Thread	M14
Dimensions	350 x 322 x 190mm
Weight	5.6kg





STRAIGHT SHANK **PADDLE MIXER**

To be used with normal chuck drills.

3		
	CODE	DETAILS
	MTT04000	Tile Grout & Adhesive Mixer Light Duty
	MTT04001	Tile Grout & Adhesive Mixer Heavy Duty



Tiling Chemicals



LEM-3 DETERGENT

DETAILS

L&L CLEAN & POLISH

LEM-3 is a concentrated detergent which is used to clean all surfaces. It is especially suited for the treatment of marble, granite and natural stones. Designed for resistant dirt. Can be used to clean and wash all cleanable surfaces such as glass.

Lem-3 Neutral Detergent 1L

Lem-3 Neutral Detergent 5L

Product for an easy and quick maintenance of cerar	nic
natural and agglomerated stone floors. Used for	the
maintenance of polished or waxed natural stones.	





CODE

GB06201

GB06202

MOULD OFF ALGAKILL

A very concentrated cleaner with strong hygienic action, removes and prevents the formation of mould and the subsequent settlement of fungi, algae, mildew and musk.

A concentrated cleaner, it removes and prevents deposits of algae, mould and mildew on marble, granite, terrazzo, slate, stone, ceramic, concrete, glass and other hard washable surface. Suitable for slabs façades and swimming pools.

CODE	DETAILS	CODE	DETAILS
GB05702	Mould off 500ml	GB05701	Algae Killer 1L





ULTRA STRIPPER

smog, oily stains. It removes very resistant metallic, acrylic and solvent based waxes from floors and walls and it is also suitable for deep cleaning of floors before polishing.

CODE	DETAILS
GB06101	Ultra-stripper Concentrate Cleaner- 1L
GB06102	Ultra-stripper Concentrate Cleaner- 5L

TILE & GROUT CLEANER

Highly efficient detergent for every type of dirt: grease, Specific solvent-free cleaner for joints and grouts. It respects the environment, EC ECOLABEL.

CODE	DETAILS
GB12001	Tile & Grout Cleaner 500ml





DECER DOS

or covered with an unsightly, film or tiles corroded by exceptionally aggressive or acid-based wax-removing products? Now there is DECER-DOS, a wax-remover which emulsifies resin-based or synthetic waxes, without corroding materials. Even if heavily diluted the waxremoving power of DECER-DOS remains unchanged and removes all traces of wax from the floor while restoring its natural appearance.

CODE	DETAILS
GB10001	Decer Dos De-waxer- 1L

DETAILS

EUREKA POLISHING GEL

How many times have you seen floors become yellow The new line of products in gel specifically formulated for polish and maintain porcelain







TOOL-CO MITRE JOINT ADHESIVE

The Tool-Co Mitre Joint Adhesive glue line has extremely high strength and precise glue application. It's fast drying in winter, it never cracks, has no whitening, no blackening, no mold, no yellowing, 100% seamless splicing effect, and provides environmental protection with high efficiency.

products comply with EU SGS-ROHS, REACH, and ISO9001 certification.

Material Bonding: sintered stone, quartz stone, granite, marble, etc.

Working Time: 8-10 minutes @ 24 °C Polishing Time: 18-22minutes @ 24 °C Mixing Ratio of Glue to Curing Agent: 10 to 1

CODE	DETAILS
GSG0001	Mitre Joint Adhesive Iron Moss 250ml
GSG0002	Mitre Joint Adhesive Perfect White 250ml
GSG0003	Mitre Joint Adhesive Chameleon 250ml
GSG0004	Mitre Joint Adhesive Black 250ml
GSG0005	Mitre Joint Adhesive Ash 250ml
GSG0006	Mitre Joint Adhesive Quarry 250ml
GSG0007	Mitre Joint Adhesive Sand 250ml
GSG0008	Mixing Tip 250ml



Tile Trim Edging






STRAIGHT EDGE

CODE	DETAILS
SEA5	5mm x 2.5m- Aluminium
SEA8	8mm x 2.5m- Aluminium
SEA10	10mm x 2.5m- Aluminium
SEA12	12mm x 2.5m- Aluminium
SEA15	15mm x 2.5m- Aluminium
SEA22.5	22.5mm x 2.5m- Aluminium
430 GRADE P	POLISHED
SES8-430	8mm x 2.5m- Stainless Steel
SES10430	10mm x 2.5m- Stainless Steel
SES12430	12mm x 2.5m- Stainless Steel
SES15430	15mm x 2.5m- Stainless Steel
SES22.5-430	22.5mm x 2.5m- Stainless Steel
304 GRADE N	MATT
SES8	8mm x 2.5m- Stainless Steel
SES10	10mm x 2.5m- Stainless Steel
SES12	12mm x 2.5m- Stainless Steel
SES15	15mm x 2.5m- Stainless Steel
SES22.5	22.5mm x 2.5m- Stainless Steel
ALUMINIUM	ECONOMY
SEA10E	10mm x 2.5m- Aluminium
SEA12E	12mm x 2.5m- Aluminium

SQUARE EDGE

CODE	DETAILS
QEA10	10mm x 10mm x 2.5m- Aluminium
QEA12	12mm x 10mm x 2.5m- Aluminium
430 GRADE P	OLISHED
QES8-430	8mm x 10mm x 2.5m- Stainless Steel
QES10-430	10mm x 10mm x 2.5m- Stainless Steel
QES12-430	12mm x 10mm x 2.5m- Stainless Steel
QES15-430	15mm x 10mm x 2.5m- Stainless Steel
QES22.5-430	22.5mm x 10mm x 2.5m- Stainless Steel
304 GRADE N	ИАТТ
QES8	8mm x 10mm x 2.5m- Stainless Steel
QES10	10mm x 10mm x 2.5m- Stainless Steel
QES12	12mm x 10mm x 2.5m- Stainless Steel
QES15	15mm x 10mm x 2.5m- Stainless Steel
QES22.5	22.5mm x 10mm x 2.5m- Stainless Steel



Aluminium



Stainless Steel





45 RAMP

CODE	DETAILS	
RA45/10	10mm x 2.5m- Aluminium	
RA45/12	12mm x 2 5m- Aluminium	

T-PIECE











FORMABLE EDGE

CODE	DETAILS
FEA8	8mm x 2.5m- Aluminium
FEA10	10mm x 2.5m- Aluminium
FEA12	12mm x 2.5m- Aluminium
FEA15	15mm x 2.5m- Aluminium
FEA22.5	22.5mm x 2.5m- Aluminium
430 GRADE I	POLISHED
FES8-430	8mm x 2.5m- Stainless Steel
FES10-430	10mm x 2.5m- Stainless Steel
FES12-430	12mm x 2.5m- Stainless Steel
304 GRADE I	MATT
FES10-304	10mm x 2.5m- Stainless Steel

RE	=	Γ	RO	S	TAIR	NC	S	ING

RETRO	40mm x 25mm x 2.5m- Alumir
RETIN/SGL	2.5m- Aluminium Single Insert RUBBER INSERT INCLUDED
RETIN/DBL	2.5m- Aluminium Double Inser RUBBER INSERT INCLUDED

Available in Black or Grey. (Add B/G to end of code)

CODE	DETAILS	3
HDA10	10mm x 2.5m- Aluminium	
HDA12	12mm x 2.5m- Aluminium	
HDA15	15mm x 2.5m- Aluminium	
HDA22.5	22.5mm x 2.5m- Aluminium	
430 GRADE	POLISHED	
HDS10	10mm x 2.5m- Stainless Steel	
HDS12	12mm x 2.5m- Stainless Steel	
HDS15	15mm x 2.5m- Stainless Steel	
HDS22.5	22.5mm x 2.5m- Stainless Steel	

40mm x 1m- Aluminium- Drilled 40mm x 3m- Aluminium- No Holes 40mm x 3m- Aluminium- Drilled 40mm x 1m- Aluminium- No Holes

40mm x 3m- Aluminium- No Holes-Anodised Bronze

TILE IN CORNER PROTECTOR

DETAILS

Anodised Bronze






COVER STRIP

Available in Black or Grey. (Add B/G to end of code)

CODE	DETAILS	CODE
RETRO	40mm x 25mm x 2.5m- Aluminium	CSA1
RETIN/SGL	2.5m- Aluminium Single Insert	CSA3
NETHY JOE	RUBBER INSERT INCLUDED	CSA3D
RETIN/DBL	2.5m- Aluminium Double Insert RUBBER INSERT INCLUDED	CSA1/A/B
		CSA3-A









LISTELLO

LISS2012

CODE	DETAILS	
LISA10	10mm x 10mm x 2.5m- Aluminium	
LISA30	30mm x 10mm x 2.5m- Aluminium	
430 GRADE POLISHED		

LISS2010 20mm x 10mm x 2.5m- Stainless Steel

20mm x 12mm x 2.5m- Stainless Steel

CODE	DETAILS
TICPA10	30mm x 30mm x 10mm x 2.5m- Aluminium
430 GRADI	POLISHED
TIS3010	30mm x 30mm x 10mm x 2.5m

50mm x 50mm x 10mm x 2.5m





TIS5010





RETRO CORNER PROTECTOR

CODE	DETAILS	
ANG12163	12mm x 12mm x 1.6mm x 3m- Aluminium	
ANG15153	15mm x 15mm x 1.5mm x 3m- Aluminium	
ANG19163	19mm x 19mm x 1.6mm x 3m- Aluminium	
ANG25163	25mm x 25mm x 1.6mm x 3m- Aluminium	
ARC50	50mm x 50mm x 2mm x 3m- Aluminium	
430 GRADE POLISHED		
RETRO43030	30mm x 30mm x 2.5m- Stainless Steel	

CODE	DETAILS	
REA8	8 8mm x 2.5m- Aluminium	
REA10	10mm x 2.5m- Aluminium	
REA12	12mm x 2.5m- Aluminium	
430 GRADE POLISHED		



12mm x 2.5m- Stainless Steel

ALUMINIUM ECONOMY

RES12-430

REA10E 10mm x 2.5m- Aluminium REA12E 12mm x 2.5m- Aluminium













CODE	DETAILS
TSA10	10mm x 2.5m- Aluminium
TSA12	12mm x 2.5m- Aluminium

RETRO43050 50mm x 50mm x 2.5m- Stainless Steel

CARPET TO TILE

ROUND EDGE

CODE	DETAILS
CTT10	1m- Aluminium
CTT25	2.5m- Aluminium











CODE	DETAILS	
OSR1	1m- Aluminium	
OSR25	2.5m- Aluminium	

CARPET TREAD COVER

CODE	DETAILS
WTR(CTC)	2.5m- Aluminium











CODE	DETAILS
WEC	33mm x 2.5m- Aluminium

WOOD TRANSITION RAMP

CODE	DETAILS	
WTR3	44mm x 3m- Aluminium	







PVC MOVEMENT JOINT

CODE	DETAILS	CODE	DETAILS
PVM10DG	10mm x 2.5m- Dark Grey	PVCI9LG	9mm x 3m- Fle
PVM10LG	10mm x 2.5m- Light Grey	PVCI9W	9mm x 3m- Fle
PVM12DG	12mm x 2.5m- Dark Grey	PVCI12LG	12mm x 3m- Fl
PVM12LG	12mm x 2.5m- Light Grey	PVCI12W	12mm x 3m- Fl

FLEXIBLE SEALS

	DETAILS
LG	9mm x 3m- Flexi Seal- Light Grey
W	9mm x 3m- Flexi Seal- White
2LG	12mm x 3m- Flexi Seal- Light Grey
2W	12mm x 3m- Flexi Seal- White







PVC ROUND EDGE

Sold in Packs of 10

CODE	DETAILS	CODE	DETAILS
PVC7B	7mm x 2.4m- Black	PVC12BL	12mm x 2.4m- Black
PVC7BF	7mm x 2.4m- Buff	PVC12BF	12mm x 2.4m- Buff
PVC7C	7mm x 2.4m- Cappuccino	PVC12C	12mm x 2.4m- Cappuccino
PVC7DB	7mm x 2.4m- Dark Brown	PVC12DB	12mm x 2.4m- Dark Brown
PVC7DG	7mm x 2.4m- Dark Grey	PVC12DG	12mm x 2.4m- Dark Grey
PVC7I	7mm x 2.4m- Ivory	PVC12I	12mm x 2.4m- Ivory
PVC7LB	7mm x 2.4m- Light Brown	PVC12LB	12mm x 2.4m- Light Browr
PVC7LG	7mm x 2.4m- Light Grey	PVC12LG	12mm x 2.4m- Light Grey
PVC7T	7mm x 2.4m- Terracotta	PVC12T	12mm x 2.4m- Terracotta
PVC7W	7mm x 2.4m- White	PVC12W	12mm x 2.4m- White
PVC9BL	9mm x 2.4m- Black	GENER	RAL CLEANING:
PVC9BF	9mm x 2.4m- Buff	ROUTINE C	
PVC9C	9mm x 2.4m- Cappuccino		eel / Aluminium / PVC
PVC9DB	9mm x 2.4m- Dark Brown		ethod for cleaning Stainless St
PVC9DG	9mm x 2.4m- Dark Grey	LIQUID®) in	warm water, applied with a so
PVC9I	9mm x 2.4m- Ivory		ow to "drip dry". Occasionally, courer (Green SCOTCH-BRITE®
PVC9LB	9mm x 2.4m- Light Brown		er several days will generally re



Steel is quite simply soap, or a mild detergent (such as SUNLIGHT soft cloth or synthetic sponge. Rinse in hot water, dry with a soft y, the use of a mild household cleaner (HANDY ANDY®) and fine ®) or a brush with nylon bristles may be used. Routine cleaning applied over several days will generally remove heavy soiling and staining.

Routine gentle cleaning. Household cleaners showing "Suitable for Stainless Steel".

Repeated routine gentle cleaning rather than a single aggressive cleaning.

DISCLAIMER:

The 430 grade of Stainless Steel is recommended to be used for indoor use in dry areas only.

PVC9LG

PVC9T

PVC9W

9mm x 2.4m- Light Grey

9mm x 2.4m- Terracotta

9mm x 2.4m- White

- The 304 grade of Stainless Steel is recommended for outside use and wet / moist areas indoors.
- $The \ 316 \ grade \ of \ Stainless \ Steel \ is \ available \ for \ highly \ corrosive \ applications-salt \ water, \ sea-spray,$ mist and fog.

DO NOT USE:

Coarse abrasive powders. Metallic scourers. Silver or brass cleaners.

RAIMONDI Bullnose Machine





BULL DOG ADVANCED BULLNOSE MACHINE

The Raimondi Bulldog Advanced Bullnose Machine enables you to perform perfect bullnose and 45-degree mitre cuts on just about any Porcelain or Natural Stone up to 30mm thick. It has a dual motor assembly operating two different diamond wheels in one pass and will produce a perfect edge, regardless of the thickness of the tile.

It has an extend length of shaping up to 120cm tiles thanks to side extensions and table available for large materials.

	CODE	RA428BI-BULL
	Maximum Length	120cm
	Mill Radius	8mm - 30mm
,	Motor Power	1000W, Single Phase
	Weight	155kg





IMONDI Bullnose Wheels



1/2 BULLNOSE MILLING WHEEL **CONTINUOUS RIM - STEP 1 (A)**

The continuous rim milling wheel is the first step in the bullnosing process. This wheel starts the bullnosing by removing porcelain or stone material. The continuous rim wheel keeps it's shape throughout the grinding process.

1/2 BULLNOSE SHAPING WHEEL **SEGMENTED - STEP 1 (B)**

The segmented shaping wheel is a more aggressive grinding wheel also used as the first step in the bullnosing process. This wheel starts the bullnose by removing porcelain or stone martial. This segmented shape could be reshaped halfway though it's life to give you optimum life on the tool.



CODE	DETAILS
RA179BU008FC-AR	8mm x 115mm
RA179BU010FC-AR	10mm x 120mm
RA179BU015FC125	15mm x 125mm

CODE	DETAILS
RA179BULL10	10mm x 120mm
RA179BULL12	12mm x 125mm
RA179BULL15-125	15mm x 130mm
RA179BULL20	20mm x 150mm
RA179BULL25	25mm x 150mm
RA179BULL30	30mm x 160mm



1/2 BULLNOSE FINISHING WHEEL **CONTINUOUS RIM - STEP 2**

This continuous rim finishing wheel is the second step in the bullnosing process. This wheel will give you a rough finish and prepare your stone or porcelain tile for polishing.

CODE	DETAILS
RA179BU8RF	8mm x 115mm
RA179BU10RF	10mm x 120mm
RA179BU12RF	12mm x 120mm
RA179BU15RF125	15mm x 125mm
RA179BU20RF	20mm x 150mm
RA179BU30RF	30mm x 160mm
RA179BU10RF RA179BU12RF RA179BU15RF125 RA179BU20RF	10mm x 120mm 12mm x 120mm 15mm x 125mm 20mm x 150mm

1/2 BULLNOSE WHEELS FOR **POLISHING - STEP 3**

The polishing wheels are the third step in the bullnosing process. Available in (400# to 3500#)

For Porcelain: Step 1, 2 and 3 (400# and if required 800#) is suggested.

For Marble: Step 1, 2 and 3 (400#, 800# and 1500#) is suggested.


For Granite: Step 1, 2 and 3 (400#, 800#, 1500#, 1800# or 3500# if required) is suggested.

Note: Granite may need additional polishing between the

DETAILS









RA179BU8LA	R.8mm x 400# Polishing
RA179BU10LA	R.10mm x 400# Polishing
RA179BU10LB	R.10mm x 800# Polishing
RA179BU15LA	R.15mm x 400# Polishing
RA179BU15LB	R.15mm x 800# Polishing
RA179BU15LC	R.15mm x 1500# Polishing
RA179BU15LD	R.15mm x 1800# Polishing
RA179BU15LE	R.15mm x 3500# Polishing

R.30mm x 400# Polishing R.30mm x 800# Polishing





45° PROFILE SEGMENTED WHEEL FOR JOLLY & BEVEL

This segmented wheel is used for performing 45° mitre jobs. Great for making mitre cuts where tiles and stone join at a right angle.

CODE	DETAILS
RA179BULL45°	15mm x 120mm



FULL BULLNOSE SEGMENTED FOR SHAPING AND FINISHING

CODE	DETAILS
RA179BUTOH22GG	Full Bullnose wheel for Shaping 11mm x 125mm
RA179BUTOH22GF	Full Bullnose wheel for Finishing

CODE

RA179BU30LA

RAIMONDI Large Format Tiling Tools

RAIMONDI:



EASY-MOVE MKIV

The Easy-Move is designed for the handling and installation of large format tiles and slabs. It incorporates stain-free, tilting suction cups with vacuum gauges. The maximum tile/slab length is 329cm while the minimum is 100cm, in order to handle shorter lengths you can separate the two profiles and use a single profile. The suction cups can slide along the aluminium profiles thanks to the quick lock/release handle system. The vacuum suction cups are 150mm in diameter and are perfect for smooth or textured tiles and is built with special stain-free rubber. It is possible to restore or increase the vacuum while the suction cups are still attached to the tile or slab.

CODE	DETAILS
RAL432EM04TA	EASY-MOVE MKIV + crossbars & 8 vacuum gauge suction cups
RAL432E004TR	Pair of crossbars for the EASY-MOVE MKIV
RAL432E004VA	Pair of 2 vacuum suction cups with gauge (For MKIV)
RAL432E003VV	Pair of 2 vacuum suction cups without gauge (For MKIII)
RAL185V150CP	Replacement Suction Cup
RAL185V150GO	Gray rubber replacement for vacuum gauge suction cups





Vacuum Suction Cup For Crossbars



Replacement Suction Cup



CAM MKIII - LARGE FORMAT TILE CART

Cart designed for transport and handling of large format tiles. It allows to easily and safely spread adhesive in the back of the tile ("back-buttering"). For this purpose it comes with two height-adjustable hooks for holding our Easy Move frame. When the easy move is on the CAM ADV, the suction cups remain fully accessible. This allows you to restore the vacuum easily if needed. This feature is particularly relevant when installing textured large format tiles.

CODE	RAL169CMLUN
Maximum load	250kg

Dimensions 140cm x 43cm x 30cm

Weight 34kg





BM180 MKII - MODULAR WORK BENCH

BM180 Mkll is the ideal working bench for cutting and processing large format slabs. Worktop dimension (1 single table): $180\times90\text{cm}$; up to $270\times90\text{cm}$ with extension. Combining two BM180 Mkll tables together and the resulting worktop dimension is $360\times90\text{cm}$, which can be extended up $420\times150\text{cm}$ with optional extensions. Ideal for any size tile $300\times100\text{cm}$ or bigger. It also comes in a PLUS variant with an adjustable width with a minimum of 100cm and a maximum of 150cm with intermediate steps.

CODE DE	TAILS
---------	-------

RAL394MAPLUS BM180 With Variable Width and Folding Legs

RAL394BLOPIACP Stand-alone tile holder for 3-30mm thickness

RAL394CC01A Kit of 20 tile-support cylinders



Stand-Alone Tile Holder

Tile-Support Cylinders



BC45 BEVEL CUTTING DEVICE ("JOLLY")

A device to perform 45° bevel cuts directly on the construction site! It works by sliding across the edge of the tile or slab with anti-scratch plastic slides. This guarantees a fast and precise execution and allows you to work without any length limits. The maximum tile or slab thickness with a 115mm blade is 16mm, while a 125m blade can cut up to 20mm. There are dedicated knobs for adjusting the cutting depth to determine the best amount of material to remove. Once you make the adjustment, it is set for any future cutting of any tile thickness.

Suitable with almost all angle grinders between 600-1100W that have an M14 arbour attachment. $\,$

Angle Grinder Sold Separately. Ask Your Sales Rep For Assistance

	. ,
CODE	DETAILS
RAL433BCOHEU	BC45 Mitre Cut (Jolly) Excl. Grinder
BNT125	125mm Turbo Diamond Blade
BGS125DN	125mm ADW Epic Diamond Blade
MS3270W	Plastic 10L Mesto PROFI water tank, 3bar
RAL324RA01A	Spray Bottle Water Valve



RAIMONDI Large Format Tiling Tools



RAIZOR CUTTING SYSTEM

The Raimondi Raizor is a cutting system for large format tiles up to 332cm. The guides are made of sturdy aluminium extruded profiles, each one with 3 stain-free \emptyset 88mm suction cups, totalling 6 suction cups. The suction cups' handles perform a 180' movement in order not to interfere with the cutting unit. The cutting unit is made of die cast aluminium and runs onto the guide thanks to three polyoxymethylene wheels, each equipped with two internal bearings. It is provided with fine adjustment systems which allows for the perfect coupling of the cutting unit with the guide, increasing the precision and quality of the cut.

CODE	DETAILS
RAL433CRR	Raizor Cutting System 3320mm
RAL433CRP100	1150mm Extension Bar
RAL135D16A	Wheel, 16mm with axle
RAL169TM01AN	Cutting-off pliers for 6-20mm Thick Tiles/Slabs
RAL433GT01A	Raizor Cutting Head Including Scoring Wheel
RAS185G003SG	Replacement Suction Cup





Cutting off Pliers 6-20mm Tile/Slab Thickness







POWER RAIZOR

A multi-angle cutting unit to be used with most popular angle grinders and the RAIZOR cutting guide. It performs cuts with the following angles: $45^\circ, 90^\circ,$ and $180^\circ.$ It also has a tilting movement for plunge cuts to adjust the depth of the cut. Can be used for both dry and wet use if you purchase the wet cut kit.

Power Raizor (Grinder Not Included) 125mm Turbo Diamond Blade
125mm Turbo Diamond Blade
125mm ADW Epic Diamond Blade
Shaping Wheel Half Bullnose 6mm
Shaping Wheel Half Bullnose 10mm
Shaping Wheel Half Bullnose 12mm
Shaping Wheel 45 Profile
Plastic 10L Mesto PROFI water tank, 3bar
Spray Bottle Water Valve
Dust Containment Device
60# Diamond Pad for Edge Finishing





MAKITA GA5040C

CODE	POG125M001	CODE	POG125F003
Power	1400W	Power	800W
Size	125mm	Size	125mm
Speed	2800-11000rpm	Speed	11500rpm
Fixture	M14	Fixture	M14
Weight	2.5kg	Weight	2.0kg





WET POLISHING PADS WHITE

Backing pads for use with Wet Polishing Pads.

BACKING PADS



CODE	DETAILS
BPN0050	100 x 3mm x 50# Light Green
BPN0100	100 x 3mm x 100# Dark Blue
BPN0200	100 x 3mm x 200# Yellow
BPN0400	100 x 3mm x 400# Light Blue
BPN0800	100 x 3mm x 800# Dark Green
BPN1500	100 x 3mm x 1500# Orange
BPN3000	100 x 3mm x 3000# Pink

m Flex
m Flex
III I ICA





RAIMONDI Large Format Tiling Tools



TIP-TOP

A pair of face-up mitre-clamping-devices for stairs and countertops of any length.

CODE RAL171TGRAI





KOMPASS

The Kompass is a device to perform large diameter circular cuts on large format tiles using the score and snap system. It is possible to cut centered (Ø22cm - Ø100cm), and off centered holes(Ø32cm-Ø100cm). It is possible to perform a full circular hole, a semicircular hole, and ¼ circle, rounding the corner of the slab.

CODE RAL433KOMP50 **CLOSER**

A slab, for example sized 300x150cm, once positioned is hard to move in order to bring it closer to an adjacent slab properly. This is what the Raimondi Closer is made for. It is the perfect device to mechanically accost slabs with ease.

CODE RAL185DAL01A

















MOTOKOMPASS

diameter circular cuts on a large format tiles and provide a rounded corner finishing with half bullnose and jolly edge

Suitable for most angle grinders between 600-1100W


Angle Grinder and Shaping Wheels Not Included

CODE RAL433KOMOHR



The MotoKompass is a device designed to perform large It is fundamental to properly apply adhesive with the correct notched trowel using the "back-buttering" technique. When spreading the tile adhesive with a slanted ridge, the ridge overlaps and collapses to provide superior adhesive coverage and rudeces any air pockets occuring under the tile/slab.

> The absence of air under the tile improves the transmission of heat in case of underfloor heating and reduces the chance of cracking.









CODE	DETAILS	
RAT183HFV6	Slant Ridge Notch- 6mm x 36cm	
RAT184HFV10G	Slant Ridge Notch- 10mm x 36cm	
RAT183Q3G	Square Notched-3mm x 36cm	



E-FOX BATTERY POWERED TILE VIBRATOR

The e-FOX is a professional large format tile and slab vibrator designed to expel air from underneath the tile or slab by producing high frequency vibrations, removing air pockets and optimising the distribution of the tile

Replaces the Raimondi Volpino Corded Vibrator

CODE RAL321BATPRR









TILE BEATER

The Raimondi Anti-Bouncing Tile Beater with rubber bottom (145x350mm) is used to remove the air beneath tile slabs, which if left alone increases the chance that the slabs will break.

CODE RAL142G



SIGMA Large Format Tiling Tools

sigma



KERA-CUT

The Sigma Kera-Cut is designed to cut large format tiles. The sliding guide in a single piece is light and strong and remains accurate even in the event of accidental falls. It can be fixed either with suction cups to the tile or attached to a work bench for repetitive cuts.

CODE	DETAILS
SIGK0013	Kera-Cut Rail and Cutter 332cm (8AE)
SIGK0014	Kera-Cut Rail Extension 550mm (8AEP)
SIGK0012	Kera-Cut Replacement Suction Cups (51C)
SIGK0002	Kera-Cut 12mm scoring wheel & bolt (14G)
SIGK0003	Kera-Cut 19mm scoring wheel & bolt - Old Model (14K)
SIGK0005	Universal Separator for breaking tiles between 20-30mm (41D)
SIGK0008	Kera-Flex Attachment, inc. Blade, exc. Grinder (38F13D)
POG125F003	Flex L811/125mm Grinder 800W (Constant Speed)
POG115M001	L Makita GA4530 115mm Grinder 720W (Constant Speed)
POG125F001	Makita GA5040C 125mm Grinder 1400W (Variable Speed)



SIMPLE BEVEL

Precision Machine for chamfering porcelain tiles, marble, granite & glass. Rests on top of the tile and slides along it's edge to create a uniform chamfer along the entire length of the edge. It will follow the curves in the tile which would not be possible if using a rigid guide. Bevel from 1 to 12mm (from 1 to 6mm on porcelain) Adjustable to any angle between 22° and 90°. The BULL is obtained with multiple passes at different angles. Allows finishing of the lateral edge of the tile. (max 30mm)

CODE	DETAILS
SIGK006	Sigma Simple Bevel - Excluding Grinder (36A4D)
POG125F003	Flex L811/125mm Grinder 800W (Constant Speed)
POG115M001	Makita GA4530 115mm Grinder 720W (Constant Speed)
POG125F001	Makita GA5040C 125mm Grinder 1400W (Variable Speed)
LCGC105P	Turbo Cup Grinder 105mm x M14 (Course)
LCGM105P	Turbo Cup Grinder 105mm x M14 (Medium)
LCGF105P	Turbo Cup Grinder 105mm x M14 (Fine)
BPAD115	Backing Pad 100mm x M14
BPN0050	Polishing Pad 100 x 3mm x 50# Light Green
BPN0200	Polishing Pad 100 x 3mm x 200# Yellow
BPN0800	Polishing Pad 100 x 3mm x 800# Dark Green
BPN1500	Polishing Pad 100 x 3mm x 1500# Orange
SIGK008	Sigma Simple Bevel Table Fixing Kit (36C4)
MS3270W	Plastic 10L Mesto PROFI water tank, 3bar





JOLLY EDGE

The Jolly Edge is a combination of the Jolly Bull and the Jolly Angle. It rests on the edge of the tile/slab (stoneware, marble, granite, etc.) to ensure the uniformity of the chamfer along the entire edge being worked. It will follow the curves of the slab, which would not be possible with a cutter guided by a rigid guide. It can work in a single pass on tiles with thickness of 5mm to 20mm. If it is fitted with a diamond blade, it can cut a flat bevel at any angle from 40° to 50°. If it is fitted with a diamond grinding wheel, it can create a bullnose with radius of 6mm, 8mm, or 10mm.

CODE	DETAILS
SIGJE001	Sigma Jolly Edge - Excluding Grinder (37A1D)
POG125F003	Flex L811/125mm Grinder 800W (Constant Speed)
POG115M001	Makita GA4530 115mm Grinder 720W (Constant Speed)
POG125F001	Makita GA5040C 125mm Grinder 1400W (Variable Speed)
BNC115P	Laser Slot Continuous Rim - Premium 115 x 1.5 x 22.23mm
BGS125DN	125mm ADW Epic Diamond Blade
SIGJE006	Jolly Edge Bullnose Wheel R6mm (072L06)
SIGJE005	Jolly Edge Bullnose Wheel R8mm (072L)
SIGJE004	Jolly Edge Bullnose Wheel R10mm (072L10)
BPAD115	Backing Pad 100mm x M14
BPD0200	Polishing Pad, Dry 100 x 1.5mm x 200#
BPD0800	Polishing Pad, Dry 100 x 1.5mm x 800#
BPD1500	Polishing Pad, Dry 100 x 1.5mm x 1500#
SIGJE002	Sigma Jolly Edge Table Fixing Kit (37C)



BNC115P



Cutting & Grinding Discs



STONE ABRASIVE CUTTING DISCS


DETAILS


CODE

COD CMN CMN

CMS1152.4

INOX / STAINLESS STEEL









METAL ABRASIVE CUTTING DISCS

CMS2303.0 230 x 3.0 x 22.23mm - 10pack/box of 40

115 x 2.4 x 22.23mm - 10pack/box of 60

350 x 3.0 x 25.4mm - 5pack / box of 25

METAL ABRASIVE GRINDING DISCS

DE	DETAILS	CODE	DETAILS
M1152.4	115 x 2.4 x 22.23mm - 10pack / box of 60	CMG1156.0	115 x 6.0 x 22.23mm - 5pack / box of 25
M2303	230 x 3.0 x 22.23mm - 10pack / box of 40		





CERCROPS GRINDING DISCS

ABRASIVE FLAP DISCS

For grinding Marble, Granite, Terrazzo, Concrete, China Aluminium oxide flap discs for steel Clay, Enamels, Fibreglass, Cast Iron, and cleaning of ship







VonArx Pneumatic Tools



PNEUMATIC NEEDLE SCALERS **& CHISEL HAMMER**

Quickly removes rust, dirt, weld slag, etc. Essentially cleans uneven surfaces. The tool's flexible needles can easily adapt to work on any surface, even those with projections. You will always find the right Von Arx-Needle Scaler to handle every job.

	CODE	DETAILS
	VXN-700312	Needle Scaler 23B
)	VXN-700297	2mm Point 23B
	VXN-700298	3mm Point 23B
	VXN-700294	Chisel Holder For 23B
	VXN-700364	Needle Scaler 34B
	VXN-700349	2mm Point 34B
	VXN-700352	3mm Point 34B
	VXN-700347	Chisel Holder For 34B
	VXN-700409	Needle Scaler 45B
	VXN-700397	3mm Point 45B
	VXN-700400	4mm Point 45B
	VXN-700314	23 B Chisel Hammer
	VXN-700193	24mm x 190mm Flat Chisel











TCT Blades



TCT WOOD BLADES

CODE	DETAILS
BX16024W	160 x 20 x 16mm x 24T
BX16040T	160 x 20 x 16mm x 40T
BX16048W	160 x 20 x 16mm x 48T (Triple Chip)
BX18524W	185 x 30mm (25.4, 20mm) x 24T
BX18540W	185 x 30mm (25.4, 20mm) x 40T
BX18524W1	185 x 16mm x 24T
BX18540W1	185 x 16mm x 40T
BX19024W	190 x 30mm (25.4, 20, 16mm) x 24T
BX19040W	190 x 30mm (25.4, 20, 16mm) x 40T
BX21024W	210 x 30mm (25.4, 20, 16mm) x 24T
BX21040W	210 x 30mm (25.4, 20, 16mm) x 40T
BX21624W	216 x 30mm (25.4, 20, 16mm) x 24T
BX21640W	216 x 30mm (25.4, 20, 16mm) x 40T
BX21664W	216 x 30mm (25.4, 20, 16mm) x 64T
BX23024W	230 x 30mm (25.4, 20, 16mm) x 24T
BX23040W	230 x 30mm (25.4, 20, 16mm) x 40T
BX23060W	230 x 30mm (25.4, 20, 16mm) x 60T
BX25024W	250 x 30mm (25.4, 20, 16mm) x 24T
BX25040W	250 x 30mm (25.4, 20, 16mm) x 40T
BX25060W	250 x 30mm (25.4, 20, 16mm) x 60T
BX30548W	305 x 25.4mm x 48T
BX30572W	305 x 25.4mm x 72T
BX30596WT	305 x 25.4mm x 96T (Triple Chip)
BX30596WB	305 x 25.4mm x 96T (Alt Bevel)
BX35096WT	350 x 25.4mm x 96T (Triple Chip)



TCT COLD SAW BLADES

Cold saw blades for Everising or similar machines

CODE	DETAILS
3XM25072	250 x 2 x 50mm x 72T
3XM28580	285 x 2 x 50mm x 80T
3XM36080	360 x 2.7 x 50mm x 80T



TCT MILD STEEL BLADES

Cold saw blades for bur free cutting of mild steel. (Max RPM 1500)

CODE	DETAILS
TCTM230TC	230 x 2.6 x 30mm x 48T
TCTM305TC	305 x 2.4 x 25.4mm x 60T
TCTM355TCC	355 x 2.4 x 25.4mm x 80T





TCT ALUMINIUM BLADES

For cutting aluminium & non-ferrous materials

CODE	DETAILS
BX21060A	210 x 30mm (25.4, 20, 16mm) x 60T
BX25080A	250 x 30mm (25.4, 20, 16mm) x 80T
BX30596A	305 x 25.4mm x 96T

TCT STAINLESS STEEL BLADES

Cold saw blades for burr free cutting of stainless steel. (Max RPM 1500)

CODE	DETAILS
TCTSS30516	305 x 2 x 25.4mm x 80T (316 Grade)
TCTSS355TC	355 x 2.4 x 25.4mm x 90T



TCT Core Drill Bits



TUNGSTEN M22 CORE BITS DIY / ECONOMY

For general masonry drilling. No hammer action needed. For drilling into general masonry.

CODE DETAILS TCTBB030P TCT Core Bit- 30mm x M22 TCTBB040P TCT Core Bit- 40mm x M22 TCTBB045P TCT Core Bit- 45mm x M22 TCTBB050P TCT Core Bit- 50mm x M22 TCTBB055P TCT Core Bit- 55mm x M22 TCTBB060P TCT Core Bit- 60mm x M22 TCTBB065P TCT Core Bit- 65mm x M22 TCTBB070P TCT Core Bit- 70mm x M22 TCTBB080P TCT Core Bit- 80mm x M22 TCTBB10P TCT Core Bit- 90mm x M22 TCTBB115P TCT Core Bit- 115mm x M22 EXTENSIONS AND ADAPTORS TCTBBE001 TCT SDS Plus pilot drill bit SDS TCTBBE110 Plus Extension 110mm x M22 SDS TCTBBE350 Plus Extension 350mm x M22 SDS		
TCTBB040P TCT Core Bit- 40mm x M22 TCTB045P TCT Core Bit- 45mm x M22 TCTB050P TCT Core Bit- 50mm x M22 TCTB055P TCT Core Bit- 55mm x M22 TCTB066P TCT Core Bit- 60mm x M22 TCTB065P TCT Core Bit- 65mm x M22 TCTB070P TCT Core Bit- 70mm x M22 TCTB0800P TCT Core Bit- 80mm x M22 TCTB090P TCT Core Bit- 90mm x M22 TCTB090P TCT Core Bit- 100mm x M22 TCTB0910P TCT Core Bit- 115mm x M22 EXTENSIONS AND ADAPTORS TCTB0910P TCT SDS Plus pilot drill bit SDS TCTB0910P TCT SDS Plus Pilot SDS	CODE	DETAILS
TCTBB045P TCT Core Bit- 45mm x M22 TCTBB050P TCT Core Bit- 50mm x M22 TCTBB055P TCT Core Bit- 55mm x M22 TCTBB060P TCT Core Bit- 60mm x M22 TCTBB065P TCT Core Bit- 65mm x M22 TCTBB070P TCT Core Bit- 70mm x M22 TCTBB080P TCT Core Bit- 80mm x M22 TCTBB090P TCT Core Bit- 90mm x M22 TCTBB100P TCT Core Bit- 100mm x M22 TCTBB115P TCT Core Bit- 115mm x M22 EXTENSIONS AND ADAPTORS TCTBBE001 TCT SDS Plus pilot drill bit SDS TCTBBE110 Plus Extension 110mm x M22 SDS	TCTBB030P	TCT Core Bit- 30mm x M22
TCTBB050P TCT Core Bit - 50mm x M22 TCTB055P TCT Core Bit - 55mm x M22 TCTB060P TCT Core Bit - 60mm x M22 TCTB066P TCT Core Bit - 65mm x M22 TCTB070P TCT Core Bit - 70mm x M22 TCTB0800P TCT Core Bit - 80mm x M22 TCTB090P TCT Core Bit - 90mm x M22 TCTB090P TCT Core Bit - 100mm x M22 TCTB0910P TCT Core Bit - 115mm x M22 TCTB09115P TCT Core Bit - 115mm x M22 TCTB0910NS AND ADAPTORS TCTB0910 TCT SDS Plus pilot drill bit SDS TCTB0910 Plus Extension 110mm x M22 SDS	TCTBB040P	TCT Core Bit- 40mm x M22
TCTBB055P TCT Core Bit - 55mm x M22 TCTBB060P TCT Core Bit - 60mm x M22 TCTBB065P TCT Core Bit - 65mm x M22 TCTBB070P TCT Core Bit - 70mm x M22 TCTBB080P TCT Core Bit - 80mm x M22 TCTBB090P TCT Core Bit - 90mm x M22 TCTBB100P TCT Core Bit - 100mm x M22 TCTBB115P TCT Core Bit - 115mm x M22 EXTENSIONS AND ADAPTORS TCTBBE001 TCT SDS Plus pilot drill bit SDS TCTBBE110 Plus Extension 110mm x M22 SDS	TCTBB045P	TCT Core Bit- 45mm x M22
TCTBB060P TCT Core Bit- 60mm x M22 TCTB065P TCT Core Bit- 65mm x M22 TCTB070P TCT Core Bit- 70mm x M22 TCTB0800P TCT Core Bit- 80mm x M22 TCTB090P TCT Core Bit- 90mm x M22 TCTB10P TCT Core Bit- 100mm x M22 TCTB115P TCT Core Bit- 115mm x M22 EXTENSIONS AND ADAPTORS TCTBBE001 TCT SDS Plus pilot drill bit SDS TCTBBE110 Plus Extension 110mm x M22 SDS	TCTBB050P	TCT Core Bit- 50mm x M22
TCTBB065P TCT Core Bit- 65mm x M22 TCTBB070P TCT Core Bit- 70mm x M22 TCTB8080P TCT Core Bit- 80mm x M22 TCTB8090P TCT Core Bit- 90mm x M22 TCTB8100P TCT Core Bit- 100mm x M22 TCTB8115P TCT Core Bit- 115mm x M22 EXTENSIONS AND ADAPTORS TCTBBE001 TCT SDS Plus pilot drill bit SDS TCTBBE110 Plus Extension 110mm x M22 SDS	TCTBB055P	TCT Core Bit- 55mm x M22
TCTBB070P TCT Core Bit - 70mm x M22 TCTBB080P TCT Core Bit - 80mm x M22 TCTBB090P TCT Core Bit - 90mm x M22 TCTBB100P TCT Core Bit - 100mm x M22 TCTBB115P TCT Core Bit - 115mm x M22 EXTENSIONS AND ADAPTORS TCTBBE001 TCT SDS Plus pilot drill bit SDS TCTBBE110 Plus Extension 110mm x M22 SDS	TCTBB060P	TCT Core Bit- 60mm x M22
TCTBB080P TCT Core Bit- 80mm x M22 TCTBB090P TCT Core Bit- 90mm x M22 TCTBB100P TCT Core Bit- 100mm x M22 TCTBB115P TCT Core Bit- 115mm x M22 EXTENSIONS AND ADAPTORS TCTBBE001 TCT SDS Plus pilot drill bit SDS TCTBBE110 Plus Extension 110mm x M22 SDS	TCTBB065P	TCT Core Bit- 65mm x M22
TCTBB090P TCT Core Bit- 90mm x M22 TCTBB100P TCT Core Bit- 100mm x M22 TCTBB115P TCT Core Bit- 115mm x M22 EXTENSIONS AND ADAPTORS TCTBBE001 TCT SDS Plus pilot drill bit SDS TCTBBE110 Plus Extension 110mm x M22 SDS	TCTBB070P	TCT Core Bit- 70mm x M22
TCTBB100P TCT Core Bit- 100mm x M22 TCTBB115P TCT Core Bit- 115mm x M22 EXTENSIONS AND ADAPTORS TCTBBE001 TCT SDS Plus pilot drill bit SDS TCTBBE110 Plus Extension 110mm x M22 SDS	TCTBB080P	TCT Core Bit- 80mm x M22
TCTBB115P TCT Core Bit- 115mm x M22 EXTENSIONS AND ADAPTORS TCTBBE001 TCT SDS Plus pilot drill bit SDS TCTBBE110 Plus Extension 110mm x M22 SDS	TCTBB090P	TCT Core Bit- 90mm x M22
EXTENSIONS AND ADAPTORS TCTBBE001 TCT SDS Plus pilot drill bit SDS TCTBBE110 Plus Extension 110mm x M22 SDS	TCTBB100P	TCT Core Bit- 100mm x M22
TCTBBE001 TCT SDS Plus pilot drill bit SDS TCTBBE110 Plus Extension 110mm x M22 SDS	TCTBB115P	TCT Core Bit- 115mm x M22
TCTBBE110 Plus Extension 110mm x M22 SDS	EXTENSIONS	AND ADAPTORS
TOTAL TIME EXCENSION TESTINITY WILL SEE	TCTBBE001	TCT SDS Plus pilot drill bit SDS
TCTBBE350 Plus Extension 350mm x M22 SDS	TCTBBE110	Plus Extension 110mm x M22 SDS
	TCTBBE350	Plus Extension 350mm x M22 SDS

TCTBBE350M Max Extension 350mm x M22 SDS

TUNGSTEN K-TAPER CORE BITS PROFESSIONAL

CODE	DETAILS
TCTCB040M	TCT Core Bit- 40mm x K-Taper
TCTCB045M	TCT Core Bit- 45mm x K-Taper
TCTCB050M	TCT Core Bit- 50mm x K-Taper
TCTCB055M	TCT Core Bit- 55mm x K-Taper
TCTCB060M	TCT Core Bit- 60mm x K-Taper
TCTCB065M	TCT Core Bit- 65mm x K-Taper
TCTCB070M	TCT Core Bit- 70mm x K-Taper
TCTCB080M	TCT Core Bit- 80mm x K-Taper
TCTCB090M	TCT Core Bit- 90mm x K-Taper
TCTCB100M	TCT Core Bit- 100mm x K-Taper
TCTCB115M	TCT Core Bit- 115mm x K-Taper
TCTCB125M	TCT Core Bit- 125mm x K-Taper
EXTENSIONS	AND ADAPTORS
TCTCBE450	SDS Max Ext. 450mm x K-Taper
TCTCBEDRI	Drift for K-Taper
TCTCBEPIL	Pilot Drill for K-Taper



TCT Drill Bits



TUNGSTEN DRILL BITS

Straight Shank for Steel-TCTR

Double Ended Straight Shank for Steel- TCTW

Straight Shank For Masonry-TCTQ

SDS Plus for Concrete / Masonry- TCTP

SDS Max for Concrete / Masonry- TCTX

Straight Shank Flat Bits for Wood- TCTF

Available in multiple sizes, please contact your local branch for availability.




STRAIGHT SHANK FOR STEEL DOUBLE ENDED STRAIGHT

1-6.5mm sold in packs of 10 6.8 to 14mm sold in packs of 5

DOUBLE ENDED STRAIGHT SHANK FOR STEEL

STRAIGHT SHANK FOR MASONRY

STRAIGHT SHANK FLAT BITS FOR WOOD



TCTR04.2.0080	4.2	80	47
TCTR04.5.0080	4.5	80	47
TCTR04.8.0086	4.8	86	52
TCTR05.0.0086	5.0	86	52
TCTR05.2.0086	5.2	86	52
TCTR05.5.0093	5.5	93	57
TCTR05.8.0093	5.8	93	57
TCTR06.0.0093	6.0	93	57
TCTR06.2.0101	6.2	101	63
TCTR06.5.0101	6.5	101	63
TCTR06.8.0109	6.8	109	69
TCTR07.0.0109	7.0	109	69
TCTR07.5.0109	7.5	109	69
TCTR08.0.0117	8.0	117	75
TCTR08.5.0117	8.5	117	75
TCTR09.0.0125	9.0	125	81
TCTR10.0.0133	10.0	133	87
TCTR10.5.0133	10.5	133	87
TCTR11.0.0421	11.0	142	94
TCTR12.0.0151	12.0	151	101
TCTR12.5.0151	12.5	151	101



151

101

TCTR13.0.0151 13.0

CODE	SIZE(mm)	LENGTH	WORKING
TCTW03.0.0045	3	45	n/a
TCTW03.2.0049	3.2	49	n/a
TCTW03.5.0052	3.5	52	n/a
TCTW04.0.0055	4.0	55	n/a
TCTW04.2.0055	4.2	55	n/a
TCTW04.5.0062	4.5	62	n/a
TCTW04.8.0062	4.8	62	n/a
TCTW05.0.0062	5.0	62	n/a
TCTW05.5.0062	5.5	62	n/a
TCTW06.0.0062	6.0	62	n/a



G	CODE	SIZE(mm)	LENGTH	WORKING
	TCTQ03.0.0060	3.0	60	30
	TCTQ04.0.0075	4.0	75	40
	TCTQ05.0.0085	5.0	85	650
	TCTQ05.5.0100	5.5	100	60
	TCTQ06.0.0100	6.0	100	60
	TCTQ06.5.0100	6.5	100	60
	TCTQ07.0.0100	7.0	100	60
	TCTQ07.5.0100	7.5	100	60
	TCTQ08.0.0120	8.0	120	80
	TCTQ09.0.0120	9.0	120	80
	TCTQ10.0.0120	10.0	120	80
١	TCTQ11.0.0150	11.0	150	90
ı	TCTQ12.0.0150	12.0	150	90
ı	TCTQ13.0.0150	13.0	150	90
ı	TCTQ14.0.0150	14.0	150	90
ı	TCTQ16.0.0160	16.0	160	90
J	TCTQ06.0.0400	6.0	400	300
	TCTQ08.0.0400	8.0	400	300
	TCTQ10.0.0400	10.0	400	300

			-	6 *
ING	CODE	SIZE(mm)	LENGTH	WORKING
	TCTF10.0.0155	10.0	155	n/a
	TCTF12.0.0155	12.0	155	n/a
	TCTF13.0.0155	13.0	155	n/a
	TCTF14.0.0155	14.0	155	n/a
	TCTF19.0.0155	19.0	155	n/a
	TCTF20.0.0155	20.0	155	n/a
	TCTF25.0.0155	25.0	155	n/a
	TCTF32.0.0155	32.0	155	n/a
	TCTF38.0.0155	38	155	n/a
		_	-	
			100	

SDS PLUS FOR CONCRETE / MASONRY

SDS FEGS FOR CONCRETE / MASONITI

CODE	SIZE(mm)	LENGTH	WORKING	CODE	SIZE(mm)	LENGTH	WORKING	CODE	SIZE(mm)	LENGTH	WORKING
TCTP04.0.0110	4.0	110	50	TCTP13.0.0210	13.0	210	150	TCTP16.0.0400	16.0	400	350
TCTP05.0.0110	5.0	110	50	TCTP14.0.0210	14.0	210	150	TCTP18.0.0400	18.0	400	350
TCTP06.0.0110	6.0	110	50	TCTP16.0.0210	16.0	210	150	TCTP20.0.0400	20.0	400	350
TCTP08.0.0110	8.0	110	50	TCTP18.0.0210	18.0	210	150	TCTP22.0.0400	22.0	400	350
TCTP12.0.0110	12.0	110	50	TCTP20.0.0210	20.0	210	150	TCTP24.0.0400	24.0	400	350
TCTP04.0.0160	4.0	160	100	TCTP22.0.0210	22.0	210	150	TCTP25.0.0400	25.0	400	350
TCTP05.0.0160	5.0	160	100	TCTP06.0.0260	6.0	260	200	TCTP10.0.0450	10.0	450	400
TCTP05.5.0160	5.5	160	100	TCTP08.0.0260	8.0	260	200	TCTP12.0.0450	12.0	450	400
TCTP06.0.0160	6.0	160	100	TCTP10.0.0260	10.0	260	200	TCTP14.0.0450	14.0	450	400
TCTP06.5.0160	6.5	160	100	TCTP12.0.0260	12.0	260	200	TCTP16.0.0450	16.0	450	400
TCTP07.0.0160	7.0	160	100	TCTP14.0.0260	14.0	260	200	TCTP18.0.0450	18.0	450	400
TCTP08.0.0160	8.0	160	100	TCTP16.0.0260	16.0	260	200	TCTP20.0.0450	20.0	450	400
TCTP10.0.0160	10.0	160	100	TCTP20.0.0260	20.0	260	200	TCTP22.0.0450	22.0	450	400
TCTP12.0.0160	12.0	160	100	TCTP08.0.0310	8.0	310	250	TCTP25.0.0450	25.0	450	400
TCTP14.0.0160	14.0	160	100	TCTP10.0.0310	10.0	310	250	TCTP26.0.0450	26.0	450	400
TCTP15.0.0160	15.0	160	100	TCTP14.0.0310	14.0	310	250	TCTP10.0.0600	10.0	600	500
TCTP16.0.0160	16.0	160	100	TCTP16.0.0310	16.0	310	250	TCTP12.0.0600	12.0	600	500
TCTP05.0.0210	5.0	210	150	TCTP18.0.0310	18.0	310	250	TCTP14.0.0600	14.0	600	500
TCTP06.0.0210	6.0	210	150	TCTP20.0.0310	20.0	310	250	TCTP16.0.0600	16.0	600	500
TCTP08.0.0210	8.0	210	150	TCTP22.0.0310	22.0	310	250	TCTP18.0.0600	18.0	600	500
TCTP10.0.0210	10.0	210	150	TCTP10.0.0400	10.0	400	350	TCTP20.0.0600	20.0	600	500
TCTP12.0.0210	12.0	210	150	TCTP14.0.0400	14.0	400	350	TCTP16.0.1000	16.0	1000	880

TCT Drill Bits

SDS MAX FOR CONCRETE / MASONRY

CODE	SIZE(mm)	LENGTH	WORKING	CODE	SIZE(mm)	LENGTH	WORKING	CODE	SIZE(mm)	LENGTH	WORKING
TCTX10.0.0280	10	280	150	TCTX16.0.0400	16	400	250	TCTX14.0.0570	14	570	450
			i								
TCTX12.0.0280	12	280	150	TCTX18.0.0400	18	400	250	TCTX16.0.0570	16	570	450
TCTX14.0.0280	14	280	150	TCTX20.0.0400	20	400	250	TCTX18.0.0570	18	570	450
TCTX16.0.0280	16	280	150	TCTX22.0.0400	22	400	250	TCTX22.0.0570	22	570	450
TCTX18.0.0280	18	280	150	TCTX25.0.0400	25	400	250	TCTX24.0.0570	24	570	450
TCTX20.0.0280	20	280	150	TCTX28.0.0400	28	400	250	TCTX25.0.0570	25	570	450
TCTX28.0.0280	28	280	150	TCTX30.0.0400	30	400	250	TCTX26.0.0570	26	570	450
TCTX30.0.0280	30	280	150	TCTX10.0.0505	10	505	400	TCTX28.0.0570	28	570	450
TCTX12.0.0340	12	340	200	TCTX12.0.0505	12	505	400	TCTX30.0.0570	30	570	450
TCTX14.0.0340	14	340	200	TCTX14.0.0505	14	505	400	TCTX35.0.0570	35	570	450
TCTX16.0.0340	16	340	200	TCTX16.0.0505	16	505	400	TCTX38.0.0570	38	570	450
TCTX18.0.0340	18	340	200	TCTX18.0.0505	18	505	400	TCTX40.0.0570	40	570	450
TCTX22.0.0340	22	340	200	TCTX20.0.0505	20	505	400	TCTX20.0.1000	20	1000	880
TCTX24.0.0340	24	340	200	TCTX22.0.0505	22	505	400	TCTX22.0.1000	22	1000	880
TCTX25.0.0340	25	340	200	TCTX25.0.0505	25	505	400	TCTX25.0.1000	25	1000	880
TCTX12.0.0400	12	400	250	TCTX32.0.0505	32	505	400	TCTX30.0.1000	30	1000	880
TCTX14.0.0400	14	400	250	TCTX12.0.0570	12	570	450				



Chisels & Spades

L		EV
Г	1	ᅜᄉ

CODE	SIZE(mm)	LENGTH	WORKING						
Chisel - Point HEX									
CPH-28x400	28	400	0						
Chisel - Flat HEX									
CPH-28x400x36	28	400	36						
CPH-28x400x75	28	400	75						
Clay Spade - SDS	MAX								
CPM-CSx115	18	350	115						
Chisel - Point HE	X								
CPH-28x400	28	400	0						
Chisel - Flat HEX	Chisel - Flat HEX								
CPH-28x400x36	28	400	36						

SDS MAX

CODE	SIZE(mm)	LENGTH	WORKING
Chisel - Point SD	S MAX		
CPM-18x400x00	18	400	0
Chisel - Flat SDS MAX			
CPM-18×400×25	18	400	25
CPM-18×400×40	18	400	40
CPM-18×400×50	18	400	50
CPM-18×400×75	18	400	75

SPECIALISED

CODE	SIZE(mm)	LENGTH	WORKING
Chisel - Point PH	165		
CPPH-30x410x0	30	410	0
TE 800 - Point			
CPI-22x360x00	22	360	0
TE 800 - Flat			
CPI-22x360x75	22	360	75





Chisel- Point SDS MAX









Dry Diamond Core Bits



DRY DRILLING CORE BITS

Dry drilling for all masonry and concrete products. Good
Dry drilling for all masonry and abrasive concrete products. life and cutting speed. Our dry core bit accessories can be
Our dry core bit accessories can be
used on these bits.

Not recommended for heavily reinforced concrete.

CODE	DETAILS	
HDC038S	38 x 150mm	
HDC041S	41 x 150mm	
HDC052S	52 x 150mm	
HDC065S	65 x 150mm	
HDC078S	78 x 150mm	
HDC107S	107 x 150mm	
HDC117S	117 x 150mm	
HDC127S	127 x 150mm	
HDC152S	152 x 150mm	

PCD DRY DRILLING CORE BIT

CODE	DETAILS	
HDP068	68 x 80mm	
HDP082	82 x 80mm	





DRY CORE BIT ACCESSORIES

CODE	DETAILS
HAHEXEX	Extension 13mm hex bar (160mm long)
HAEXSDS	Extension SDS plus (160mm long)
HAHEX13	Adaptor 13mm hex
HASDSAD	Dry Core SDS Plus Adaptor
HASDSMX	Dry Core SDS Max Adaptor
HAPILOT230	230mm - Pilot bit
HADRIFT	Drift





DUSTLESS DRILLING HOOD

A device that is used along with a vacuum to stick to a surface and collect any dust created while drilling.

CODE	DETAILS
PED-BA90	90mm

DUSTLESS CORE DRILLING HOOD

This device is designed to be used with core drills and works in the same way as it's smaller variant.

CODE	DETAILS
PED-BA180	180mm





Wet Diamond Core Bits

WET CORE BIT

C

CODE

LZZ201P

177250P

LZZ301P

177350P

LZW400P

BZW450LS

WET CORE BIT - STANDARD

and general masonry.

Wet drilling of all types of concrete, reinforced concrete Wet drilling with very long life. For general use on all types of concrete, reinforced concrete and general masonry.



CODE	DETAILS	CODE	DETAILS
LZW012P	12 x 400mm x 1/2" BSP Pin	BZW042LS	42 x 38 x 450mm x 1 1/4" UNC Box
LZW014P	14 x 400mm x 1/2" BSP Pin	BZW052LS	52 x 43 x 450mm x 1 1/4" UNC Box
LZW016P	16 x 400mm x 1/2" BSP Pin	BZW065LS	65 x 55 x 450mm x 1 1/4" UNC Box
LZW018P	18 x 400mm x 1/2" BSP Pin	BZW075LS	75 x 70 x 450mm x 1 1/4" UNC Box
LZW020P	20 x 400mm x 1/2" BSP Pin	BZW089LS	89 x 81 x 450mm x 1 1/4" UNC Box
LZW022P	22 x 400mm x 1/2" BSP Pin	BZW102LS	102 x 94 x 450mm x 1 1/4" UNC Box
LZW024P	24 x 400mm x 1/2" BSP Pin	BZW112LS	112 x 104 x 450mm x 1 1/4" UNC Box
LZW025P	25 x 400mm x 1/2" BSP Pin	BZW132LS	132 x 124 x 450mm x 1 1/4" UNC Box
LZW028P	28 x 400mm x 1/2" BSP Pin	BZW152LS	152 x 146 x 450mm x 1 1/4" UNC Box
LZW030P	30 x 400mm x 1/2" BSP Pin	BZW159LS	159 x 151 x 450mm x 1 1/4" UNC Box
LZW032P	32 x 400mm x 1/2" BSP Pin	BZW180LS	180 x 172 x 450mm x 1 1/4" UNC Box
LZW035P	35 x 400mm x 1/2" BSP Pin	BZW200LS	200 x 191 x 450mm x 1 1/4" UNC Box
LZW037P	37 x 400mm x 1/2" BSP Pin	BZW250LS	250 x 240 x 450mm x 1 1/4" UNC Box

WET CORE BIT - PREMIUM

DETAILS

WET CORE BIT - ASPHALT

of diamonds that improve both cutting speed and bit life. technology as the premium wet core bits. Performs significantly better than most other bits on the market.

42 x 510mm x 1 1/4" UNC Z-TYPE

Featuring the latest technology with optimised patterns Wet core drilling of asphalt that uses the same diamond





202 x 460mm x 1 1/4" UNC Z-TYPE

250 x 460mm x 1 1/4" UNC Z-TYPE

301 x 460mm x 1 1/4" UNC Z-TYPE

350 x 460mm x 1 1/4" UNC Z-TYPE

400 x 450mm x 1 1/4" UNC


450 x 450mm x 1 1/4" UNC

CODE	DETAILS
LZZ109A	109 x 510mm x 1 1/4" UNC Z-TYPE



WET CORE BIT SEGMENTS **ASPHALT**

For re-tipping of asphalt core drill bits.






Core Bit Segments

WET CORE BIT SEGMENTS **PREMIUM**

HARD CONCRETE For re-tipping of concrete core drill bits. Great life and For re-tipping concrete core drill bits. Designed for very

WET CORE BIT SEGMENTS



illing speed (Shape = Rooftop)		hard and heavily reinforced concrete. (Shape = Rooftop)		
DDE	DETAILS	CODE	DETAILS	
VC042L	42mm (20 x 3.5 x 12mm)	BWA046S	50mm (20 x 3.5 x 10mm)	
WC052I	52mm (24 v 3 5 v 12mm)	B/V/V0632	60- 65mm (20 v 3 5 v 10mm)	

CODE	DETAILS	CODE	DETAILS
BWC042L	42mm (20 x 3.5 x 12mm)	BWA046S	50mm (20 x 3.5 x 10mm)
BWC052L	52mm (24 x 3.5 x 12mm)	BWA063S	60- 65mm (20 x 3.5 x 10mm)
BWC065L	60- 65mm (24 x 3.5 x 12mm)	BWA083S	75-89mm (20 x 3.5 x 10mm)
BWC080L	80- 89mm (24 x 3.5 x 12mm)	BWA102S	102- 109mm (20 x 3.5 x 10mm)
BWC102L	102-112mm (24 x 4 x 12mm)	BWA127S	130- 138mm (20 x 3.5 x 10mm)
BWC130L	130- 138mm (24 x 4 x 12mm)	BWA152S	150- 158mm (20 x 3.5 x 10mm)
BWC150L	140- 160mm (24 x 4 x 12mm)	BWA200S	180- 200mm (20 x 3.5 x 10mm)
BWC200L	180- 250mm (24 x 4.5 x 12mm)	BWA350S	300- 350mm (20 x 3.5 x 10mm)
BWC300L	300- 350mm (24 x 5 x 12mm)	BWA400S	400-450mm (20 x 3.5 x 10mm)
BWC400L	400- 450mm (24 x 5.5 x 12mm)		
BWC700L	500- 700mm (20 x 5.5 x 12mm)		



Core Drilling Machines

-1

DM9 CORE DRILL MOTOR

CODE	PTM-DM9
Power	3500W
Load Speed(rpm)	345 / 630 / 1000
Spindle thread	1-1/4" UNC male & 1/2" BSP Box
Max drill diameter	Ø250mm
Shipping dimensions	s 550 x 155 x 210mm
Weight	12.9kg

DM14 CORE DRILL MOTOR

CODE	PTM-DM14	
Power	3500W	
Load Speed(rpm)	255 / 300 / 565 / 780	
Spindle thread	1-14" UNC male & 1/2" BSP Box	
Max drill diameter	Ø500mm (With Spacer)	
Max drill diameter	Ø400mm (Without)	
Shipping diameter	550 x 155 x 210mm	
Weight	13.5kg	
DM14 Spacer Block PT-S500-0054		





S250 DRILL STAND

Suitable for DM9

PTM-S250		
500mm		
Shipping Dimensions 485 x 320 x 1000mm		
10.5kg		

S500 DRILL STAND

Suitable for DM9 and DM14

CODE	PTM-S500	
Travel length	660mm	
Shipping Dimensions 520 x 20 x 1050mm		
Weight	16.6kg	



DMS160A & DMS160AT

A small but powerful electric drill motor and stand system. Used for light core dilling applications up to 120mm diameter. Suitable for stitch drilling and drilling close to walls and edges such as small channels and pipes as well as electrical sockets.

CODE - DMS160A	H965157502
Power	1550W
Max drill diameter	Ø120mm
Pivot Angle	Fixed 90°
Weight	10.5kg
CODE - DMS160AT	H965157504
Pivot Angle	80° Angled with 360° Rotation
	401

DM220 HAND CORE DRILL

This handheld electric core drill is for both dry and wet drilling. DM 220 has an electronic positioning system for accurate drilling, making it a perfect choice when you look for a drill motor with precision and efficiency.







DM20 CORE DRILL MOTOR

The AGP DM20 excels at large diameter core drilling. It has a high frequency PMSM with integrated converter, featuring a single gear and electronic speed steps. The AGP motor provides superior efficiency and torque than it's competitors at both high and low RPM!

	CODE	PTM-DM20
	Power	3600W 230V
	Load Speed(rpm)	329-494rpm (17steps)
	Spindle thread	1-1/4" UNC
	Max drill diameter	Ø100- 500mm
Shipping dimensions 640 x 176 x 183mm		
	Weight	15.3kg

Tod. Co

ARRIVING SOON!

Core Drilling Accessories

GAD001 GAD007



CORE DRILL ADAPTORS

CODE	DETAILS
GAD001	Adaptor 1 1/4" UNC Box to 1/2" Box
GAD007	Adaptor 1/2" Pin to 1 1/4" Pin
GAD014	Adaptor Hilti Pin to 1 1/4" UNC Pin
GAD015	Adaptor Hilti thread to 1 1/4" UNC Pin

CORE DRILL EXTENSIONS

CODE	DETAILS
GAD003	300mm extension 1/2" BSP Box to Pin
GAD002	300mm extension 1 1/4" UNC Box to Pin
GAD009	500mm extension 1 1/4" UNC Box to Pin
GAD011	1000mm extension 1 1/4" UNC Box to Pin





1 1/4" UNC Box To Pin



10L PRESSURISED WATER TANK

The Mesto PROFI 3270W 3bar pressurised water tank is designed for supplying core drills, concrete saws, cut off grinders, etc. with cooling and rinsing liquids, usually

CODE	DETAILS
MS3270W	Plastic 10L Mesto PROFI water tank, 3bar
MS6707	Pressure guage 3bar nut
MS6208	Piston washer 38mm
MS6241	Valve disk, NBR

OTHER SPARES ARE AVAILABLE ON REQUEST


ACCESSORIES





Core Bit Retipping

falls off



RETIPPING MAGNETS

JM Magnets: Economic, solid and easy to handle. 0.75 / 1.00mm clearances

Strong Flux Magnets:Long life and fits nearly all diameters. 0.50 / 0.75 / 1.00 / 1.25mm clearances.

CODE	DETAILS
DM201000	JM Magnet
DM450125	Strong Flux Magnet



ACCESSORIES

CODE	DETAILS
DM181040	CD7-28 Height Extension +450mm
DM181000	CD7-28 Diameter Extension +300mm
DM181004	CD600 Height Extension +900mm
DM10302	Adapter UNC 1-1/4" to Hilti DD-BU

The CD 600 is based on the previous since 1993 delivered Columbi model, but now considerably improved





CODE

Core Bit Diameter

Max Steel Thickness 3.2mm

Core Bit Length

The CD 7-28 works without electrical power, without Same functions as the CD 7-28 but as an economy version. noise, without sparks, waste or scrap. Cuts off the worn end and, at the same time, makes notches for the new segments- with exact distance.

brazing

The indexing disc gives you full control of the number of Excellent for the small repair shop. Can take core bits up to segments required and full freedom to manufacture the a diameter of 600 mm and 700 mm length. right bit for an efficient work.

The depth of the segment seat can be adjusted- from 0,5 Standard as a bench model. mm just enough to indicate the positioning of the segment - up to a three-side brazing slot for safer drilling in difficult materials. Also good when the steel is worn very thin.

The CD 7-28 is very easy and fast to operate. A drill bit with diameter 100 mm is ready within a minute. Use our magnets for the brazing and the whole core bit is retipped within the next few mi

D

38

inutes.	
M190007 (On Request)	
8-700mm (1000mm w/ extensions)	

50mm to any length w/ extensions

CODE	DM192460 (On Request)
Core Bit Diameter	38-600mm
Core Bit Length	50-700mm
Max Steel Thickness	3.2mm









Concrete Hand Grinding





SEGMENTED CUP GRINDERS ECONOMY

CODE	DETAILS
BCWS115ES	Single Row- 105mm x 22.23mm
BCWS115E	Double Row- 115mm x 22.23mm
BCWS180F	Double Row- 180mm x 22.23mm

SEGMENTED CUP GRINDERS PREMIUM

CODE	DETAILS
LCG115P0	Med Floor Red - 115mm x M14 x 16#
LCG115P1	Med Floor Gold - 115mm x M14 x 25#
LCG115P2	Med Floor Brown - 115mm x M14 x 80#
LCG115P3	Med Floor Black - 115mm x M14 x 120#
LCG115N1	Abrasive Floor White - 115mm x M14 x 25#
BCWS115P	Premium Silver - 115mm x M14 x 25#





SEGMENTED CUP GRINDERS PREMIUM

CODE	DETAILS
LCG180M016	Med Floor Red - 180mm x M14 x 16#
BCWS180M	Med Floor Gold - 180mm x M14 x 25#
LCG180M040	Med Floor Gray - 180mm x M14 x 40#
LCG180M080	Med Floor Brown - 180mm x M14 x 80#
LCG180M120	Med Floor Black - 180mm x M14 x 120#
LCG180H025	Hard Floor Green - 180mm x M14 x 25#
LCG180N1	Abrasive Floor White - 180mm x M14 x 25#

SEGMENTED CUP GRINDERS PREMIUM

CODE	DETAILS
BCW125E	Med Floor Silver- 125mm x 22.23mm x 25#
BCWS180P	Med Floor Yellow- 180mm x 22.23mm x 25#





T-SEGMENTED **CUP WHEELS**

An unique segment design for heavy grinding and removal For removing paint and epoxy from concrete floors.

applications.			

CODE	DETAILS	CODE	DETAILS
LCG115BSL	115mm x 22.23mm	BPCD0100	100mm x 22.23mm
CG190BSI	190mm v 22 22mm	RDCD0180	190mm v 22 22mm





PCD SHARK CUP WHEELS

For ripping floor coatings 1-3mm

CODE	DETAILS
BPCD2125	125mm x 22.23mm
BPCD2180	180mm x 22.23mm

PCD FLOWER CUP WHEEL

For ripping floor coatings 3mm and thicker.

CODE	DETAILS
BPCD1125	125mm x 22.23mm
BPCD1180	180mm x 22.23mm





CERCROPS GRINDING DISC

For grinding Marble, Granite, Terrazzo, Concrete, China For fast aggressive hand grinding of concrete without Clay, Enamels, Fibreglass, Cast Iron, and cleaning of ship hulls.

leaving deep scratches in the floor or counter top. Use the higher grits to help with the concrete polishing process.

METAL DOT PADS

CODE	DETAILS	CODE	DETAILS
CEC115C16	115mm x 16#	LCI0030	100mm x 30#
CEC115C24	115mm x 24#	LCI0050	100mm x 50#
CEC115C40	115mm x 40#	LCI0100	100mm x 100#
CEC175C16	178mm x 16#	LCI0200	100mm x 200#



Hand Polishing Tools



DRY POLISHING PADS - 100MM

For polishing concrete and terrazzo.

WET POLISHING PADS - 100

For polishing and buffing of all straight or slightly curved granite, marble, and concrete.

CODE	DETAILS	CODE	DETAILS
LCC0050	100 x 3mm x 50# Light Green	BPP0050	100 x 3mm x 50# Light Blue
LCC0100	100 x 3mm x 100# Red	BPP0100	100 x 3mm x 100# Dark Blue
LCC0200	100 x 3mm x 200# Yellow	BPP0200	100 x 3mm x 200# Yellow
LCC0400	100 x 3mm x 400# Light Blue	BPP0400	100 x 3mm x 400# Orange
LCC0800	100 x 3mm x 800# Green	BPP0800	100 x 3mm x 800# Red
LCC1500	100 x 3mm x 1500# Orange	BPP1500	100 x 3mm x 1500# Dark Green
LCC3000	100 x 3mm x 3000# Pink	BPP3000	100 x 3mm x 3000# Light Green
LCF0050	150 x 3mm x 50# Light Green	BPC0025	100 x 5mm x 25# Dark Blue
LCF0100	150 x 3mm x 100# Red	BPC0050	100 x 5mm x 50# Light Blue
LCF0200	150 x 3mm x 200# Yellow	BPC0100	100 x 5mm x 100# Dark Blue
LCF0400	150 x 3mm x 400# Light Blue	BPC0200	100 x 5mm x 200# Yellow
LCF0800	150 x 3mm x 800# Green	BPC0400	100 x 5mm x 400# Orange
LCF1500	150 x 3mm x 1500# Orange	BPC0800	100 x 5mm x 800# Red
LCF3000	150 x 3mm x 3000# Pink	BPC1500	100 x 5mm x 1500# Dark Green
		BPC3000	100 x 5mm x 3000# Light Green







WET POLISHING PADS - 100MM

VELCRO BACKING PADS

Dust Shroud collar for Makita 9237CB

For polishing and buffing of all straight or slightly curved Backing pads for use with Polishing Pads. granite, marble, and concrete.

ODE	DETAILS	CODE	DETAILS
N0050	100 x 3mm x 50# Light Green	BPAD115	105mm x M14
PN0100	100 x 3mm x 100# Dark Blue	BPAD100A	105mm x 5/8
PN0200	100 x 3mm x 200# Yellow	BPAD100F	105mm x M14 - Flexi Foam
N0400	100 x 3mm x 400# Light Blue	BPAD100R	100m x M14 - Foam
N0800	100 x 3mm x 800# Dark Green	BPAD105R	105 x M14 - Flexi Rubber
PN1500	100 x 3mm x 1500# Orange	BPAD150	150mm x M14
N3000	100 x 3mm x 3000# Pink		



BPAD100R



BPAD100F



BPAD105R



BPAD150

Dust Shrouds



125MM DUST SHROUD

125mm Dustless concrete grinding shroud to fit all major brands of grinders. Please enquire with our sales team regarding the correct vacuum.

180mm Dustless concrete grinding shroud to fit Makita and Hitachi grinders. Please enquire with our sales team regarding the correct vacuum.

We recommend the Makita 9557HN, GA5040C, & GA4530 We recommend the Makita GA9010C, GA9020, GA9050,

CODE DETAILS BDS1251 125mm Dust shroud Segmented Diamond

	CODE	DETAILS
to fit all major brands	BDS001	180mm Dust Shroud, Makita & Hitachi
d Cup Grinder	BDS002	Dust Shroud Nylon Replacement Strip
	BDS004	Dust Shroud Replacement Rubber

BDS006





VonArx Floor Scarifiers



6 Point

Steel Wire Brush

VA 10 L

5 Point

6 Point

12 Point Drum

Designed for roughening and cleaning small areas and tight corners. Equipped with swivel handgrip. Runs on 230V household mains supply. Various cutters can be fitted to suit different applications.

 $5\,Point: Tungsten\, carbide\, inserts, for\, roughening\, concrete$ and asphalt, for removing old coatings.

6 Point: Tungsten carbide inserts, for roughening concrete and asphalt, for removing old coatings.

12 Point: For removing road markings and paint from asphalt and concrete, and for work on large steel structures with only a slight change of the surface structure.


Steel Wire Brush: For polishing and cleaning various

Handles a variety of different jobs, from straight forward cleaning to the tricky removal of pavement markings. The compact size and the easy handling of the machine

The drum can be fitted with various types of cutters. It takes about 2 minutes to make the switch, enabling the FR 200 to work fast on a variety of tasks.

Available as both an electric and petrol version.

medium surfaces, both indoors and outdoors.





Floor Grinding Heads



FLOOR GRINDING HEADS

FLOOR GRINDING HEAD ECONOMY

concrete grinding. These grinding heads work perfectly hard concrete. with our Tool-Co BDG250 Floor Grinder.

250mm x 12mm x 20 segment Diamond Heads for 250mm x 10mm x 20 segment Diamond head for grinding

CODE	DETAILS
LFG250S0	16# - Purple - Coating Removal
LFG250S	25# - Red - Coarse Grinding
LFG250S5	40#- Gray - Medium Grinding
LFG250S2	80# - Brown - Fine Grinding
LFG250S3	120# - Black - Extra Fine Grinding
LFG250A	25# - Blue - Abrasive Floors

CODE	DETAILS
BFG250P	25# - Black - Course Grinding



12 Point Drum

COATING REMOVAL PLATES

PCD tools for removing epoxy and other floor coatings from concrete floors.



-

LCFE16PCD



CODE	DETAILS
LCFE15PCE	PCD Epoxy Ripping Plate Economy 250mm
LCFE16PCD	PCD Epoxy & Bitumen Grinding Plate 250mm
LCFE01P	Single Segment for Small Machines less than 300kg
LCFE02P	Double Segment for Large Machines more than 300kg



Tool-Co Floor Grinders



BDG250 FLOOR GRINDER

The Tool-Co Single head direct drive floor grinder used for floor preparation. This machine uses a 250mm grinding head. From preparing standard concrete floors to repairing badly damaged floor, this machine can do the job. The Tool-Co BDG250 Floor Grinders head can be adjusted to 90° for grinding against walls.

The switch is specially adjusted to protect the motor from over current by disconnecting power supply when the current exceeds its rated maximum. The handle of the machine can fold down to make the machine easier to transport and store. The specialised flexible coupling transmits maximum torque through to the floor while allowing the grinding head to flex with the floor. With the direct drive power system running at 1400RPM the BDG250 can put incredible power to the floor.

TECHNICAL DETAILS

Power	2.2kW
Voltage	230V
Weight	68kg
CODE	Details
BDG2501	Single Head 250mm Floor Grinder
BDG2501/0272	Flexible Coupling
BDG2501/0223-5	Complete Switch
BDG2501/0269	Shroud Strip – Short
BDG2501/0207	Shroud Strip – Long
BDG2501/0202	Capacitor 60μF
BDG2501/0203	Capacitor 300μF







BDG600 DOUBLE HEAD FLOOR GRINDER

Tool-co 3-Phase double head grinder for large grinding projects. This Double Head floor grinder uses 6 discs at a time and is excellent for floor preparation.

BDYFG300E **300MM FLOOR GRINDER**

The BDYFG300E features a self-levelling head for perfect alignment to achieve a smooth and level floor surface finish, as well as a flexible dust shroud and a vacuum port for effective dust control. It has easily accessible control switch and an adjustable handle for ergonomic use. This machine is ideal for removing surface covering and smoothing rough concrete floors.

TECHNICAL DETAILS 3kW Power Voltage 220V 66kg Weight CODE **DETAILS**

BDYFG300E

DIAMOND GRINDING PLATES - PG 38

300mm Floor Grinder



Grinding Plates & Wedges

DIAMOND WEDGE SET

5.5kW

415V

175kg

DETAILS

Grinding Disc 25#

Grinding Disc 40# BDG600-001-15 Spring Ring for Diamond Tooling

TECHNICAL DETAILS

Power

Voltage

Weight

CODE

BDG600

BDGG25

BDGG30

Double Head Floor Grinder, 3-phase

CONCRET	E FLOOI	R GRINDIN	1G
		SEGMEN	ΓS

Diamond and Carborundum wedges for concrete grinding Quality concrete grinding segments. and coating removal.



CODE	DETAILS	CODE	DETA
DWS80	Diamond Wedge Set 12 Segments		Medi
	Yellow (Medium Hard Floors) 25#	LSPF302	40mn
DWS90	Diamond Wedge Set 12 Segments Blue (Abrasive Floors) 25#	LSPF303	40mn
CWS001	Carborundum Wedge Set	LSPF304	40mn (On R
			Soft F

CODE	DETAILS
	Medium Floors
LSPF302	40mm x 10mm x 10mm- Gold 25#
LSPF303	40mm x 10mm x 10mm- Brown 80#
LSPF304	40mm x 10mm x 10mm- Black 120# (On Request)
	Soft Floors
LSPF402	40mm x 10mm x 10mm- Blue 25#

SCANMASKIN BUSH HAMMERS





CONCRETE TESTING

Concrete is made up of various elements which have The bush hammer tool is used to create a very rough

different hard	iness and d	ensity. Use the:	se test kits ti	o surface on conc	rete.
determine ho	w hard or sof	t your concrete o	r stone surfac	e	
S.					

CODE	DETAILS	CODE	DETAILS
SCC-100500	Scanmaskin Concrete Test Kit	SCC-521100	Large - Fits SC650 or SC800
MTT17100	Schmidt Hammer		



Grinding Plates & Wedges

















DIAMOND GRINDING PLATES

 $\label{lem:decomposition} \mbox{Diamond plates for concrete grinding and coating removal.}$

CODE	DETAILS
LCSHE025	Extra Soft Floor 25# - Blue
LCSH016	Soft Floor 16# - Red
LCSH025	Soft Floor 25# - Gold
LCSH120	Soft Floor 120# - White
LCSM0016	Medium Floor 16# - Red
LCSM0025	Medium Floor 25# - Gold
LCSM0040	Medium Floor 40# - Silver
LCSM0080	Medium Floor 80# - Brown
LCSM0120	Medium Floor 120# - Black
LCSS0016	Hard Floor 16# - Red
LCSS0025	Hard Floor 25# - Green
LCSSE025	Extra Hard Floor 25# - Orange
	Single Segments
LCSM1025	Medium Floor 25# - Gold
LCOS1025	Hard Floor 25# - Green
LCOSE125	Extra Hard Floor 25# - Orange

PCD GRINDING & RIPPING

Tools for removing epoxy and other floor coatings from concrete floors.

CODE	DETAILS
LCSPCD9	Piranha - For coatings up to 3mm thick
LCSPCD2	Twin Tiger - For coatings up to 7mm thick
SCC-592078	Bauta Crush - For coatings up to 10mm thick







Bauta Crush



SCANMASKIN Grinding Plates

diamond for your money. It's efficient and high quality grinding tools in a wide range of grit sizes and hardness's

00 00



SCANMASKIN BAUTA DOUBLE

Our premium series of diamond tools that give you more

GRIT	DETAILS
Silver 8/16#	Very rough diamonds for course grinding.
Black 14/16#	Rough diamonds for course grinding.
Brown 20/25#	Rough diamonds for coarse grinding.
Blue 30/40#	Fine grinding prior to applying thin coatings.
Green 60/80#	Provides very fine and smooth surfaces.
White 150#	Provides a very fine surface. Also able to grind natural stone, both wet and dry.
Yellow 200#	Used to increase the life of plastic bond polishing tools. Also usable with natural stone, both wet and dry.

BAUTA DOUBLE HARDNESS INDEX

Every colour of each tool comes in different hardnesses. Use this table to help you choose the correct grit and hardness for the job.

Should you require any assistance, please feel free to contact your local branch.

HARDNESS	DETAILS
SCSSSS	Special diamond tool.
SCSSS	Extremely soft diamond tool for concrete floors with a glossy hard surface.
SCSS	Extra soft diamond tool for extra hard concrete.
SCS	Soft diamond tool for hard concrete.
SCM	Medium hard diamond tool for fast cutting of normal concrete.
SCX	Extra hard diamond tool for soft concrete and filler remnants.
SCXX	Very hard diamond tool for rain damage concrete and rough concrete surfaces.
SCXXX	Extremely hard diamond tool for newly cast concrete.
SCXXXX	Special diamond tool.

Conversions & Adapters

CONVERSION PLATES

These conversion plates and adaptors are used in order to convert tools for use on SCANMASKIN machines.



CODE	DETAILS
BDG91001	Scan Conversion Plate HTC 420 NY
BDG91002	Scan Conversion Plate HTC 500 / 650 / Greyline 550 NY
BDG91003	Scan Conversion Plate HTC 800 / 950 / 1500 NY
BDG91004	Scan Conversion Plate HTC 270 Greyline
BDG91005	Scan Conversion Plate HTC 400 Greyline
BDG91006	Scan Conversion Plate HTC 450 Greyline
BDG92001	Scan Conversion Plate D435 Diamatic
BDG92002	Scan Conversion Plate D500 / 535 Diamatic
BDG92003	Scan Conversion Plate D650 / 780 Diamatic
BDG93001	Scan Conversion Plate Husqvarna 280
BDG93002	Scan Conversion Plate Husqvarna 400
BDG93003	Scan Conversion Plate Husqvarna 450
BDG93004	Scan Conversion Plate Husqvarna 530 / 680
BDG93005	Scan Conversion Plate Husqvarna 820
BDG94001	Scan Conversion Plate Rox 400mm
BDG95001	Scan Conversion Plate Tool-Co BDG600
BDG95002	Scan Conversion Plate Tool-Co BDG250
BDG95003	Scan Conversion Plate Tool-Co BDG300

VELCRO ADAPTOR PLATES

CODE	DETAILS
BDH0003	Scanmaskin 80mm Velcro adapter plate for SC650, SC700, SC800 and SC1000
SCC-522015-S	Scan-On Velcro Holder for SC450 & SC500 Single Holder
SCC-522015-L	Scan-On Velcro Holder for SC450 & SC500 Set of 9



BDH0003



SCC-522015-L



Floor Polishing Pads



DIAMOND BUFF PADS

Use on a single disc buffer or auto-scrubber for the final buff or rebuff of concrete, terrazzo or even epoxy floors. For both dry and wet use.

CODE	DETAILS
LBA240050	240mm x 50#
LBA240100	240mm x 100#
LBA240200	240mm x 200#
LBA240800	240mm x 800#
LBA241500	240mm x 1500#
LBA243000	240mm x 3000#
LBA270050	270mm x 50#
LBA270100	270mm x 100#
LBA270200	270mm x 200#
LBA270800	270mm x 800#
LBA271500	270mm x 1500#
LBA433000	430mm x 3000#





MARBLE POLISHING PADS

Specialised polishing pads used on marble flooring.

CODE	DETAILS
BPX0050	100 x 2mm x 50#
BPX0100	100 x 2mm x 100#
BPX0200	100 x 2mm x 200#
BPX0400	100 x 2mm x 400#
BPX0800	100 x 2mm x 800#
BPX1500	100 x 2mm x 1500#
BPX3000	100 x 2mm x 3000#









HEAVY DUTY POLISHING PADS

a faster polishing speed, higher clarity and gloss shine with no discolouring or swirls. Optimal results when used under heavy machines.

CODE	DETAILS
BPY0050	80mm x 50# Light Green - Dry/Wet
BPY0100	80mm x 100# Red - Dry/Wet
BPY0200	80mm x 200# Yellow - Dry/Wet
BPY0400	80mm x 400# Light Blue - Dry/Wet
BPY0800	80mm x 800# Green - Dry/Wet
BPY1500	80mm x 1500# Orange - Dry/Wet
BPY3000	80mm x 3000# Pink - Dry/Wet

CONCRETE POLISHING PADS

Resin-bonded diamond concrete polishing pads gives you First stage polishing under heavy machines for improved scratch removal with a better final polish. Our C bond pads are used for dry polishing of hard floors while P bond is only for wet polishing of hard floors.

CODE	DETAILS
BPW00C1	80mm x C1 - Hard Concrete - Dry
BPW00C2	80mm x C2 - Hard Concrete - Dry
BPW00C3	80mm x C3 - Hard Concrete - Dry
BPW00P1	80mm x P1 - Hard Concrete - Wet Only
BPW00P2	80mm x P2 - Hard Concrete - Wet Only
BPW00P3	80mm x P3 - Hard Concrete - Wet Only
BPW00P4	80mm x P4 - Hard Concrete - Wet Only





Wood Floor Grinding

SCC-592141

SCC-592142



WOOD FLOOR GRINDING TOOLS

sandpaper for floor grinders. See Velcro conversions in the Scanmaskin Tools Section.

CODE	DETAILS
SC-592044	Scratch Disc, Scan-On Scratch with Claw
SC-592141	Scratch Disc, Scan-On Scratch-Ruff #20
SC-592142	Scratch Disc, Scan-On Scratch-Medium, #30
SC-592143	Scratch Disc, Scan-On Scratch-Fine, #60
SC-522002	Sandpaper No. 16
SC-522003	Sandpaper No. 24
SC-522004	Sandpaper No. 36
SC-522005	Sandpaper No. 40
SC-522006	Sandpaper No. 60
SC-522007	Sandpaper No. 80
SC-522008	Sandpaper No. 100
SC-522120	Sandpaper No. 120
SCC-522009	Scan-On Middle Cushion 180mm x 3
SCC-522039	Scan-On Middle Cushion 330mm x 1

SCC-522015-L $\mathop{\rm Scan-On}\limits_{\mbox{ Set of }9}$ Sct of 9

SCAN COMBIFLEX 18

Scratch discs for hardwood floors, and various grits of A great entry Level, variable speed, single phase floor grinder. Can be used on concrete, natural stone and wood. Excellent for getting started.

SC18	SCM-524518
Power	2200W
Voltage	1-phase, 230V / 12amp / 50Hz
Single Speed	300-1100rpm
Grinding Disc	3x150mm
Grinding Width	450mm
Weight	100kg





Scan-On

SCANMASKIN Floor Grinders

SCAN COMBIFLEX 330

axel in two different directions.

The SC 330 features a single 330 mm grinding disc that The SC450 floor grinder is a versatile grinder for both works great for grinding small areas, removing tough aggressive and fine grinding of concrete surfaces. It is coatings, and general surface preparation. The SC 330 can the perfect machine for the rental market and smaller also be configured as a single disc edger by adjusting the

renovating businesses.

3-Phase & Variable Speed also available on request.

CODE	SCM-516000	SC450	SCM-524500
Power	1500W	Power	1500W
Voltage	1-phase, 230V / 12amp /50Hz	Voltage	1-phase, 230V / 10amp / 60Hz
Single Speed	600rpm	Single Speed	750rpm
Grinding Disc	1x330mm	Grinding Disc	3x150mm
Grinding Width	330mm	Grinding Width	450mm
Weight	65kg	Weight	90kg



SCAN COMBIFLEX 450NS

SC450NS is a new generation of floor grinders, which combines a small footprint with high productivity. Along with grinding concrete and natural stone, the SC450NS is also perfect for building remodel applications and coatings removal. With the wide range of available tooling options, the SC450NS can be used for virtually any application out there.

SCM-524502

500-1050rpm

3x150mm

450mm

90kg

1-phase, 230V, 10amp, 50Hz

SCAN COMBIFLEX 500PD

The SC500PD is the ideal grinding machine for professional grinding and polishing applications. It is extremely versatile in its different applications. The machine is also very effective when it comes to removal work and floor preparation. It really shines in paint and coating removal

3-Phase also available on request.

CODE	SCM-530501
Power	4000W
Voltage	1-phase, 230V, 16amp, 50Hz
Variable Speed	250-1150rpm
Grinding Disc	3x150mm
Grinding Width	500mm
Weight	160kg





CODE

Power Voltage

Single Speed

Grinding Disc

Weight

Grinding Width

The SC650 is a robust and stable machine designed for commercial projects. The counter-rotating design also reduces operator fatigue and allows the machine to be operated with minimal effort. The SC650 features a grinding width of 650mm, and is perfect for both residential and commercial applications.

1-Phase 230volt	SCM-560003
3-Phase 400volt	SCM-560002
Propane 13.2 kW	SCM-560500
Power 1/3-phase	4000W / 7500W
Voltage 1/3-phase	230V / 400V
Variable Speed	350-900rpm / 350-1100rpm
Grinding Disc	3x210mm
Grinding Width	650mm
Weight	320kg





SCANMASKIN 28

Designed with a focus on the operator the machine features cast alloy components along with a floating shroud, designed for years of durability and dust free operation. Equipped with a new tool-head for better balance and tool support, and a new electrical cabinet with a sealed cooling system that protects the electrical components from heat and dust.

Push Type	SCM-572800
Remote Type	*On Request*
Propane 13,2 kW	*On Request*
Power	7500W/11000W
Voltage	3-Phase, 400V, 16/32amp, 50/60Hz
Variable Speed	230-825rpm
Grinding Disc	3x220mm
Grinding Width	700mm
Weight	610kg

SCANMASKIN 32

Designed with a focus on the operator the machine features cast alloy components along with a floating shroud, designed for years of durability and dust free operation. Equipped with a new tool-head for better balance and tool support, and a new electrical cabinet with a sealed cooling system that protects the electrical components from heat and dust. The 370 mm wheels and the quick release makes it easy to operate.

Push Type	SCM-583200
Remote Type	SCM-583250
Propane 18.5 kW	*On Request*
Power	15000W
Voltage	3-Phase, 400V, 32amp, 50/60Hz
Variable Speed	230-825rpm
Grinding Disc	3x300mm
Grinding Width	800mm
Weight	630kg





VonArx Surface Shaver



DTF 25 SH LPG

Precisely grinds the surface instead of chipping away at it, producing a smooth surface by using a drum fitted with 125mm diamond blades. Both grooving and milling can be achieved by choosing between two different diamond blades. One for a rough, and the other for a smooth finish.

Surface Materials:

- Asphalt and cast asphalt surfaces
- Concrete and cement, synthetic stone, floor tiles
- Screeds of cement, wood cement, ceramic etc.
- Natural stone
- Metals
- Thermoplastic materials

CODE:	VXN-800076
Engine	16.5kW Honda Propane Engine
Working Power	11kW
Working Width	250mm
Distance To Wall	120mm
Shaving Depth	12mm
Production/h	50-55m2/h
Diamond Blades	73pcs x 125mm

ARRIVING SOON!



Pullman Ermator



A1000 AIR CLEANER

Compact design, with a high flow, 1000 m3/hour. Can be run at two speeds. Has a H13 filter that's provided with child protection. Equipped with double warning lamps with signal. Red lamp for leakage — worn filter, orange lamp for 90% blocked filter. The air outlet is directed 90° from the inlet and is fitted with an outlet connector 160 mm in diameter for the evacuation hose (8 m max.).

CODE PE-200900112 Power 285W Max Air Flow 1000m3/h Coarse Filter Yes HEPA Filter H13 Dimensions 465 x 385 x 466mm Main HEPA Filter PES-200700532 Pre-Filter PES-201000014		
Max Air Flow 1000m3/h Coarse Filter Yes HEPA Filter H13 Dimensions 465 x 385 x 466mm Main HEPA Filter PES-200700532	CODE	PE-200900112
Coarse Filter Yes HEPA Filter H13 Dimensions 465 x 385 x 466mm Main HEPA Filter PES-200700532	Power	285W
HEPA Filter H13 Dimensions 465 x 385 x 466mm Main HEPA Filter PES-200700532	Max Air Flow	1000m3/h
Dimensions 465 x 385 x 466mm Main HEPA Filter PES-200700532	Coarse Filter	Yes
Main HEPA Filter PES-200700532	HEPA Filter	H13
	Dimensions	465 x 385 x 466mm
Pre-Filter PES-201000014	Main HEPA Filter	PES-200700532
	Pre-Filter	PES-201000014

W70P SLURRY VACUUM

Powerful wet cleaner with a 70 litre tank and evacuation pump. Emptying is carried out via a valve. The oil-cooled pump can handle concrete sludge, oils and cutting fluids. The machine is equipped with a coarse separation basket and wet suction bag. The combined filter/float system protects the motor. Pumping out can take place at the same time as suction.

PE-201000032
1200W
200m3/h
650W
260l/m
600 x 570 x 1250mm
PES-001337019



Floor Vacuums





15L PLASTIC VACUUM DRY

CODE	VCM-BZ1000	
Power	1000W	
Max Air Flow	173m3/h	
15L Dry Filter Bag	VCM-BZ0001	
Fine Dust Filter Bar	vcm-BZ0005	

15L STAINLESS STEEL VACUUM WET/DRY

CODE	VCM-BZ2000
Power	1000W
Max Air Flow	173m3h
15/30L Filter Bag	VCM-BZ0002
Fine Dust Filter Ba	g VCM-BZ0005



30L STAINLESS STEEL VACUUM WET/DRY

CODE	VCM-BZ3000	
Power	1000W	
Max Air Flow	191m3/h	
15/30L Filter Bag	VCM-BZ0002	
Fine Dust Filter Bag VCM-BZ0005		

60L PLASTIC VACUUM WET/DRY - 2 MOTORS

CODE	VCM-BZ4000	
Power	2000W	
Max Air Flow	382m3/h	
60L Filter Bag	VCM-BZ0003	
Fine Dust Filter Bag VCM-BZ0005		





80L STAINLESS STEEL VACUUM WET/DRY - 2 MOTORS

CODE	VCM-BZ5000	
Power	2000W	
Max Air Flow	382m3/h	
80L Filter Bag	VCM-BZ0004	
Cine Dust Ciltor C	10 ~ VCM D7000F	

80L STAINLESS STEEL VACUUM WET/DRY - 3 MOTORS

CODE	VCM-BZ6000	
Power	3000W	
Max Air Flow	572m3/h	
80L Filter Bag	VCM-BZ0004	
Fine Dust Filter B	ag VCM-BZ0005	



Tool-Co Dust Control



TOOL-CO H13 VACUUM

Designed for small grinders and hand held power tools. It's equipped with a HEPA filter and features a pressure gauge that indicates when the filter is clogged. It's also equipped with continuous drop-down fold-bag system for safe dust handling.

CODE	VCM-AZ01361
Power	1200W
Max Air Flow	200m3/h
Max Vacuum	220mbar
Pre-filter	1.50 m², >99.5% @0.3 um
Dimensions	60 x 37 x 105cm
Weight	35kg

TOOL-CO G12 VACUUM

Designed for small grinders and hand held power tools. Uses a single motor with a two-stage filtering system. Compatible with the continuous drop down bagging system for ease of use and efficiency.

Drop Down Bag Sold Separately

CODE	VCM-AZ00280
Power	1700W
Max Air Flow	300m3/h
Max Vacuum	220mbar
Primary Filter	1400 cm2, F8
Second Filter	1250 cm2, H13
Dimensions	60 x 37 x 105cm
Weight	35kg
Drum Pre-Filter	VCC-BM00431
Rear Filter	VCC-BM00287





TOOL-CO G22 VACUUM

Designed for medium grinders. Uses dual motors with a two-stage filtering system. Features the continuous drop down bagging system for ease of use and efficiency. For best results, use with the Tool-Co Separator.

Note: Two rear filters are required.

CODE	VCM-AZ00281
Power	2400W
Max Air Flow	400m3/h
Max Vacuum	220mbar
Primary Filter	2500 cm2, F8
Second Filter	2 x 1250 cm2, H13
Dimensions	65 x 50 x 120cm
Weight	54kg
Drum Pre-Filter	VCC-BM00432
Rear Filter	VCC-BM00287

TOOL-CO G32 VACUUM

Designed for medium to large grinders. Uses three motors with a two-stage filtering system. Features the continuous drop down bagging system for ease of use and efficiency. For best results, use with the Tool-Co Separator.

Note: Three rear filters are required

CODE	VCM-AZ00282
Power	3600W
Max Air Flow	600m3/h
Max Vacuum	220mbar
Primary Filter	3500 cm2, F8
Second Filter	3 x 1250 cm2, H13
Dimensions	77 x 50 x 145cm
Weight	69.8kg
Drum Pre-Filter	VCC-BM00433
Rear Filter	VCC-BM00287





TOOL-CO SEPARATOR

Recommended for use with our Tool-Co and Scanmaskin vacuums. The Tool-Co Separator effectively separates up to 90% of dust and leaves very little fine dust for the vacuum to filter. It works with great reliability and virtually zero-cost maintenance.

CODE	VCIVI-AZ00283	

VCN 4 A 700202

TOOL-CO G417 VACUUM

Recommended for large grinders. A world-class quality turbine motor which provides up to 530 m3/h and 320mbar vacuum, securing high suction power to all sizes of concrete grinders, and a reliable 24 hours of non-stop operations. Equipped with a HEPA Filter, the machine can separate 0.3um dust with a 99% efficiency, securing a high standard of quality and safety.

CODE	VCM-AZ00285
Power	7500W
Max Air Flow	530m3/h
Max Vacuum	320/31.4
Filter Capacity	0.3um, efficiency > 99%
Filter Area	3.5m2
Dimensions	73 x 105 x 160 cm
Weight	170kg







GENERAL ACCESSORIES


of our vacuums and separators.

CODE	DETAILS
VCC-BM00241	Drop Down Bag - Pack of 4 Per Box
VCC-BM00225	Drop Down Bag Holder
VCC-BM00160	Ametek 240V / 1200W Vacuum Motor Replacement

TOOL-CO ACCESSORIES

Drop Down Bag: Continuous plastic bags for use with all Various accessories and spare parts for our Tool-Co G12, G22 and G32 vacuums.

CODE	DETAILS
VCC-BD00438	D50mm x 375mm hose & fitting(G12)
VCC-BC00033	D40mm lower wand (G12)
VCC-BC00034	D40mm upper wand (G12)
VCC-BD00030	Floor Brush 40mm x 400mm (G12)
VCC-BM00004	Spare Brush (G12)
VCC-BM00439	D50mm x 5.4m hose & fitting (G22)
VCC-BM00441	D50mm x 8mm hose & fitting (G32)
VCC-BM00050	50mm S wand (G22 & G32)
VCC-BC00043	50mm crevice tool (G22 & G32)
VCC-BD00054	50mm floor brush (G22 & G32)
VCC-BM00001	Spare brush (G22 & G32)



Floor Finishing Pads

DIAMOND BUFF PADS


E-LINE FLOOR PADS

Use our Diamond Buff Pad on a high-speed burnisher, Polyester fibre pads for stripping, scrubbing, buffing, and single disc buffer or auto-scrubber for the final buff or polishing. rebuff of concrete, terrazzo or even epoxy floors.

For both wet and dry use.

CODE	DETAILS
LCA400400	400mm x 400#, No.0 - Blue
LCA400800	400mm x 800#, No.1 - Red
LCA401500	400mm x 1500#, No.2 - Yellow
LCA403000	400mm x 3000#, No.3 - Green
LCA430400	430mm x 400#, No.0 - Blue
LCA430800	430mm x 800#, No.1 - Red
LCA431500	430mm x 1500#, No.2 - Yellow
LCA433000	430mm x 3000#, No.3 - Green
LCA433001	430mm x 3000#, No.3 - Green (Soft)
LCA500400	500mm x 400#, No.0 - Blue
LCA500800	500mm x 800#, No.1 - Red
LCA501500	500mm x 1500#, No.2 - Yellow
LCA503000	500mm x 3000#, No.3 - Green
LCA680800	680mm x 800#, No.1 - Red
LCA683000	680mm x 3000#, No.3 - Green

400mm BLACK (SRIP)
425mm BLACK (STRIP)
425mm BLUE (SCRUB)
425mm RED (BUFF)
425mm WHITE (BURNISHING)
500mm RED (BUFF)
500mm WHITE (BURNISHING)
600mm WHITE (BURNISHING)
680mm WHITE (BURNISHING)





MICROFIBRE MOP

Used for the application of flooring chemicals on concrete



CODE	DETAILS
FA1901	Micro Fibre Mop Refill
FA1902	Micro Fibre Mop Frame
FΔ-HΔ1300	Aluminium Broomstick Handle - 1 3m



Floor Chemicals



GROUT & BINDER

Liquid pin-hole and crack filler for polished concrete and

1	An economic floor	hardener	for	polished	concrete	and
	terrazzo. Applicatio	n: Polished	con	crete and	ant-dustir	ng

SODIUM DENSIFIER



CODE	DETAILS
LCH50005	Sodium Densifier, 5L
LCH50025	Sodium Densifier, 25L
LCH50200	Sodium Densifier, 200L



LITHIUM DENSIFIER

A pure lithium Hardener for concrete. Works well on A S unexposed polished concrete surfaces

A Specially	formulated	multi	silicate	densifier	with
Lithium. Grea	at for hardeni	ng cond	rete floo	rs and prov	/iding
excellent protection. Works extremely well in unexposed					
concrete applications.					

LITHIUM BLEND DENSIFIER



CODE	DETAILS	CODE	DETAILS
LCH10001	Lithium Densifier, 1L	LCH80001	Lithium Blend Densifier, 1L
LCH10005	Lithium Densifier, 5L	LCH80005	Lithium Blend Densifier, 5L
LCH10025	Lithium Densifier, 25L	LCH80025	Lithium Blend Densifier, 25L
LCH10200	Lithium Densifier, 200L	LCH80200	Lithium Blend Densifier, 200L
		LCH81000	Lithium Blend Densifier, 1000L



AMERIPOLISH SR2 SEALER

Creates a protective surface for concrete and terrazzo.



AMERIPOLISH 3D SPE SEALER

A premium sealer for polished concrete and terrazzo.

CODE	DETAILS
LCH20001	Lithium Sealer, 1L
LCH20005	Lithium Sealer, 5L
LCH20020	Lithium Sealer, 20L
LCH20200	Lithium Sealer, 200L
LCH21000	Lithium Sealer, 1000L



FOR MORE INFORMATION ON THE AMERIPOLISH SURELOCK CONCRETE DYE, PLEASE SCAN THE QR CODE ->

Floor Finishing

TOOL-CO POLISHER LIGHT DUTY

with our polishing pads on concrete, terrazzo, epoxy, vinyl,

Includes 425mm Pad Drive **Excludes Solution Tank**

ACCESSORIES

DETAILS

425mm - Pad Drive

425mm - Soft Floor Brush

425mm - Hard Floor Brush

15 Litre Solution Tank

CODE

FAP141035

FAP141036

FAP141037

FAP141038

TOOL-CO POLISHER HEAVY DUTY

ACCESSORIES

Multi-tool plate for velcro & bolt-on tools

Pad Driver for cleaning & diamond pads 12.5kg weight for aggresive polishing

Floor brush for scrubbing & cleaning

A light duty floor polisher with plastic chassis. Can be used A heavy duty polisher which features a robust steel chassis, a water tank for working wet and a vacuum extraction port for dry dustless work, this machine will meet most needs. For heavy duty polishing of concrete, terrazzo, epoxy, vinyl

CODE	FAP141034	CODE	BDI430/001	
Voltage	230V / 50Hz	Voltage	220V / 50Hz	
Power	1.1kW	Power	2.2kW	
Speed	150RPM	Speed	200RPM	
Size	425mm	Size	430mm	
Weight	45.5kg	Weight	58kg	

CODE

BDI430/002

BDI430/004

BDI430/005

BDI430/007

TOOL-CO LOWRIDER



Multi-Tool Plate



12.5kg Weight





Solution Tank


DETAILS

PROPANE POWERED BUFFER / BURNISHER Our ultra high speed, 15hp, propane powered burnisher has a capacity of 3000sqm per day, and uses a 685mm floor pad, making it excellent for bringing out the executive shine for the best finish on the market.

Suitable for Vinyl Floors, Natural Stone Floors, Polished Concrete Floors, and Power Floated Concrete Floors.

Can also be used for stripping of waxes and other similar materials.

CODE	AZLR0001
Power	13.4kW
Speed	1500-3400rpm
Pad Size	680mm
Weight	148kg







ELECTRIC BUFFER / BURNISHER

An ultra high speed burnisher, designed to cover large areas with less maintenance costs. It is used for long-lasting shine to hard floors or for polishing and maintaining floors in medium-duty applications.

The burnisher is robust, reliable and service friendly. The ergonomic design makes it easy to spray clean hard floors in a good working position for the

BDJ500/001
1800W (220V)
1500rpm
500mm
45kg







SPIKED ROLLER 12MM SPIKES

S	PIKED	ROLLEF
12MM	SHARP	SPIKES

For the removal of air bubbles from cementitious and epoxy floor coatings and self-level screeds.

For the removal of air bubbles from cementitious and epoxy floor coatings and self-level screeds.

CODE	DETAILS	CODE	DETAILS
FA-721100	Roller assembly 100mm	FA-721100SS	Roller assembly 100mm
FA-721225	Roller assembly 225mm	FA-721225SS	Roller assembly 225mm
FA-721300	Roller assembly 300mm	FA-721300SS	Roller assembly 300mm
FA-721450	Roller assembly 450mm	FA-721450SS	Roller assembly 450mm
FA-721600	Roller assembly 600mm	FA-721600SS	Roller assembly 600mm
FA-721100R	Refill 100mm	FA-721100SSR	Refill 100mm
FA-721225R	Refill 225mm	FA-721225SSR	Refill 225mm
FA-721300R	Refill 300mm	FA-721300SSR	Refill 300mm
FA-721450R	Refill 450mm	FA-721450SSR	Refill 450mm
FA-721600R	Refill 600mm	FA-721600SSR	Refill 600mm







SPIKED ROLLER 31MM SPIKES

SPIKED ROLLER LOOSE DISC

HAND TROWELS

For the removal of air bubbles from cementitious and For the removal of air bubbles from cementitious and epoxy floor coatings and self-level screeds.

CODE	DETAILS	CODE	DETAILS
FA-731100	Roller assembly 100mm	FA-IZ80100	Spike Roller assembly 100mm
FA-731225	Roller assembly 225mm	FA-IZ80225	Spike Roller assembly 225mm
FA-731300	Roller assembly 300mm	FA-IZ80350	Spike Roller assembly 300mm
FA-731450	Roller assembly 450mm	FA-IZ80450	Spike Roller assembly 450mm
FA-731600	Roller assembly 600mm	FA-IZ80600	Spike Roller assembly 600mm
FA-731100R	Refill 100mm	FA-IZ80000	Spike Roller replacement disc box of 60
FA-731225R	Refill 225mm		
FA-731300R	Refill 300mm		
FA-731450R	Refill 450mm		
FA-731600R	Refill 600mm		





SPIKED SHOES 25MM & 31MM SPIKES

flooring overlay systems.

Spiked shoes are used to gain safe access onto new Trowels are for hand application of high build, self-leveling coatings and semi-flowable mortars.

CODE	DETAILS
FA-SS700	Spike Shoe – 31mm Spike
FA-SS725	Spike Shoe – 25mm Spike
FA-SS700R	Replacement Spike Set – 31mm
FA-SS725R	Replacement Spike Set – 25mm
FA-SS760	Replacement Straps

CODE	DETAILS
	Double Edged
FA-BT29102	290mm x 2mm V Notched Trowel
FA-BT29103	290mm x 3mm V Notched Trowel
FA-BT29104	290mm x 4mm V Notched Trowel
FA-BT29105	290mm x 5mm V Notched Trowel
_ FA-BT29106	290mm x 6mm V Notched Trowel
FA-BT29108	290mm x 8mm V Notched Trowel
FA-BT29110	290mm x 10mm V Notched Trowel
	Double Edged



SQUE	EGEES		
	es are available mm wide for eff		

CODE	DETAILS
FA-SQ81325	325mm Soft Squeegee with black rubber
FA-SQ81450	450mm Soft Squeegee with black rubber
FA-SQ81600	600mm Soft Squeegee with black rubber
FA-SQ91325R	325mm Squeegee with stiff white rubber
FA-SQ91450	450mm Squeegee with stiff white rubber
FA-SQ91600	600mm Squeegee with stiff white rubber
FA-SQ81325R	325mm black blades – 10/pack
FA-SQ81450R	450mm black blades – 10/pack
FA-SQ81600R	600mm black blades – 10/pack
FA-SQ91325R	325mm white blades – 10/pack
FA-SQ91450R	450mm white blades – 10/pack
FA-SQ91600R	600mm white blades – 10/pack

FA-BT29108	290mm x 8mm V Notched Trowel
FA-BT29110	290mm x 10mm V Notched Trowel
	Double Edged
FA-BT40102	400mm x 2mm V Notched Trowel
FA-BT40103	400mm x 3mm V Notched Trowel
FA-BT40104	400mm x 4mm V Notched Trowel
FA-BT40105	400mm x 5mm V Notched Trowel
FA-BT40106	400mm x 6mm V Notched Trowel
FA-BT40108	400mm x 8mm V Notched Trowel
FA-BT40110	400mm x 10mm V Notched Trowel
FA-BT40110	400mm x 10mm V Notched Trowel Single edged
FA-BR1002	
	Single edged
FA-BR1002	Single edged 120mm x 2mm V Notched Trowel
FA-BR1002 FA-BR1003	Single edged 120mm x 2mm V Notched Trowel 120mm x 3mm V Notched Trowel
FA-BR1002 FA-BR1003 FA-BR1004	Single edged 120mm x 2mm V Notched Trowel 120mm x 3mm V Notched Trowel 120mm x 4mm V Notched Trowel
FA-BR1002 FA-BR1003 FA-BR1004 FA-BR1005	Single edged 120mm x 2mm V Notched Trowel 120mm x 3mm V Notched Trowel 120mm x 4mm V Notched Trowel 120mm x 5mm V Notched Trowel
FA-BR1002 FA-BR1003 FA-BR1004 FA-BR1005 FA-BR1006	Single edged 120mm x 2mm V Notched Trowel 120mm x 3mm V Notched Trowel 120mm x 4mm V Notched Trowel 120mm x 5mm V Notched Trowel 120mm x 6mm V Notched Trowel





DOUBLE EDGE RAKE 450MM & 600MM

For spreading new floor coatings to desired thicknesses. Will spread the material to 40% of the tooth depth. A rake with a 5mm tooth will achieve a 2mm coating thickness.

μ – Micron	
CODE	DETAILS
FA-BR24501	450mm No 1# x 500μ
FA-BR24502	450mm No 2# x 1000μ
FA-BR24503	450mm No 3# x 1250μ
FA-BR24504	450mm No 4# x 1500μ
FA-BR24505	450mm No 5# x 2000μ
FA-BR24506	450mm No 6# x 2500μ
FA-BR24508	450mm No 8# x 3000μ
FA-BR24510	450mm No 10# x 4000μ
FA-BR24512	450mm No 12# x 5000μ
FA-BR26001	600mm No 1# x 500μ
FA-BR26002	600mm No 2# x 1000μ
FA-BR26003	600mm No 3# x 1250μ
FA-BR26004	600mm No 4# x 1500μ
FA-BR26005	600mm No 5# x 2000μ
FA-BR26006	600mm No 6# x 2500μ
FA-BR26008	600mm No 8# x 3000μ
FA-BR26010	600mm No 10# x 4000μ
FA-BR26012	600mm No 12# x 5000μ
FA-BR24501R	Replacement Blade 450mm No 1#
FA-BR24502R	Replacement Blade 450mm No 2#
FA-BR24503R	Replacement Blade 450mm No 3#
FA-BR24504R	Replacement Blade 450mm No 4#
FA-BR24505R	Replacement Blade 450mm No 5#
FA-BR24506R	Replacement Blade 450mm No 6#
FA-BR24508R	Replacement Blade 450mm No 8#
FA-BR24510R	Replacement Blade 450mm No 10#
FA-BR24512R	Replacement Blade 450mm No 12#
FA-BR26001R	Replacement Blade 600mm No 1#
FA-BR26002R	Replacement Blade 600mm No 2#
FA-BR26003R	Replacement Blade 600mm No 3#
FA-BR26004R	Replacement Blade 600mm No 4#
FA-BR26005R	Replacement Blade 600mm No 5#
FA-BR26006R	Replacement Blade 600mm No 6#
FA-BR26008R	Replacement Blade 600mm No 8#
FA-BR26010R	Replacement Blade 600mm No 10#
FA-BR26012R	Replacement Blade 600mm No 12#





FLOOR SPREADER 800MM

A Floor Spreader is an adjustable heavy-duty spreader for application of flowable overlay materials applied in excess semi flowable materials at precise thicknesses. of 4mm thick.

CODE	DETAILS
FA-FS80080	Floor Spreader 0 – 30mm
FA-FS80081	Replaceable Skis for Floor Spreader

SPATULAS

Available in 2 sizes. The thin flexible spring steel blade allows the tool to be used as a surface smoother providing trowelling quality. It may also be used as a squeegee to apply thin film materials.

		FA-TG61006
CODE	DETAILS	FA-TG61008
FA-SP30135	300mm long x 100mm	FA-TG61010
FA-SP60110	600mm long x 100mm	

TRIGLIDE SPREADER 600MM



Replaceable 600mm x 10mm set of 2







SKEG LEVELERS 450MM & 600MM

Skeg Levelers have four pre-set skegs that determine the depth of overlay. This tool is the perfect choice for applying self-smoothing materials to achieve uniform thickness. The skegs glide over the substrate with minimum tool chatter.

DETAILS
450mm x 2mm Skeg Leveler
450mm x 3mm Skeg Leveler
450mm x 4mm Skeg Leveler
450mm x 5mm Skeg Leveler
450mm x 6mm Skeg Leveler
450mm x 8mm Skeg Leveler
450mm x 10mm Skeg Leveler
600mm x 2mm Skeg Leveler
600mm x 3mm Skeg Leveler
600mm x 4mm Skeg Leveler
600mm x 5mm Skeg Leveler
600mm x 6mm Skeg Leveler
600mm x 8mm Skeg Leveler
600mm x 10mm Skeg Leveler
Skeg Set of 4pcs x 2mm
Skeg Set of 4pcs x 3mm
Skeg Set of 4pcs x 4mm
Skeg Set of 4pcs x 5mm
Skeg Set of 4pcs x 6mm

ADJUSTABLE PIN LEVELLER 450MM & 600MM

Adjustable Pin Levellers spread flooring overlay compounds in one easy application. The tools are ideal for application of floor coatings having good flow characteristics.

CODE	DETAILS
FA-PLR31450	450mm Pin Leveller – adjustable 0 – 10mm
FA-PLR31600	600mm Pin Leveller – adjustable 0 – 10mm
FA-PLR31450R	Replacement Round Pin Plate 450mm
FA-PLR31600R	Replacement Round Pin Plate 600mm



BROOMSTICK HANDLES

CODE	DETAILS
FA-HW1200	25mm x 1.2m - Wooden Broomstick
FA-HA1500	25mm x 1.5m - Aluminium Broomstick
FA-HM1400	25mm x 1.4m to 2.5m Metal Telescopic Broomstick

1.2m Wooden Broomstick

1.5m Aluminium Broomstick

1.4m to 2m Metal Telescopic Broomstick



RAIMONDI FLUID MIX

A mixing drum attached to a trolley to easily manoeuvre For use with cement bound or resin-based mortars. After and pour out the contents.

Skeg Set of 4pcs x 8mm

Skeg Set of 4pcs x 10mm

Mixing Machine Not Included

FA-SL33008

FA-SL33010

We recommend our AGP EV160 electric mixer, sold separately.

Αl	JJU5	IABL	E SC	KEI	בט ו	BOX	

For use with cement bound or resin-based mortars. After adjusting the front screeding plate to the required height the surfacing material is applied to a uniform finished thickness. There is no need for screeding bars, or time consuming inefficient setting up, just set the height and weight the ballast cavity, then load with material and pull!

The use of a screeding box will speed up application for a level flooring finish of consistent quality. Any abutting runs may be filled and smoothed by hand trowelling.

CODE	DETAILS		DETAILS
RA238EUN	Raimondi Fluid Mix Bucket	FA-SB60060	600mm Stainless Steel Screed Box
		FA-SB60061	600mm Replacement Plate



AGP EV160

The AGP EV series are electric mixers with revolutionary ergonomic design and sturdy mechanics. Electronic speed control thumb wheels allow the operator to adjust the speed without taking his hands off the handles. Features a locking trigger switch & fibre reinforced nylon motor housing with easily accessible brushes.

CODE	PTM-EV160
Voltage	230V
Power	1600W
Load Speed	180 - 350 / 280 - 550rpm
Thread	M14
Shipping Dimensions	580 x 240 x 330mm
Weight	5 6kg

AGP EV160 PADDLE MIXERS

Helix style mixing paddles to fit the AGP EV160.





.003 PT010100









SCANMASKIN POWER TROWEL

An electric power trowel for resin-based floor coatings with coloured granules, and floorings of natural stone.

We have different blades for different applications: Compact Blades: Made to be used on floor where you scatter the sand into the surface of slurry and then trowel the surface to a smooth and nice surface. White Flex: Made to be used on when you mix the sand

and epoxy to a mortal and bring the coating on the floor with a screed box

White Plastic: Made to be used on when you mix the sand and epoxy to a mortal and bring the coating on the floor with a screed box.

CODE	DETAILS
SCM-220000	Electric Power Trowel
SCC-230000	Compact Blade
SCC-230004	White Plastic Flex Blade (Single Blade)
SCC-230009	White Plastic Flex Blade (Complete Set)





RIDE ON AND EDGE PANS

Various sizes of pans which are typically used on ride-on and walk-behind power trowel machines for achieving more production and flatter floors.

CODE	DETAILS
FP1178U10	Ride On Pan 1178mm x 10 Hooks (Premium)
FP1178U8	Ride On Pan 1178mm x 8 Hooks (Premium)
FP09425	Ride On Pan 942mm x 8 Hooks (Standard)
FP0942U	Ride-On Pan 942mm x 8 Hooks (Premium)
FP0610U	Edge Pan 610mm x 4 Hooks (Premium)







METAL FINISHING BLADES

PLASTIC FINISHING BLADES A finishing blade is made of high-carbon steel which plastic finishing blades are a combination-style blade provides a flex and swiping action to densify the concrete. Plastic finishing blades are a combination-style blade provides a flex and swiping action to densify the concrete.

burnish marks is a concern.



	CODE	DETAILS
	FPPB0915	Plastic Blade 36", 6"x 14" x 1
′ x 14″ ECO	FPPB1168	Plastic Blade 46", 6"x 18" x 1
7 1 4" 1 C		









TROWEL SHINE SYSTEM

FPFB11681.6 Finishing Blade 46", 6"x 18" x 1.6mm

Trowel Shine is ideal for industrial floors with large square footage where traditional grinding and polishing is not a good option due to time-frame, budget or other constraints.

Trowel Shine transforms your power trowel into a planetary polishing machine, it can be adapted for use with any ride-on power trowel and offers over 10,000 square feet per hour, per step.

The Trowel Shine tool holders feature rotating head technology and flexible foam for even tool wear and perfect balance.

CODE	DETAILS
BDH0000	Trowel Shine System- 270mm Head
BDH0002	Trowel Shine System- 350mm Head



.6mm 4pcs

.6mm 4pcs

Dry Blades



SEGMENTED STANDARD

Dry economy cutting of granite and marble products.

CODE	DETAILS
HQS125P	125 x 2.2 x 8 x 22.23mm
HQS180P	180 x 2.4 x 8 x 25.4mm
HQS230E	230 x 2.7 x 8 x 22.23mm
HQS230ET	230 x 2.8 x 15 x 22.23mm Turbo Segmented

TURBO SEGMENTED CYCLONE

Super fast cutting of all natural and engineered stone products.

CODE	DETAILS
BTY230P	230 x 2.9 x 8 x 22.23mm



BTW180P

BTW230P

SEGMENTED PREMIUM

For fast cutting of all natural stone, engineered stone and building products. Suitable for dry or wet use.

CODE	DETAILS
BGS115S	115 x 2.2 x 7 x 22.23mm
BGS125S	125 x 2.5 x 7 x 22.23mm
BGS180S	180 x 2.6 x 7 x 25.4mm
BGS230S	230 x 2.8 x 7 x 22.23mm





TURBO WAVE ECONOMY

For fast and smooth cutting of all natural stone, engineered For super fast cutting of all natural and engineered stone stone, and building products. Suitable for dry or wet use. products.

180 x 2.5 x 8 x 25.4mm

230 x 2.6 x 8 x 22.23mm

CODE	DETAILS	CODE	DETAILS
BTW115P	115 x 2.2 x 10 x 22.23mm	BTX125P	125 x 2.2 x 9 x 22.23mm
BTW125P	125 x 2.2 x 8 x 22.23mm	BTX180P	180 x 2.6 x 9 x 25.4mm

BTX230P






TURBO PREMIUM

or fast and smooth cutting of all natural stone, engineered	For cutting oval or circular shap
tone, and building products. Suitable for dry or wet use.	engineered stone products. For wet

CODE	DETAILS
LTG125P	125 x 2.2 x 8 x 22.23mm
LTG150P	150 x 2.6 x 8 x 22.23mm
LTG180P	180 x 2.6 x 9 x 25.4mm
LTG200P	200 x 2.8 x 8 x 22.23mm
LTG230P	230 x 2.8 x 9 x 22.23mm



T-SEGMENTED CONCAVE





Grinding & Shaping



TURBO CUP GRINDER PREMIUM

CODE	DETAILS
LCGC105P	105mm x M14 - Course
LCGM105P	105mm x M14 - Medium
LCGF105P	105mm x M14 - Fine

TURBO CUP GRINDER CYCLONE

CODE	DETAILS
HCGC105C	105mm x M14 - Course
HCGM105C	105mm x M14 - Medium
HCGF105C	105mm x M14 - Fine





LVC **I GVB**

SHAPING WHEELS

CODE	DETAILS
LVC125CG	Cutting & Grinding 125 x 4mm x M14
LVC125CG7.5	Cutting & Grinding $125 \times 7.5 mm \times M14$
LGVB125	Grinding Wheel 125 x 22.23mm

CUTTING & GRINDING WHEEL

CODE	DETAILS
BRT125CG	125 x 3mm x M14





Wet Blades



SILENT CENTRE **GRANITE - CYCLONE**

CODE	DETAILS	
HQS350Z	350 x 15 x 50/60mm	
HQS400Z	400 x 15 x 50/60mm	
HQS450Z	450 x 15 x 50/60mm	
HQS500Z	500 x 15 x 50/60mm	
HQS600Z	600 x 15 x 50/60mm	
HQS800Z	800 x 15 x 100mm	
HQS400ZP	400 x 15 x 50/60mm - Premium	

SILENT CENTRE GRANITE - PREMIUM

CODE	DETAILS	
BGS300P	300 x 12 x 50/60mm	
BGS350P	350 x 12 x 50/60mm	
BGS400P	400 x 12 x 50/60mm	
BGS450P	450 x 12 x 50/60mm	
BGS500P	500 x 12 x 50/60mm	
BGS600P	600 x 12 x 50/60mm	






STANDARD CENTRE **GRANITE**

CODE	DETAILS	COD
BGS350N	350 x 10 x 50/60mm	HQN
BGS400N	400 x 12 x 50/60mm	HQN
BGS450N	450 x 12 x 50/60mm	BGS-
		BGS:

STANDARD CENTRE **MARBLE**

CODE	DETAILS	
HQM350	P 350 x 10 x	s 50/60mm - Economy
HQM400	P 400 x 10 x	50/60mm - Economy
BGS400N	400 x 12 x	s 50/60mm - Premium
BGS500N	1 500 x 12 x	50/60mm - Premium





STANDARD CENTRE **SANDSTONE**

CODE

BGT300P

BGT350P BGT450P

HQN700P


HQN800P

Jumbo RPM: 2100rpm

Natural Quartzite: up to 5m/min Granite: up to 10m/min Quartz Stone: up to 12m/min

DETAILS	CODE	DETAILS
300 x 3.2 x10 x 25.4mm	BGS400QS	400 x 20 x 50/60mm - ADW Jumbo
350 x 3.2 x 10 x 25.4mm	HQS400Q	400 x 2.8 x 8 x 50/60mm - Tool-Co Cyclone
450 x 3.6 x 10 x 25.4mm		





MULTI-PURPOSE SILENT CENTRE ADW JOKER

700 x 6.5 x 15 x 50/60mm

800 x 7 x 15 x 50/60mm

Blade RPM: 2100rpm Ultracompact Surfaces: up to 2.5m/min Natural Quartzite: up to 3.0m/min Marble: up to 4.0m/min Quartz Stone: up to 6.0m/min Granite: up to 6.0m/min

CODE	DETAILS
BGS400GS	400 x 10 x 50/60mm

SINTERED STONE & PORCELAIN **ADW IKON**

350mm Blade Cutting 12mm Slabs: 1.5m/min @2700rpm 350mm Blade Cutting 20mm Slabs: 1.0m/min @2700rpm 400mm Blade Cutting 12mm Slabs: 1.5m/min @2400rpm 400mm Blade Cutting 20mm Slabs: 1.0m/min @2400rpm 450mm Blade Cutting 12mm Slabs: 1.2m/min @2100rpm 450mm Blade Cutting 20mm Slabs: 0.8m/min @2100rpm

CODE	DETAILS	
BGS350DS	350 x 10 x 50/60mm	
BGS400DS	400 x 10 x 50/60mm	
BGS450DS	450 x 10 x 50/60mm	

SINTERED STONE & PORCELAIN

LASER SLOT - WET/DRY





SINTERED STONE & PORCELAIN **TURBO - WET/DRY**

CODE DETAILS CODE DETAILS BNT115DN 115 x 1.1 x 22.23mm BNC115P 115 x 1.5 x 22.23mm BNT125DN 125 x 1.5 x 22.23mm BNC125P 125 x 1.6 x 22.23mm BNT180DN 185 x 1.6 x 22.23mm BNC180P 180 x 1.9 x 22.23mm





SINTERED STONE & PORCELAIN THIN TURBO - WET/DRY

SINTERED STONE & PORCELAIN **TURBO - ADW EPIC**

CODE	DETAILS	CODE	DETAILS
LTE115P	115 x 7.5 x 1.3 x 22.23mm	BGS125DN	125 x 10 x 22.23mm
LTE125P	125 x 7.5 x 1.3 x 22.23mm	BGS180DN	180 x 10 x 22.23mm
LTE180P	180 x 7.5 x 1.8 x 22.23mm		



Achilli & Blue Ripper Blades



TURBO SEGMENTED WET CUTTING

CODE	DETAILS
BBR350P25	Achilli Diamond Blade - 25.4mm Bore
BBR350P60	Blue Ripper Diamond Blade - 60mm Bore





PLEASE SEE PAGE 60 FOR MORE INFORMATION ON THE ACHILLI RAIL SAW

Polishing Pads



WET POLISHING PADS ECONOMY

CODE	DETAILS	
BPP0050	100 x 3mm x 50# Light Blue	
BPP0100	100 x 3mm x 100# Dark Blue	
BPP0200	100 x 3mm x 200# Yellow	
BPP0400	100 x 3mm x 400# Orange	
BPP0800	100 x 3mm x 800# Red	
BPP1500	100 x 3mm x 1500# Dark Green	
BPP3000	100 x 3mm x 3000# Light Green	

WET POLISHING PADS PROFESSIONAL

CODE	DETAILS
BPO0050	100 x 3mm x 50# Brown
BPO0100	100 x 3mm x 100# Red
BPO0200	100 x 3mm x 200# Orange
BPO0400	100 x 3mm x 400# Yellow
BPO0800	100 x 3mm x 800# Red
BPO1500	100 x 3mm x 1500# Light Blue
BPO3000	100 x 3mm x 3000# Purple
BPOBUFFB	Buff Black
BPOBUFFW	Buff White



WET POLISHING PADS 5MM THICK PREMIUM

CODE	DETAILS
BPC0025	100 x 5mm x 25# Dark Blue
BPC0050	100 x 5mm x 50# Light Blue
BPC0100	100 x 5mm x 100# Navy Blue
BPC0200	100 x 5mm x 200# Yellow
BPC0400	100 x 5mm x 400# Orange
BPC0800	100 x 5mm x 800# Red
BPC1500	100 x 5mm x 1500# Dark Green
BPC3000	100 x 5mm x 3000# Light Green

WET POLISHING PADS 6MM THICK PREMIUM

CODE	DETAILS
BPQ0030	150 x 6mm x 30# Brown
BPQ0050	150 x 6mm x 50# Light Blue
BPQ0100	150 x 6mm x 100# Dark Blue
BPQ0200	150 x 6mm x 200# Yellow
BPQ0400	150 x 6mm x 400# Orange
BPQ0800	150 x 6mm x 800# Red
BPQ1500	150 x 6mm x 1500# Dark Green
BPQ3000	150 x 6mm x 3000# Light Green





WET POLISHING PADS WHITE

CODE	DETAILS
BPN0050	100 x 3mm x 50# Light Green
BPN0100	100 x 3mm x 100# Dark Blue
BPN0200	100 x 3mm x 200# Yellow
BPN0400	100 x 3mm x 400# Light Blue
BPN0800	100 x 3mm x 800# Dark Green
BPN1500	100 x 3mm x 1500# Orange
BPN3000	100 x 3mm x 3000# Pink

3 STEP WET POLISHING PADS PREMIUM

CODE	DETAILS
BPT0001	100 x 2.4mm x №1
BPT0002	100 x 2.4mm x №2
BPT0003	100 x 2.4mm x №3
BPT1501	150 x 3mm x №1
BPT1502	150 x 3mm x №2
BPT1503	150 x 3mm x №3





DRY POLISHING PADS PREMIUM

CODE	DETAILS
BPD0050	100 x 1.5mm x 50# Dark Blue
BPD0100	100 x 1.5mm x 100# Yellow
BPD0200	100 x 1.5mm x 200# Orange
BPD0400	100 x 1.5mm x 400# Red
BPD0800	100 x 1.5mm x 800# Green
BPD1500	100 x 1.5mm x 1500# Light Blue
BPD3000	100 x 1.5mm x 3000# Brown

VELCRO BACKING PADS











BPAD150

Stone Tools



JENNY LIND METAL

JENNY LIND POLISHING

For grinding stone with a radial arm polisher or single head machine. For polishing stone with a radial arm polisher or single head machine.



CODE	DETAILS	
GPG0050	180mm x 50#	
GPG0200	180mm x 200#	
GPG0400	180mm x 400#	
GPG10050	220mm x 50#	
GPG10200	220mm x 200#	
GPG10400	220mm x 400#	



M14 SHAPING WHEEL

CODE

CAPW301

CAPW401

CAPW501

CAPW601

CAPW701

DRAINAGE GROOVE WHEEL

DETAILS	CODE	DETAILS
80 x 40mm x M14 x 24#	GROOVE	100 x 10mm x M14
80 x 40mm x M14 x 36#	GROOVE125	125 x 10mm x M14
80 x 40mm x M14 x 60#		
80 x 40mm x M14 x 80#		

DETAILS





DRUM WHEELS D50 X 40MM GRINDING & POLISHING

80 x 40 mm x M14 x 120#

POLISHING POWDER

Calcined Alumina Powder - 1kg Calcined Alumina Powder - 40kg

CODE	DETAILS	CODE
LPD5040	M14 - Metal	PPOW001
LPD0050	50# x M14 - Black	PPOW040
LPD0100	100# x M14 - Yellow	
LPD0200	200# x M14 - Orange	
LPD0400	400# x M14 - Red	
LPD0800	800# x M14 - Green	
LPD1500	1500# x M14 - Blue	
LPD3000	3000# x M14 - Brown	





GRINDING X BLOCKS

REBUFF



CODE	DETAILS
TPGX0	X0 24# Green
TPGX1	X1 36# Black
TPGX2	X2 60# Orange
TPGX3	X3 120# Red
TPGX4	X4 320# Yellow

CODE	DETAILS
GPR0001	Black Polishing Block
GPR0002	White Polishing Block





MAXI BLOCKS



CODE	DETAILS	CODE	DETAILS
TPG01	№1 36# Green	TPGM01	Nº1 36#
TPG02	Nº2 120# Black	TPGM02	Nº2 120#
TPG03	№3 320# Orange	TPGM03	Nº3 320#
TPG04	№4 400# Red	TPGM04	Nº4 400#
TPG05	№5 800# Blue	TPGM05	Nº5 800#





SNAIL LOCK



CODE	DETAILS	CODE	DETAILS
FELTBUFF10030	100 x 30mm	SNLK2	Snail Lock 100mm x M14
FELTBUFF15030	150 x 30mm	SNLK1	Snail Lock 100mm x 5/8
		SNLK3	Snail Lock 127mm x M14 (150mm)
		SNLKBP115	Snail Lock Velcro Backing Pad 115mm



Stone Tools



MITRE CLAMP

CODE	DETAILS
GRMC001	Clamp 45° Mitre Clamp

STONE SLAB LIFTERS & CLAMP

A useful tool to assemble seamless 90° mitre edges. Fast our powerful range of slab lifters are dependable for lifting and simple to use, it features a built-in square, fascia and moving heavy slabs. The lifter integrates a spring-loaded latch that automatically releases from the slab. Clamps are sold in pairs.

CODE	DETAILS
GRTL001	Lifter - 50mm slab - 1300kg
GRTL002	Lifter - 75mm slab - 1500kg
GRTL003	Pair of Clamps - 40mm slab - 250kg each





SINK HOLE SAVER & CLAMPS

counter-tops and backslashes. Features mechanical clamps which stay secure around finished edges. The stiffening rail is strong and light weight with a sliding channel for custom placement of each clamp. This device can be applied in the workshop and left on the counter-top all the way to and through the installation.

CODE	DETAILS
GRMC002	Sink Hole Saver 2.44m Bar
GRMC003	Clamp for Sink Hole Saver

FIBREGLASS RODDING

An innovative support device that protects finished stone pieces from breaking during lifting, transport and installation. The product is an ideal solution to strengthen recommended to prevent breakages during transport and installation. The reinforcing rods can also be used to hold intricate patterns within the material together. Recommended for use around basins and thinner areas of stone.

Sold per meter.

CODE	DETAILS
GR0001	3.17 x 6.35mm





CHINA MARKER PACKS

Packs of two specialised pencils designed for marking Specialised pencils designed for marking stone and tiles.

CODE	DETAILS
GM0001	Yellow China Markers (Twin Pack)
GM0002	Red China Markers (Twin Pack)
GM0003	White China Markers (Twin Pack)

PENCILS & MARKERS

CODE	DETAILS
MTT12001	Carpenters Pencil (Twin Pack)
GM0004	Yellow China Marker (Single)
GM0005	Red China Marker (Single)
GM0006	White China Marker (Single)







Plastic Casing

TAPE MEASURES

Rubber and plastic covered tape measures.

CODE	DETAILS
MTT09000	Tape Measure 3m x 16mm Rubber Case Magnetic H/D
MTT09001	Tape Measure 5m x 19mm Rubber Case Magnetic H/D
MTT09002	Tape Measure 8m x 25mm Rubber Case Magnetic H/D
MTT09003	Tape Measure 10m x 25mm Rubber Case Magnetic H/D
MTT09008	Tape Measure 3m x 16mm Plastic Case 2-Stop
MTT09009	Tape Measure 5m x 19mm Plastic Case 2-Stop
MTT09010	Tape Measure 8m x 25mm Plastic Case 2-Stop
M1109010	

SPIRIT LEVELS & CHALK LINE

Note: Chalk line includes chalk refill.

MTT09005 Spirit Level 600mm	CODE	DETAILS
'	MTT09004	Spirit Level 400mm
MTT09007 Chalk Line - Including Chalk	MTT09005	Spirit Level 600mm
William Chian Chicagnia Chain	MTT09007	Chalk Line - Including Chalk





MASKING TAPE

Various widths of masking tape.

DETAILS
18mm x 40m x 80C - Box of 48
24mm x 40m x 80C - Box of 36
36mm x 40m x 80C - Box of 24
48mm x 40m x 80C - Box of 24

SUCTION CUPS

Suction cups used for lifting slabs and tiles.

CODE	DETAILS
MTT13000	Single Suction Cup
MTT13001	Double Suction Cup
MTT13002	Triple Suction Cup
RAT185	Raimondi Single Suction Cup



Stone Tools



FTTO0118 - 20-65mm

CORE DRILLING GUIDES

The Diamond Core Bit Guide will keep your core bit in the correct position and prevent the core bit from jumping or blade oiled for protection and longevity. skipping on your work piece.

CODE	Details
FTTO0116	Diamond Core Bit Guide (Small) 5-12mm
FTTO0118	Diamond Core Bit Guide (Large) 20-65mm



TRIMMER BLADES

CODE	DETAILS
GM0034	Pack of 10 Trimmer Blades
GM0033	Pack of 50 Trimmer Blades
GM0032	Pack of 100 Trimmer Blades







VINYL SANDBLASTING

Grey 300 micron Vinyl Application: Glass Stencilling (bathroom windows, front entrances, internal doors, boardrooms) GM0021

Blue 320 micron Vinyl Application: Stone (Tombstones) GM0020

CODE	DETAILS
GM0020	Grey 300 micron- 620mm x 25m
GM0021	Blue 320 micron- 620mm x 25m

SILICONE SEALANT TOOLS

Various tools used for applying and working with silicone.

DETAILS

Silicone Sealant Gun

Bulk Fill Gun 12inch

Silicone Sealant Set





TOOL-CO MITRE JOINT ADHESIVE

Has extremely high strength and precise glue application. It's fast drying in winter, it never cracks, has no whitening, no blackening, no mold, no yellowing, 100% seamless splicing effect, and provides environmental protection with high efficiency. All products comply with EU SGS-ROHS, REACH, and ISO9001 certification.

Material Bonding: sintered stone, quartz stone, granite,

CODE

MTT05008

MTT05009

GS0023

Working Time: 8-10 minutes @ 24 °C Polishing Time: 18-22minutes @ 24 °C Mixing Ratio of Glue to Curing Agent: $10\ to\ 1$

CODE	DETAILS
GSG0001	Mitre Joint Adhesive Iron Moss 250ml
GSG0002	Mitre Joint Adhesive Perfect White 250ml
GSG0003	Mitre Joint Adhesive Chameleon 250ml
GSG0004	Mitre Joint Adhesive Black 250ml
GSG0005	Mitre Joint Adhesive Ash 250ml
GSG0006	Mitre Joint Adhesive Quarry 250ml
GSG0007	Mitre Joint Adhesive Sand 250ml
GSG0008	Mixing Tip 250ml



Silicone









SOUDAL SILICONE

CODE	DETAILS
GS1001	Universal - Black - 270ml
GS1002	Universal - White - 270ml
GS1006	Universal - Clear - 270ml
GS1007	Paintable Sealant Acrylic - White - 270ml
GS1008	Fix All High Tack - Black - 290ml
GS1010	Fix All High Tack - White - 290ml
GS1011	Fix All High Tack - Crystal - 290ml
GS1012	Soudaflex 40FC - White - 600ml
GS1013	Pro Nails Solvent Free - 310ml
GS1014	Silirub NES - 280ml

SILTECH SILICONE

CODE	DETAILS
GS0001	1000 Universal Sealant - Clear - 260ml
GS0002	1000 Universal Sealant - White - 260ml
GS0003	1000 Universal Sealant - Black - 260ml
GS0009	100 Acetoxy Sealant - Grey - 280ml
GS0016	9000 Paintable Sealant - White - 260ml
GS0017	900 Acrylic Sealant - White - 280ml
GS0020	60 Kwik Stick - White - 280ml
GS0021	PU40 Shore Grey - 600ml





Core Drilling & Vacuum Brazed Bits

Adaptor Pin

GRANITE CORE DRILLS BLACK

 $\label{eq:conomic drilling of all marble and granite.}$ Good life with slower drilling speed. USE WITH WATER

CODE	DETAILS	
BZG020P	Core Drill- 20 x 105mm x M14	
BZG025P	Core Drill- 25 x 105mm x M14	
BZG032P	Core Drill- 32 x 105mm x M14	
BZG035P	Core Drill- 35 x 105mm x M14	
BZG051P	Core Drill- 51 x 105mm x M14	
BZG065P	Core Drill- 65 x 105mm x M14	
BZG080S	Core Drill- 80 x 105mm x M14	
BZG085P	Core Drill- 85 x 105mm x M14	
BZG102P	Core Drill- 102 x 105mm x M14	
GAD008	Adaptor Pin to M14	
GAD006	Adaptor Pin to 5/8	



USE WITH WATER

CODE	DETAILS
LZG005P	Dowel Drill- 5 x 40mm x Straight Shank
LZG006P	Dowel Drill- 6 x 40mm x Straight Shank
LZG008P	Core Drill - 8 x 40mm x Straight Shank
LZG010P	Core Drill - 10 x 40mm x Straight Shank
LZG012P	Core Drill - 12 x 40mm x Straight Shank
LZG014P	Core Drill - 14 x 40mm x Straight Shank
LZG016P	Core Drill - 16 x 40mm x Straight Shank
LZG006M	Core Drill - 6 x 40mm x M14
LZG008M	Core Drill - 8 x 40mm x M14
LZG010M	Core Drill - 10 x 40mm x M14
LZG016M	Core Drill - 16 x 40mm x M14
LZG018P	Core Drill - 18 x 40mm x M14
LZG020P	Core Drill - 20 x 50mm x M14
LZG025P	Core Drill - 25 x 50mm x M14
LZG032P	Core Drill - 32 x 70mm x M14
LZG035P	Core Drill - 35 x 70mm x M14
LZG040P	Core Drill - 40 x 70mm x M14
LZG045P	Core Drill - 45 x 70mm x M14
LZG052P	Core Drill - 52 x 70mm x M14
LZG065P	Core Drill - 65 x 70mm x M14
LZG078P	Core Drill - 78 x 70mm x M14
LZG080P	Core Drill - 80 x 70mm x M14
LZG090P	Core Drill - 90 x 70mm x M14
LZG095P	Core Drill - 95 x 70mm x M14
LZG102P	Core Drill - 102 x 70mm x M14
LZG120P	Core Drill - 120 x 70mm x M14
GAD008	Adaptor Pin to M14
GAD006	Adaptor Pin to 5/8











VACUUM BRAZED ENGRAVING BITS

grinding and engraving applications.

CODE	DETAILS
LVED01	D1 x 6mm Straight Shank
LVED02	D2 x 6mm Straight Shank
LVED03	D3 x 6mm Straight Shank
LVED07	D7 x 6mm Straight Shank
LVED10	D10 x 6mm Straight Shank
LVED11	D11 x 6mm Straight Shank
LVED15	D15 x 6mm Straight Shank
LVED19	D19 x 6mm Straight Shank
LVED50/40	D50 x 8mm x 40# Straight Shank
LVED50/60	D50 x 8mm x 60# Straight Shank
LVED50/80	D50 x 8mm x 80# Straight Shank

VACUUM BRAZED DIAMOND CORE BITS

Vacuum Brazed Engraving Bits designed for edge details Our vacuum brazed diamond core bits are designed to give you uncomplicated, clean, smooth and chip-free holes in fibreglass, fibre concrete, ceramic, granite tops, marble or

CODE	DETAILS	
LVRC020P	20 x 3.5 x 7mm x M14	
LVRC025P	25 x 3.5 x 7mm x M14	
LVRC032P	32 x 3.5 x 7mm x M14	
LVRC035P	35 x 3.5 x 7mm x M14	
LVRC040P	40 x 3.5 x 7mm x M14	
LVRC045P	45 x 3.5 x 7mm x M14	
LVRC050P	50 x 3.5 x 7mm x M14	
LVRC060P	60 x 3.5 x 7mm x M14	
LVRC065P	65 x 3.5 x 7mm x M14	
LVRC070P	70 x 3.5 x 7mm x M14	
LVRC075P	75 x 3.5 x 7mm x M14	
LVRC082P	82 x 3.5 x 7mm x M14	
LVRC090P	90 x 3.5 x 7mm x M14	
LVRC102P	102 x 3.5 x 7mm x M14	
LVRC120P	120 x 3.5 x 7mm x M14	



LVED01

LVED02

LVED03

LVED07

LVED10

LVED11

LVED15

LVED19

Bellinzoni Glues



MASTIC 2000

DETAILS

CODE

GB02802

GB02803

GB02804

GB02902

GB02903

GB02904

GB03102

GB03103

GB03104

GB03401

GB03501

GB03601

GB03701

GB03801

GB03901

GB04002

GB04003

Two-component polyester mastic for the filling and smoothing, ideal for bonding and filling marble, granite, travertine and natural stones. MASTIC 2000 is available in solid form for vertical use and is also available in multiple colours.

Glue Yellow Solid Kit 750ml

Glue White Solid Kit 750ml

Glue Transparent Solid 750ml

Glue Yellow Solid Kit 51

Glue Yellow Solid Kit 17I

Glue White Solid Kit 5L

Glue White Solid Kit 17L

Glue Transparent Solid 5L

Glue Transparent Solid 17L

Glue 2000 Black solid 750ml Kit B12

Glue 2000 Ivory solid 750ml Kit B14

Glue 2000 Dark Straw 750ml Kit B04

Glue 2000 Carnic Grey 750ml Kit B30

Glue 2000 Fog Grey 750ml Kit B30

Catalyst Hardener 40ml

Catalyst Hardener 180ml

Glue 2000 Bassalt Gray 750ml Kit B10

CODE	DETAILS
GB03202	Astra 24k Transparent Glue 750ml



IMPREPOX 1000

ASTRA 24K

Two-component epoxy system used mainly in the stone processing field to restore and consolidate natural stone surfaces, porous and leaky concrete and cement objects, and to reinforce the rear of natural stone slabs subject to breakage.

CODE	DETAILS
GB04501	Premium Extra Fluid Epoxy A 1kg
GB04502	Premium Extra Fluid Epoxy B 250g





Bellinzoni Polishers



RR/1 SPRAY

For kitchen tops, windowsills and furniture. One of the most popular requests for the maintenance of marble, granite and varnished wood is for a product which leans and polishes in one operation. RR/1 Spray is a foam product specifically for cleaning and polishing. Wax included in it's composition increases the shine and life. Does not contain CFC and therefore does not endanger the ozone.

CODE	DETAILS
GB04901	RR/1 Spray Polish- 400ml

WAX PASTE

This product comes in a paste form for polishing marble, granite and cement. It dries quickly and forms a film of top quality wax on the surface which penetrate the material.

		1		
/		1	3 559	
1	\bowtie	y.	月配	
-	-	100	1	2

CODE	DETAILS
GB00102	Wax Paste for Polishing- White 930ml
GB00202	Wax Paste for Polishing- Black 930ml



SUPER CRYSTAL

reflectivity finish that is seen on polished marble or granite tiles and slabs. To be used with water and a buffing pad to get excellent results.

CODE	DETAILS
GB01401	Marble Polishing Powder Super Crystal 1kg
GB01402	Marble Polishing Powder Super Crystal 5kg
GB08701	Granite Polishing Powder Super Crystal 1kg

LIQUID WAX

VETRO-GLASS

This powder is used as a final step in achieving the high Specially formulated to intensify and enhance marble and granite colours giving them attractive "wet look".

CODE	DETAILS
GB00301	Special Liquid for Polishing- 675ml



EUREKA POLISHING GELS

polish and maintain various types of materials: marble, granite, porcelain and quartz resin.

The new line of products in gel specifically formulated for It's now easy to renew a long-lasting sheen and to harden the surfaces of marble and stone agglomerates without using wax or resin.

nellinaces	g
tuking.	
	C
	C
285	G
	G

CODE	DETAILS
GB01101	Eureka Granite Polishing Gel 1L
GB01201	Eureka Marble Polishing Gel 1L
GB01301	Eureka Porcelain Polishing Gel 1L
GB08301	Eureka Quartz Polishing Gel 1L

CODE	DETAILS
GB00901	Crystallizer Vetro-Glass- 1L
GB00902	Crystallizer Vetro-Glass- 5L



Bellinzoni Sealants



IDEA HP IDEA XC

Clear protective agent to protect stones against water, oil, grease and humidity. IDEA HP penetrates deep into the stone, blocking the efflorescence and lets the stone

Is a new impregnating sealer to protect stones against water, oil, grease and humidity giving an attractive wetlook effect; optimum also for polished materials. When applied, IDEA XC penetrates the stone without forming unsightly plastic films.

CODE	DETAILS
GB01502	Idea HP Water & Oil Repellent- 1L
GB01503	Idea HP Water & Oil Repellent- 5L
GB01504	Idea HP Water & Oil Repellent- 25L

nanotechnology formulation; it protects marble and granite stones from a wide range of stains and has

Idea Gold Water & Oil Repellent- 5L

CODE	DETAILS
GB01602	Idea XC Water & Oil Repellent- 1L





IDEA GOLD

Is an exceptional anti-stain product based on

prolonged efficiency.

CODE

GB01802

GB01803

IDEA STONAGER A product specifically designed to protect and intensify

formation of mildew.

the colour to give an antique look to stones marble, granite and artificial stones. Its typical application is on unpolished stones such as sand-blasted, bush-hammered, rough, flamed or honed ones. IDEA STONAGER protects against stains due to oils, greases, humidity and prevents

	COL
& Oil Repellent- 1L	GBC

CODE	DETAILS
GB08801	Idea Stonager- 250ml
GB08802	Idea Stoneager- 1L
GB08803	Idea Stoneager- 5L





IDEA TROPICAL

DETAILS

Idea Gold Water

IDEA BLACK

Its typical application is on unpolished stones such as sand-blasted, rough, bush-hammered, flamed or honed. The product protects against stains such as oil, grease, other products. humidity and prevents formation of mildew.

A product specifically designed to protect and intensify A new silicone-based protective impregnating agent, the colour and give an antique look to tropical stones. dyed in an intense black colour for the treatment of black granites and stones. Great for enhancing black polished granites, that usually cannot be easily enhanced with



CODE	DETAILS	CODE	DETAILS
GB08901	IDEA Tropical- 250ml	GB01902	Idea Black 750ml Water Repellent -750ml



IDEA QUARZO

IDEA RAPID COLOUR

against the penetration of water, oils, grease and moisture. Certified for foodstuff direct contact.

Water and oil protective, impregnating enhancer Water and oil protective enhancer, brightening for with extra darkening action for quartz resin surfaces and limestone, sandstone, cement and stones against the penetration of water, oils, grease and moisture.









IDEA DARK

Protective impregnating agent, for the treatment of both shiny and rough surfaces of natural stones such as granites, marbles, etc. Specific for dark or black absorbing stones, IDEA DARK deeply enhances the natural colour of stone, covers scratches and flaws of dark/black stone.

CODE	DETAILS
GB01702	ldea Dark Water Repellent – 1L
GB01703	Idea Dark Water Repellent – 5L
GB01704	Idea Dark Water Repellent – 25L



Bellinzoni Sealants



LIMESEALER

STRONG 2000

oil. LIMESEALER is suited for very porous and fragile stones and humidity. such as limestone and sandstone.

Colourless impregnating and anti-salts resurfacing Is a clear siloxane consolidating agent for protection of product, that also protects the material from water and buildings and stones against penetration of water, grease

CODE	ODE DETAILS		DETAILS
GB02001	Limeseal Water & Oil Repellent- 1L	GB02101	Strong 2000 Consolidator- 1L
GB02002	Limeseal Water & Oil Repellent- 5L	GB02102	Strong 2000 Consolidator- 5L
GB02003	Limeseal Water & Oil Repellent- 25L	GB02103	Strong 2000 Consolidator- 25L





BLOCK D70

GREZZO

facade, floors and stone products against penetration to intensely increase colour of material. It also raises of water, humidity, oil, alimentary grease, and mildew resistance against penetration of water and oils, on surface formation. It's chemical composition allows the treated and handmade objects with rough finish. material to breathe and allows humidity to exit from the stone but prevent the same from entering.

Colourless water and oil repellent for protection of stone Is a deep colour enhancing and protective agent, used





CODE	DETAILS
GB02302	Block D70 Water & Oil Repellent- 1L
GB02303	Block D70 Water & Oil Repellent- 5L
GB02304	Block D70 Water & Oil Repellent- 25L
GB02402	Block D70 Eco+ Water & Oil Repellent- 1L
GB02403	Block D70 Eco+ Water & Oil Repellent- 5L
GB02404	Block D70 Eco+ Water & Oil Repellent- 25L

CODE	DETAILS
GB06701	Grezzo Enhancer- 1L
GB06702	Grezzo Enhancer- 5L








ANTIAQUA

PETRA

Water based transparent protective water repellent for walls and concrete floors against rain and weathering. Antiaqua lets the material breath, it penetrates deeply into the material, does not change the original colour; does not make any films but catalyses into the stone giving a good protection. It prevents formation of mildew. Good resistance to UV rays.

Water based transparent protective water repellent for walls and stone floors against rain and weathering. PETRA lets the material breath, it penetrates deeply into the material, does not change the original colour; does not make any films but catalyses into the stone giving a good protection. It prevents formation of mildew. Good resistance to UV rays.



CODE	DETAILS
GB13101	Petra Sealer- 25L



Bellinzoni Cleaners



MARBLE & GRANITE CARE KIT

QUARTZ CARE SYSTEM

Specific system for the cleaning and protection of marble, Specific system for the cleaning and protection of quartz granite and stone surfaces. Certified for foodstuff direct surfaces. Certified for foodstuff direct contact.

CODE	DETAILS	CODE	DETAILS
GB11001	Marble & granite care kit- 250ml	GB08601	Quartz Care kit- 250ml





MOULD OFF

A very concentrated cleaner with strong hygienic action, removes and prevents the formation of mould and the subsequent settlement of fungi, algae, mildew and musk.

ALGAKILL

A concentrated cleaner, it removes and prevents deposits of algae, mould and mildew on marble, granite, terrazzo, slate, stone, ceramic, concrete, glass and other hard washable surface. Suitable for slabs façades and swimming nools

CODE	DETAILS	CODE	DETAILS
GB05702	Mould off- 500ml	GB05701	Algae Killer- 1L





RUST REMOVER

DETAILS GB06901 Rust Cleaner Gel- 1L

CODE

CODE

GB06401

ceramic, porcelain, stones and metals.

SPOT REMOVER

BERT 27

DECER DOS

Specific gel cleaner for rust removal from marble, granite, Spot Remover Absorbing Paste- for stubborn dirt removal is a product specifically formulated to remove stains on marble, granite, ceramic and concrete.

CODE	DETAILS
GB06601	Spot Remover Absorbing Paste- 250ml
GB06602	Spot Remover Absorbing Paste – 1L
GB06603	Snot Remover Absorbing Paste 51





L&L CLEAN & POLISH

natural and agglomerated stone floors. Used for the respects the environment, EC ECOLABEL. maintenance of polished or waxed natural stones.

TILE & GROUT CLEANER Product for an easy and quick maintenance of ceramic, Specific solvent-free cleaner for joints and grouts. It







LEM-3 DETERGENT

DETAILS

L & L Clean & polish-1L

LEM-3 is a concentrated detergent which is used to clean all surfaces. It is especially suited for the treatment of marble, granite and natural stones. Designed for resistant dirt. Can be used to clean and wash all cleanable surfaces such as glass.

This is an extremely concentrated, acid-based detergent for granite, ceramic or porcelain. It should only be used for strongly-resistant soiling or to eliminate rust or potassium nitrate. One of its great advantages is that it forms a layer of foam that does not drip when used on vertical surfaces, so it is especially useful for the deep cleaning of wall-tiles immediately after fixing.

CODE	DETAILS	CODE	DETAILS
GB06201	Lem-3 Neutral Detergent- 1L	GB06001	Bert 27 Detergent- 1L
GB06202	Lem-3 Neutral Detergent- 5L		

GB12001





ULTRA STRIPPER

Highly efficient detergent for every type of dirt: grease, smog, oily stains. It removes very resistant metallic, acrylic and solvent based waxes from floors and walls and it is also suitable for deep cleaning of floors before polishing

How many times have you seen floors become yellow or covered with an unsightly, film or tiles corroded by exceptionally aggressive or acid-based wax-removing products? Now there is DECER-DOS, a wax-remover which emulsifies resin-based or synthetic waxes, without corroding materials. Even if heavily diluted, the wax removing power of DECER-DOS remains unchanged and removes all traces of wax from the floor, while restoring its natural appearance.

CODE	DETAILS	COD
GB06101	Ultra-stripper Concentrate Cleaner- 1L	GB1
GB06102	Ultra-stripper Concentrate Cleaner- 5L	

CODE	DETAILS
GB10001	Decer Dos De-waxer- 1L



Electric Saws



MANTA 150 & 200

Available in both 1.5m and 2m versions, the Manta is a heavy duty single phase manual saw for cutting natural stone, porcelain, and ceramics. the head slides on two rectified chrome ground bars by means of linear ball-bearings. It is equipped with a submersible pump placed inside the base, which doubles as the water reservoir. Vertical head motion is by means of a hand-wheel for fact and stable adjustment. Tilting head for 15° cuts. a fast and stable adjustment. Tilting head for 45° cuts. EQUIPPED WITH: 1 submersible pump and a set of servicing wrenches.

Excluding Diamond Blade

TECHNICAL DETAILS	Manta 150 / 200	
Power	230V, 2.2kW	
Max Blade Size	350mm x 25.4mm	
Max cutting length	1500mm / 2000mm	
Max cutting depth	110mm	
Weight	210kg / 260kg	
CODE - MANTA 150	MN120350ED	
CODE - MANTA 200	MN120458	
MNS17M003	Side Stop	
MNS17M004	Long Diagonal Square 50cm	
MNS17M005	Short Diagonal Square	
MNS020022NMM	Water Pump	
MNS17M000	Side Roller Bench	





ACHILLI RAIL SAW

Innovative portable track saw on mobile rail, useful to cut large slabs with a small investment. Manual cutting depth adjustment up to 40mm with hand wheel. With new solid rails for accurate cutting 2.4m and 4m.

Excluding Diamond Blade

TECHNICAL DETAILS

Power	230V, 2.2kW
Blade Size	300-350mm
Blade Bore	25.4mm
Cutting Length	2.4m or 4m
Cutting Depth	40mm
CODE	DETAILS
ACPRS000	Achilli Rail Saw Without Rails
ACPRS002	Achilli Rail Saw Variable Speed- Without Rail
	Achilli Rail Saw Including 2.5m Rail
ACPRS005	Achilli Rail 2.5m
ACPRS006	Achilli Rail 4m
BBR350P25	Achilli Segmented Blade 350/25.4mm
ACPRS001	Switch box
ACPRS003	Outer Flange
ACPRS004	Inner Flange



BBR350P25





Outer Flange

Inner Flange





Wet stone saw with quick release water house coupling and vacuum cleaner port for dry cutting.

Excluding Diamond Blade

Power	230V, 1800W	
Load Speed	5800rpm	
Blade Size	180mm	
Blade Bore	22.23mm	
Dimensions	475 x 410 x 355mm	
Weight	6.7kg	
CODE	DETAILS	
PTM-SCS7	AGP SCS7 Rail Saw	
PTM-SCS7C	SCS7 Rail Saw with Rail, Connector, and Clamps	
PT0401001	Guide Rail 1.4m	
PT0401002	Guide Rail Connector	
PT0401003	Quick Release Clamp	
BTW180P	Turbo Wave Economy- 180 x 2.2 x 25.4mm	
LTG180P	Turbo Premium- 180 x 2.2 x 8mm	
BTX180P	Turbo Stone Cycle- 180 x 22.23mm	
PT-SCS7-0047	Brush Cap	
PT-SCS7-0046	Carbon Brush	
PT-SCS7-0031	Parallel Guide	







Electric Saws



MANTA 200-250-300 ECO

Available in both manual and automatic, the Manta ECO is a heavy duty, inexpensive and easy to run electric saw, making it deal for both small warkshops and big industries that need to cut any kind of stone material. It features a cutting head that cuts from 90° to 45°.

INCLUDING: 1 Side Roller Bench

OPTIONAL: Extra Side Roller Benches, Diagonal Square, Water Pump

230V, 2.2kW / 400V, 4kW
450mm x 30mm
1400rpm or 2800rpm
2000mm / 2500mm / 3000mm
150mm
390kg / 410kg / 470kg
(On Request)





MANTA POKER JUMBO BASIC


Robust and versatile monolithic machine. It cuts both length ways (X axis) and cross ways (Y axis). The head traverse is driven by means of an electronic program card. The main technical features are: X Axis Traverse: 3500 mm.; Y Axis Traverse: 1650 mm.; Z Axis Raise: 140 mm.; Cutting head speed driven by inverter; manual turning head (0-90 degree); head inclination (0-90 degree) by means of a hand-wheel.

TECHNICAL DETAILS

TECHNICAL DETAILS	ECHNICAL DE IAILS		
Power	5500W, 400V		
Blade Size	450mm x 40mm		
Speed	1400rpm		
Cutting Length	3500mm		
Cutting Thickness	140mm		
Weight	1500kg		
CODE	(On Request)		



Polishing Machines



RADIAL ARM STONE POLISHERUsed for surface grinding and polishing of tombstones, slabs and mosaic which needs to change the thickness frequently.

TECHNICAL DETAILS

CODE	ML-M2B2600 (On Request)		
Weight	850kg		
Water Consumption	3m³/h		
Range of Vertical Stroke	0-800mm		
Gyro Radius	2600mm		
Wheel Size	220mm		
Power	5500W		





MANUAL POLISHING MACHINE

Manual stone and tile polishing machine with a table size of 1200mm by

TECHNICAL DETAILS

Power	4000W	
Wheel Size	100mm	
Application Size	200-600/800/1200mm	
Dimensions	1500 x 1300 x 1500mm	
Weight	400kg	
CODE - MANTA 200	ML-MLA1200 (On Request)	



Polishers & Grinders



FLEX LW 1202N 130_{MM} POLISHER

MAKITA 9237CB 180MM VARIABLE SANDER/POLISHER

POP130F002	CODE	POP180M001
1600W	Power	1200W
130mm	Size	180mm
1750rpm	Speed	0-3200rpm
M14	Fixture	M14
5.1kg	Weight	3.4kg





MAKITA GA5040C 125_{MM} VARIABLE SPEED GRINDER

MAKITA 9557HN 115_{MM} ANGLE GRINDER

CODE	POG125M001	CODE	POG115M002
Power	1400W	Power	840W
Size	125mm	Size	115mm
Speed	2800-11000rpm	Speed	11000rpm
ixture	M14	Fixture	M14
Neight	2.5kg	Weight	2.0kg





MAKITA GA4530 115_{MM} ANGLE GRINDER

720W 115mm

1.8kg

11000rpm

POG115M001

FLEX L811 125_{MM} ANGLE GRINDER

CODE	POG125F003
Power	800W
Size	125mm
Speed	11500rpm
Fixture	M14
Weight	2.0kg





DEWALT DWE4010 115_{MM} ANGLE GRINDER

FLEX L2200 230_{MM} ANGLE GRINDER

CODE	POG115D001	CODE	POG230F001
Power	730W	Power	2200W
Size	115mm	Size	230mm
Speed	11000rpm	Speed	6500rpm
Fixture	M14	Fixture	M14
Weight	1.8kg	Weight	5.4kg





MAKITA GA9050 230_{MM} ANGLE GRINDER

DEWALT DWE492 230_{MM} ANGLE GRINDER

CODE	POG230M002	CODE	POG230D002
Power	2000W	Power	2200W
Size	230mm	Size	230mm
Speed	6600rpm	Speed	6500rpm
ixture	M14	Fixture	M14
Weight	5.8kg	Weight	5.6kg





MAKITA GA9020 230_{MM} ANGLE GRINDER

MAKITA GA9040S 230_{MM} ANGLE GRINDER

CODE	POG230M003	CODE	POG230M004
Power	2200W	Power	2600W
Size	230mm	Size	230mm
Speed	6600rpm	Speed	6600rpm
Fixture	M14	Fixture	M14
Weight	5.8kg	Weight	6.7kg



Drills



BOSCH GSB 16 RE SD 13MM CHUCK IMPACT DRILL

CODE	POD013B001
Power Input	750W
Impact Rate	0-48000bpm
No-Load Spd	0-3000rpm
Weight	1.9kg

MAKITA HP2050 13_{MM} CHUCK IMPACT DRILL

POD013M001
720W
High:0-58000bpm / Low:0-24000bpm
High:0-2900rpm / Low:0-1200rpm
2.5kg





BOSCH GBH 2-24 DRE SDS+ ROTARY HAMMER

CODE	PODSDSB101	CODE	PODSDSM101
Power Input	790W	Power Input	780W
mpact Energ	y 2.7 J	Impact Energy	/ 2.7 J
mpact Rate	0-4200bpm	Impact Rate	0-4500bpm
Rated Speed	0-930rpm	Rated Speed	0-1100rpm
Weight	2.8kg	Weight	2.8kg





BOSCH GBH 5-40 D SDS MAX ROTARY HAMMER

CODE	PODSDSB201
Power Input	1100W
Impact Energy	/ 8.5 J
Impact Rate	1500- 2900bpm
Rated Speed	170-340rpm
Weight	6.8kg

MAKITA HR4002 SDS MAX ROTARY HAMMER

CODE	PODSDSM201
Power Input	1050W
Impact Energy	/ 6.2 J
Impact Rate	2500bpm
Rated Speed	680rpm
Weight	6.6kg



Diamond Saws



MAKITA 4107R WET DIAMOND BLADE

CODE	POS180M101	
Power	1400W	
Size	180mm	
Speed	5800rpm	
Weight	6.6kg	

MAKITA 4114S DRY DIAMOND BLADE

CODE	POS355M001
Power	2400W
Size	355mm
Speed	3500rpm
Weight	10.8kg





Safety Equipment

450gr CODE MTT10401 PVC Kahki Green Aprons 450gr MTT10402 PVC Green Aprons 400gr 400gr

APRONS

SAFETY GEAR DETAILS

CODE	DETAILS
MTT10001	Safety Glasses- Clear
MTT10002	Safety Vests ZIP- 1 Size Fits All





KNEE PADS

CODE	DETAILS
MTT10003	Knee Pads Plain
MTT10004	Knee Pads Plastic Cap

EAR PROTECTION

CODE	DETAILS
MTT10006	Ear Plugs Re-usable with cord
MTT10700	Far Muffs







Single Respirator

Double Respirator

DUST MASK

The state of the s		
	CODE	DETAILS
	MTT10000	Dust Mask FFP1 (Loose)
	MTT10101	Dust Mask FFP2 NR No Valve (Box of 20)
00	MTT10103	Dust Mask FFP2 Valve (Box of 20)
- /	MTT10105	Dust Mask FFP2 Valve (Loose)
\sim	MTT10104	Respirator Cartridge C8 Solvents,Organic,Petrolm Fumes
100	MTT10106	Respirator Cartridge D2 Dust, Fumes & Mist
9	MTT10102	Dust Mask Single Respirator
MTT10106	MTT10107	Dust Mask Double Respirator

GLOVES

CODE	DETAILS
MTT10802	PVC Red Elbow Gloves 40 Density
MTT10803	Rubber Shoulder Gloves H2-55
MTT10804	Rubber Elbow Gloves H2-55








Display Stands

DISPLAY STANDS

CODE	DETAILS
STAND03	Tool-Co Counter Stand
STAND01	Tool-Co Blue Display Stand
STAND07	Bellinzoni Chemical Display Stand
SIGZ0001	Sigma Tile Cutter Display Stand
STAND02	Edge Trim Stand













Sigma Tile Cutter Display Stand



Edge Trim Stand

Diamond Blade Size Chart

Blade Size	Depth of Cut	Min RPM	Max RPM
115mm	25mm	8000	11000
125mm	30mm	7200	12200
180mm	50mm	5100	8730
230mm	80mm	4000	6700
300mm	92mm	3000	5095
350mm	120mm	2500	4365
400mm	150mm	2200	3820
450mm	170mm	2000	3300
500mm	195mm	1800	3000
600mm	250mm	1500	2550
700mm	280mm	1200	2185
800mm	350mm	1100	1910
900mm	370mm	1000	1700
1200mm	500mm	700	1275

Core Drilling Speed Chart

One of the major factors in grinding properly and avoiding the diamond segments glazing over is your core drill motor's rpm, which stands for revolutions per minute. Diamonds perform their optimal cutting at a predetermined surface speed, which is why every core bit should run at the proper rpm. If you have a large core diameter, you need to have a low rpm, whereas if you have a small core diameter, you will need to have a higher rpm. Thankfully, these ratings are standard for almost all manufacturers in the industry. Most electric core drill motors have multiple speeds, so you can use different sized core bits and operate them at their appropriate speed. The table below can assist you in selecting the recommended speed for the core size you are drilling.

Core Bit Diameter (mm)	25	50	75	100	150	200	250	300	350	450	500	600	900	1000
Recommended Speed (rpm)	3200	1600	1050	800	530	400	320	265	225	175	160	130	85	75

Diamond Blade Troubleshooting

PROBLEM	CAUSE	SOLUTION
Blade Work Out Of Round	Shaft bearings are worn (masonry & concrete).	Install new blade shaft or replace blade shaft bearings.
	Blade rotation surges; engine not tuned for concrete saws. Blade arbour hole is damaged from previous mounting.	Tune engine according to manufacturer's manual. Re-braze segments onto new steel centre if the steel thickness is 3mm or less. If steel centre is more than 3mm, re-bore the arbour hole and brush to original size.
	Blade mounting arbour worn in a groove-like formation from previous blades.	Replace worn shaft or mounting arbour bushing.
<u> </u>	Blade is slipping on arbour shaft.	Masonry saws: Tighten blade collar. Concrete saws: Check drive pin is functioning correctly.
i	Bond too hard for material causing a "pounding" and wearing one half of the blade more than the other half.	Use proper blade specification.
Blade Will Not Cut	Blade is too hard for material being cut.	Select proper blade specification for material being cut.
——————————————————————————————————————	Blade has become dull as a result of being used on too hard a material.	Sharpen by cutting on a lightweight abrasive building block to expose the blade's diamonds. If continual sharpening is required, the blade is too hard for the material being cut.
	Blade does not cut material it was specified for.	Make sure the blade is correct. If so, allow it to dress itself on the material to be cut. If it does not dress itself, sharpen it as you would a dull blade.
Loss Of Tension	Steel centre has been overheating.	Check the water flow, distribution, and lines.
<u>. 1</u> .	Steel centre has been overheating as a result of blade spinning on arbour.	Tighten the blade clamping disc nut and make certain the drive pin is functioning on concrete saws.
	Steel centre has been overheating from rubbing the side of material being cut.	Properly align the saw to prevent square cutting. Make certain the blade RPM is correct, so the blade operates at it's tensioned speed. Blade clamping collars should be identical in diameter and the
<u> </u>	Unequal pressure at blade clamping collars.	recommended size.
<u> </u>	Improper blade specification; blade is too hard for the material being cut.	Use a softer bonded blade to reduce operating stresses.
Blade Wobbles	Blade is too hard for material being cut. Blade has become dull as a result of being used on too hard a material.	Select proper blade specification for material being cut. Sharpen by cutting on a lightweight abrasive building block to expose diamonds. If continual sharpening is required, the blade is too hard for the material being cut and a softer bonded blade is required.
/ /	Cracks in steel centre- blade flutters in cut as a result of losing blade	Tighten the blade clamping disc nut. Make sure the blade is running at
Cracks In Steel Centre Or Segment	tension.	proper tensioned speed and that the drive pin is functioning properly.
	Cracks in steel centre- blade specification is too hard for the material being cut.	Use a softer bonded blade to eliminate stresses which create cracks.
Uneven Segment Wear	Insufficient water. (Usually on one side of the blade)	Flush out water system and check flow and distribution to both sides of the blade.
	Equipment defects cause the segments to wear unevenly.	Replace bad bearings, worn arbour shaft, or misaligned spindle. For concrete saws, the engine must run smoothly to prevent harmonic vibration.
	Saw head is misaligned.	Check saw head alignment for squareness both vertically and horizontally.
Segment Loss	Material is not being firmly secured.	Hold material firmly against backstop.
	Overheating due to lack of water.	Check water feed lines, checks flow is adequate on both sides of blade.
	Steel centre is worn from undercutting. Defective blade collars are setting the blade out of alignment.	Use sufficient water to flush out the cut. Clean blade clamp surfaces or replace if the clamps are under
// \ \\ \\		recommended diameter.
	Blade is too hard for material being cut.	Use proper blade specification for material being cut. Replace worn bearings; realign blade shaft or replace the worn blade
	Blade is cutting out of round, causing a pounding motion.	mounting arbour. Give running speed of equipment when you order your blades in order
	Improper blade tension.	to insure they are running at the correct RPM. With concrete saws, check spindle speed with tachometer to ensure blade is running at the correct cutting speed and blade tension.
Arbour Hole Out-Of-Round	Blade collar is not properly tightened, causing vibration on the shaft which causes the blade to rotate out of round.	Tighten the arbour nut with a wrench to make certain that the blade is adequately secured. $ \\$
	Blade collars are worn or dirty, not allowing proper blade clamping.	Clean blade collars, making sure they are not worn. Tighten arbour nut properly.
-()	Blade is not properly mounted.	Make certain the blade is mounted on the proper shaft diameter before tightening the arbour nut. On concrete saws, make sure the pin hole slides over the arbour drive pin. Distorted blade arbour holes can be re-bored, provided they are within tolerance and the blank has not been abused.
Undercutting The Steel Centre	Abrasion of steel centre due to highly abrasive dust generated during cutting.	Use the correct amount of water in order to flush out the fine dust generated during cutting, or use wear-retardant cores.














A PRACTICAL SOLUTION FOR A COMMON PROBLEM!

PAT APP No 2004/7303 2004/7279



CABLE BUDDY PACK OF 10 - CODE: CABBUD10

Drink Coffee

Italian Blend - 1kg

potent ~ strong ~ creamy ~ long-lasting ~ low acidity CODE: FCIB1000 Allora Caffè - 1kg

low acid ~ pronounced body ~ medium dark chocolate CODE: FCAC1000





DIAMOND & CONSTRUCTION PRODUCTS



CAPE TOWN

sales@mactool.co.za +27 2l 552 8566 Unit 6 Pennisi Park, No.3 Jig Ave, Montague Gardens

IOHANNESBURG

salesjhb@mactool.co.za +27 II 823 IO77 Unit 4 Hughes Industrial Park, Cnr Oscar & Romeo Rd, Hughes

DURBAN

saleskzn@mactool.co.za +27 31 350 4004 Unit 3 Mulsanne Business Park, 4 Lemans Place, Westmead Ext, Pinetown