

2023
PRODUCT CATALOGUE

BUBBLEBUSTER® SPIKED ROLLERS

Our BUBBLEBUSTER® Spiked Roller has become the brand that most contractors prefer for spiking coatings. Our rollers with 12mm spike are for all types of high build and self-leveling floor coatings. Our 12mm Super Sharp rollers are for fast setting coatings

BUBBLEBUSTER® spiked rollers with 31 mm spikes are for spiking floor overlays in excess of 4mm thick. They are available in a multitude of widths and are sold as complete assemblies with frames in standard form. Replacement roller refills are available in all widths.

SPIKED ROLLER 12MM SPIKES

DETAILS

Roller assembly 100

Roller assembly 225

Roller assembly 300

Roller assembly 450

Roller assembly 600

Refill 100mm

Refill 225mm

Refill 300mm

Refill 450mm

Refill 600mm

CODE

721100

721225

721300

721450

721600

721100R

721225R

721300R

721450R

721600R



SPIKED ROLLER 12MM SHARP SPIKES



SPIKED ROLLER 31MM SPIKES



-24/11/1/	2)))))///			->//////		
	CODE	DETAILS	CODE	DETAILS		
0mm	721100SS	Roller assembly 100mm	731100	Roller assembly 100mm		
5mm	721225SS	Roller assembly 225mm	731225	Roller assembly 225mm		
0mm	721300SS	Roller assembly 300mm	731300	Roller assembly 300mm		
0mm	721450SS	Roller assembly 450mm	731450	Roller assembly 450mm		
0mm	721600SS	Roller assembly 600mm	731600	Roller assembly 600mm		
	721100SSR	Refill 100mm	731100R	Refill 100mm		
	721225SSR	Refill 225mm	731225R	Refill 225mm		
	721300SSR	Refill 300mm	731300R	Refill 300mm		
	721450SSR	Refill 450mm	731450R	Refill 450mm		
	721600SSR	Refill 600mm	731600R	Refill 600mm		

DOUBLE EDGED STEEL GAUGING RAKES

Our Double Edged Steel GAUGING RAKES are for spreading new floor coatings to a desired thickness. A general rule is 450mm DOUBLE EDGED that the teeth of rakes will spread material to 40% of the tooth depth based on the material used.

(i.e. 5mm tooth achieves 2mm).



4JOMM D	OODEL EDGED	GOOWW DOODEL EDGED			
CODE	DETAILS	CODE	DETAILS		
BR24501	450mm No 1# x 500μ	BR26001	600mm No 1# x 500μ		
BR24502	450mm No 2# x 1000µ	BR26002	600mm No 2# x 1000μ		
BR24503	450mm No 3# x 1250µ	BR26003	600mm No 3# x 1250μ		
BR24504	450mm No 4# x 1500µ	BR26004	600mm No 4# x 1500µ		
BR24505	450mm No 5# x 2000µ	BR26005	600mm No 5# x 2000μ		
BR24506	450mm No 6# x 2500µ	BR26006	600mm No 6# x 2500μ		
BR24508	450mm No 8# x 3000μ	BR26008	600mm No 8# x 3000μ		
BR24510	450mm No 10# x 4000μ	BR26010	600mm No 10# x 4000μ		
BR24512	450mm No 12# x 5000μ	BR26012	600mm No 12# x 5000μ		
BR24501R	Replacement Blade 450mm No 1#	BR26001R	Replacement Blade 600mm No 1#		
BR24502R	Replacement Blade 450mm No 2#	BR26002R	Replacement Blade 600mm No 2#		
BR24503R	Replacement Blade 450mm No 3#	BR26003R	Replacement Blade 600mm No 3#		
BR24504R	Replacement Blade 450mm No 4#	BR26004R	Replacement Blade 600mm No 4#		
BR24505R	Replacement Blade 450mm No 5#	BR26005R	Replacement Blade 600mm No 5#		
BR24506R	Replacement Blade 450mm No 6#	BR26006R	Replacement Blade 600mm No 6#		
BR24508R	Replacement Blade 450mm No 8#	BR26008R	Replacement Blade 600mm No 8#		
BR24510R	Replacement Blade 450mm No 10#	BR26010R	Replacement Blade 600mm No 10#		
BR24512R	Replacement Blade 450mm No 12#	BR26012R	Replacement Blade 600mm No 12#		

600MM DOUBLE EDGED

INZENGA SPIKED ROLLERS



1780225R

Our INTENGA spiked roller with 16mm long spikes is a revolution in the design of loose type spiked roller discs. The sideways 'flop' inherent in rollers with individual loose roller discs is relatively zero on the INZENGA thereby giving the tool stability and limiting disc drag.

CODE	DETAI

IZ80100	Spike Roller assembly 100mm
IZ80225	Spike Roller assembly 225mm
IZ80350	Spike Roller assembly 300mm
IZ80450	Spike Roller assembly 450mm
IZ80600	Spike Roller assembly 600mm
IZ80000	Spike Roller replacement disc box of

SPIKED SHOES

Our SPIKED SHOES with 25mm or 31mm long steel spike are used to gain safe access onto new flooring overlay systems. They should be worn whilst working on fresh coatings and whilst deaerating the fresh surface when using our BUBBLEBUSTER® Spiked Roller. One size fits under most size user's site shoes or boots, use the straps to secure the SPIKED SHOES securely.

ODE	DETAIL

SS700	Spike Shoe – 31mm Spike
SS725	Spike Shoe – 25mm Spike
SS700R	Replacement Spike Set – 31mm
SS725R	Replacement Spike Set – 25mm
SS760	Replacement Straps





Our KAM FLOOR SPREADER is an adjustable heavy-duty leveller for the application of flowable overlay materials applied in excess of 4mm thick. The long stainless steel levelling blade features hard-wearing adjustable steel skis at each end that provide fine adjustments from as little as 0mm to as much as 50mm thick.

CODE	DETAILS
FS60080	600mm Wide Floor Spreader 0-30mm
FS80080	800mm Wide Floor Spreader 0-30mm
FS80081	Replaceable Skis for Floor Spreaders

ROUND PINNED LEVELLER

Our adjustable ROUND PIN **LEVELLERS** spread flooring overlay compounds in one easy application. The tools are ideal for application of floor coatings which have good flow characteristics The levellers are available in widths of both 450mm & 600mm, and are simple to adjust. Our ROUND PIN LEVELLER is made from 1.6mm Stainless Steel with an aluminium pin plate holder incorporating five steel pins. It is easily adjusted from 0mm to 12mm for speedy set up.

CODE	DETAILS	
PLR31450	450mm Pin Leveller – adjustable 0 – 10mm	
PLR31600	600mm Pin Leveller – adjustable 0 – 10mm	
PLR31450R	Replacement Round Pin Plate 450mm	
PLR31600R	Replacement Round Pin Plate 600mm	

HANDHELD TROWELS

Our TROWELS are for hand application of high build, self leveling coatings and semi-flowable mortars. The handheld trowel blades are made from tough hardened steel and are available with 290mm and 400mm rectangular blades.



CODE	DETAILS	CODE	DETAILS
BT29102	290mm x 2mm	BT40102	400mm x 2mm
BT29103	290mm x 3mm	BT40103	400mm x 3mm
BT29104	290mm x 4mm	BT40104	400mm x 4mm
BT29105	290mm x 5mm	BT40105	400mm x 5mm
BT29106	290mm x 6mm	BT40106	400mm x 6mm
BT29108	290mm x 8mm	BT40108	400mm x 8mm
BT29110	290mm x 10mm	BT40110	400mm x 10mm

Spike Roller 225mm Paint Roller Refill Pack of 24

LARGE SPATULAS

Our LARGE SPATULAS are available in two sizes. The thin flexible spring steel blade allows the tool to be used for effectively smoothing surfaces while providing troweling qualities. It may also be used as a regular squeege to apply thin film materials.

CODE	DETAILS
SP30135	300mm long x 100mm
SP60110	600mm long x 100mm

ADJUSTABLE SKEG LEVELLERS

Our SKEG LEVELLER flooring tool is the perfect choice for applying self-smoothing materials to achieve a uniform thickness. It has four pre-set skeg sizes that determines the final depth of overlay. The skegs glide over the substrate with minimum tool chatter, and are available as 'tap-out tap-in'



450MM LEVELLERS

600MM LEVELLERS

REPLACEMENT SKEGS

CODE	DETAILS	CODE	DETAILS	CODE	DETAILS
SL33452	450mm x 2mm Skeg Leveller	SL33602	600mm x 2mm Skeg Leveller	SL33002	Skeg Set of 4pcs x 2mm
SL33453	450mm x 3mm Skeg Leveller	SL33603	600mm x 3mm Skeg Leveller	SL33003	Skeg Set of 4pcs x 3mm
SL33454	450mm x 4mm Skeg Leveller	SL33604	600mm x 4mm Skeg Leveller	SL33604	Skeg Set of 4pcs x 4mm
SL33455	450mm x 5mm Skeg Leveller	SL33605	600mm x 5mm Skeg Leveller	SL33005	Skeg Set of 4pcs x 5mm
SL33456	450mm x 6mm Skeg Leveller	SL33606	600mm x 6mm Skeg Leveller	SL33006	Skeg Set of 4pcs x 6mm
SL33458	450mm x 8mm Skeg Leveller	SL33608	600mm x 8mm Skeg Leveller	SL33008	Skeg Set of 4pcs x 8mm
SL334510	450mm x 10mm Skeg Leveller	SL33610	600mm x 10mm Skeg Leveller	SL33010	Skeg Set of 4pcs x 10mm

TRIGLIDE SPREADER

A foolproof, simple to use leveller for spreading semi-flowable materials at precise thicknesses with fast application! The TRIGLIDE has a stainless steel levelling scraper plate and pre-set replaceable trigliders at each end with

three contact points. When one contact point is worn, the wing nuts can be loosened and rotated to the new setting, then securely fastened into place.

CODE	DETAILS	CODE	DETAILS
TG61604	600mm x 4mm	TG61004	Replaceable 600mm x 4mm set of 2
TG61605	600mm x 5mm	TG61005	Replaceable 600mm x 5mm set of 2
TG61606	600mm x 6mm	TG61006	Replaceable 600mm x 6mm set of 2
TG61608	600mm x 8mm	TG61008	Replaceable 600mm x 8mm set of 2
TG61610	600mm x 10mm	TG61010	Replaceable 600mm x 10mm set of 2
TG61612	600mm x 12mm	TG61012	Replaceable 600mm x 12mm set of 2
TG61614	600mm x 14mm	TG61014	Replaceable 600mm x 14mm set of 2

BROOM HANDLES

High-quality and durable broom handles for use with our flooring tools. Made from aluminium, they are available as both a fixed 25mm and telestcopic



	PETOTE
HA1500	25mm x 1.5m Aluminium
HM1400	25mm x 1.4m to 2.5m Telescomic

SQUEEGEES

CODE	DETAILS
SQ81450	450mm with Soft Black Rubber
SQ81600	600mm with Soft Black Rubber
SQ91450	450mm with Stiff White Rubber
SQ91600	600mm with Stiff White Rubber
SQ81450R	450mm Black Blades – 10/pack
SQ81600R	600mm Black Blades – 10/pack
SQ91450R	450mm White Blades – 10/pack
SQ91600R	600mm White Blades - 10/pack

Our **SQUEEGEES** come in two sizes and materials. 450mm, & 600mm wide for efficient spreading of primers & thin coatings, which are made of either white or black non-

marking rubber.

SCREED BOX

There is no need for screeding bars or time consuming labour intensive set-up. Floor screeding for cement bound or resin-based mortars is simplified by using our stainless steel **SCREED BOX**. Just set the height, weight the ballast cavity, load with material, and pull! After adjusting the front screeding plate to the required height, the surfacing material is applied in a uniformly finished thickness. The use of the KAM SCREED BOX will speed up application for a high quality and consistently level flooring finish. Any abutting runs may be filled and smoothed by hand usina

using a nower.		
CODE	DETAILS	
SB60060	600mm Stainless Steel Screed Box	
SB60061	600mm Replacement Plate	



CALL: +27 31 701 0497 EMAIL: INFO@KAMTOOLS.COM