

MACTOOL ## PRODUCT CATALOGUE











TABLE OF CONTENTS

CONSTRUCTION Contractor Blades Crack Chasing & Joint Widening Blades Asphalt Blades / New Concrete Old Concrete Floor Saws Handheld Saws ICS Chainsaws Wall Chasing Wall Saw Machine & Blades Pre-Stressed Blades Electro-Plated & Vacuum Brazed Rescue Blades Handheld Cutting & Grinding Dust Control	
MASONRY Masonry Blades	
TILING Tiling Blades Tile Drilling. Electric Tile Saws. SIGMA Tile Cutters SIGMA Spares. SIGMA Large Format. RAIMONDI Bullnose Machine RAIMONDI Large Format Tile Cutter Tool-Co Tile Levelling Systems Tiling Tools. Electric Mixers Tiling Chemicals Tile Trim Edging.	10 11 12 13 . 14-18 19 19 20 21-22 23
ABRASIVES Cutting & Grinding Discs	27
TCT TOOLS TCT Blades TCT Core Drill Bits TCT Drill Bits Chisels & Spades	29
CORE DRILLING Dry Diamond Core Bits Percussion Core Drilling. Wet Diamond Core Bits Core Bit Segments Core Drilling Machines. Core Drilling Accessories	32 33 33 34

SI COR POSTA DATION O SINISHING	
FLOOR PREPARATION & FINISHING	
Concrete Hand Grinding	35
Hand Polishing Tools	36
Dust Shrouds	
Power Trowels	37
Floor Application Tools	
Floor Grinding Heads	38
Tool-Co Floor Grinder	39
SCANMASKIN Floor Grinding Tools	39
SCANMASKIN Floor Grinders	. 39-40
Floor Polishing Pads	41
Grinding Plates & Wedges	. 41-42
Grinding Accessories	42
Floor Finishing Pads	43
Polishing, Buffing & Burnishing Machines	43
Floor Chemicals	
Dust Control & Vacuums	
VonArx Scarifiers	4/
VonArx Surface Shavers	48
VonArx Floor Scrapers	48
Floor Application Tools	. 49-52
CTONG INDUCTORY	
STONE INDUSTRY Dry Blades	50
Dry Blades	53
Achilli & Blue Ripper Blades	53
Wet Blades	54
ADW Diamond Blades	. 55-56
Polishing Pads	5/
Stone Tools	. 58-60
Silicone	60
Core Drill Bits	
Vacuum Brazed Tools	02
Grinding & Shaping	02
Bellinzoni Glues	64.65
Bellinzoni Sealants	
Bellinzoni Cleaners	
Electric Saws	
Polishing Machines	00
POWERTOOLS	
KYNKO Grinders	60
KYNKO Grinders	
KYNKO Saw	09
FLEX Grinders & Polishers	09
FLEA GIMUEIS & FUIISHEIS	09
SAFETY EQUIPMENT	
	70
Safety Equipment	/ 0





WESTERN CAPE
Cape Town - Head Office sales@mactool.co.za 021 552 8566

Unit 6 Pennisi Park, No.3 Jig Ave, Montague Gardens

GAUTENG

Johannesburg salesjhb@mactool.co.za OII 823 1077

Unit 4 Hughes Industrial Park, Cnr Oscar & Romeo Rd, Hughes

KWAZULU-NATAL

Durban saleskzn@mactool.co.za 031 350 4004

Unit 3 Mulsanne Business Park, 4 Lemans Place, Pinetown

EASTERN CAPE

East London salesec@mactool.co.za 044 220 0221





Crack Chasing & Joint Widening Blades



TOOL-CO ECONOMY RED

CODE	DETAILS
HS115EC	115 x 2 x 7 x 22.23mm - Segmented
HS230EC	230 x 2.4 x 7 x 22.23mm - Segmented
HS230ECB	230 x 2.4 x 7 x 22.23mm - Segmented No Packaging MOQ 20pcs
Dry chip free (culting of ceramics and natural stone tiles.
HC115EC	115 x 2 x 7 x 22.23mm - Continuous Rim
HC230EC	230 x 2.4 x 7 x 22.23mm - Continuous Rim
Dry fast cuttin stone tiles	g of concrete, bricks, ceramic and natural
HT115FC	115 x 2 x 7 x 22 23mm - Turho

TOOL-CO TRADE PRO

Do it yourself dry cutting for concrete, tiles, stone, and general Dry cutting diamond blade for concrete, general masonry, stone, and tiles.

CODE	DETAILS	
HS115TC	115 x 2 x 7 x 22.23mm - Segmented	
HS180TC	180 x 2 x 7 x 25.4mm - Segmented	
HS230TC	230 x 2.4 x 7 x 22.23mm - Segmented	
Dry chip free	cutting of ceramics and natural stone tiles.	
HC115TC	115 x 2 x 7 x 22.23mm - Continuous Rim	
HC230TC	230 x 2.4 x 7 x 22.23mm - Continuous Rim	
Dry fast cutting of concrete, bricks, ceramic and natural stone tiles		

230 x 2.4 x 7 x 22.23mm - Turbo



ioints. BTC125F BTC180F

CRACK CHASER BLADES

Professional diamond blade for chasing cracks and cutting Wet / Dry joint widening or reaming of concrete and asphalt.

	DETAILS	CODE	DETAILS
5P	125 x 6 x 22.23mm	BTP125P	125 x 6.4 x 10 x 22.23mm
OP	180 x 6 x 22.23mm	BTP180P	180 x 6.4 x 10 x 22.23mm
		BTP350P6	350 x 6 x 10 x 25.4mm
		BTP350P8	350 x 8 x 10 x 25.4mm
		BTP350P10	350 x 10 x 10 x 25.4mm
		BTP350P12	350 x 12 x 10 x 25.4mm



Asphalt Blades / New Concrete



SEGMENTED TRI-PACK

HS115TC3 115 x 2 x 7 x 22.23mm

Pack of three dry cutting diamond blades for general masonry, Pack of three dry cutting diamond blades for tiles and sto stone and concrete.

CODE	DETAILS	

HT230EC 230 x 2.4 x 7 x 22.23mm - Turbo

CONTINUOUS RIM TRI-PACK

CODE	DETAILS
HC115TC3	115 x 2 x 7 x 22.23mm





ASPHALT / NEW CONCRETE TRADE PRO

vely priced blade for wet cutting of asphalt, pre-mix, rete and abrasive materials.

Economy blade with good life for wet cutting of asphalt, pre-mix, new concrete, and abrasive materials.

new concrete and abrasive materials.	-		

CODE	DETAILS
HA350TP	350 x 3.2 x 12 x 25.4mm

ASPHALT / NEW CONCRETE YELLOW

ODE	DETAILS	ñ
4350DA	350 x 3.2 x 15 x 25.4mm	100
		- 9



SEGMENTED YELLOW

Dry cutting blade with good cutting speed and life for general Contractor's blade for dry cutting of hard masonry, hard

CODE	DETAILS
BS230DA	230 x 2.4 x 10 x 22.23mm

SEGMENTED BLUE

reinforced concrete, concrete lintels and natural stone.

CODE	DETAILS	
BS115TC	115 x 2 x 7 x 22.23mm	
BS230TC	230 x 2.4 x 10 x 22.23mm	





ASPHALT / NEW CONCRETE STANDARD

concrete, and abrasive materials.

CODE	DETAILS
BA300AS	300 x 3.2 x 10 x 25.4mm
BA350AS	350 x 3.2 x 15 x 25.4mm
BA400AS	400 x 3.2 x 10 x 25.4mm
BA450AS	450 x 3.2 x 10 x 25.4mm
BA600AS	600 x 4.2 x 10 x 25.4mm



Contractor's blade for wet cutting of asphalt, pre-mix, new A premium contractor's blade for wet cutting of asphalt, premix, new concrete, and abrasive materials.

CODE	DETAIL5
BA350AP	350 x 3.2 x 15 x 25.4mn





SEGMENTED BLACK

masonry products. Excellent blade for electrical and plumbing applications.		
CODE	DETAILS	

LUDE	DETAILS
BS230TCA	230 x 2.4 x 10 x 22.23mm
BS230TCB	230 x 2.4 x 10 x 22.23mm - Segmented No Packaging MOQ 20pcs



230 x 2.4 x 10 x 22.23mm





NEW CONCRETE SUPER

ssional blade for wet cutting of asphalt, new concrete rasive materials.

CODE	DETAILS	

A profes
CODE
BA350

,66	DETAILS
350ASU	350 x 3.2 x 15 x 25.4mm





blocks, stock bricks, asphalt and all abrasive products.

SEGMENTED ABRASIVE PRO
Professional blade with long life for dry cutting of cement Professional blade with long life for dry cutting of hard pre-cast concrete and hard masonry.

CODE	DETAILS	CODE	DETAILS
BS115ABP	115 x 2.1 x 8.5 x 22.23mm	BS115GP	115 x 2 x 10 x 22.23mm
BS125ABP	125 x 2.2 x 8.5 x 22.23mm	BS125GP	125 x 2 x 10 x 22.23mm
BS180ABP	180 x 2.5 x 10 x 22.23mm	BS150GS	150 x 2.4 x 10 x 22.23mm
BS230ABP	230 x 2.4 x 10 x 22.23mm	BS180GS25	180 x 2.4 x 10 x 25.4mm (22.23mm Bush)
		BS230GS	230 x 2.4 x 10 x 22.23mm





multiple materials including but not limited to: carbon steel, ductile iron, steel section, steel bar, steel tube, wood, plastic, PVC, stone, and brick.



1 1 5, 555112, 4114 511511				
CODE	DETAILS	CODE	DETAILS	
LVR115P	115 x 2.5 x 22.23mm	LSDC115	115 x 2.4 x 7 x 22.23mm	
LVR230P	230 x 2.8 x 22.23mm	LSDC230	230 x 2.4 x 7 x 22.23mm	
LVR300P	300 x 3.1 x 25.4mm	LSDC300	300 x 2.4 x 7 x 25.4mm	
LVR350P	350 x 3.1 x 25.4mm	LSDC350	350 x 3.2 x 5 x 25.4mm	
		LSDC450	450 x 4 x 7 x 25.4mm	





Old Concrete Blades

Floor Saws

OLD CONCRETE TRADE PRO

Competitively priced blade for wet cutting of all old concrete, Economy blade with good life for wet cutting of all old concrete, reinforced concrete and general masonry products.

CODC	BETAILS
HO350TP	350 x 3.2 x 12 x 25.4mm
HO450FS	450 x 3.7 x 12 x 25.4mm
HO600FS	600 x 4.6 x 12 x 25.4mm
HO800FS	800 x 4.5 x 12 x 25.4mm
HO900FS	900 x 4.5 x 12 x 25.4mm

OLD CONCRETE STANDARD

OLD CONCRETE YELLOW

reinforced concrete and general masonry products.

LUDE	DETAILS
BO300DA	300 x 3 x 12 x 25.4mm
BO350DA	350 x 3.2 x 15 x 25.4mm



FS 7000 D FLOOR SAW

The FS 7000 D is a powerful diesel walk-behind floor saw with low emissions, developed to be compliant with Tier 4 / Stage IIIB regulations. It's Ideal for asphalt and concrete cutting up to 411 mm deep. It's highly versatile thanks to a high output, compact size and good manoeuvrability. Equipped with an intuitive digital control panel making all important functions risk of random cracking, and it simplifies the working process.

Excluding Diamond Blade

Available On Request	
Diesel Engine	50.4kW
Max Blade Size	1000mm
Max Cutting Depth	411mm
Power at blade shaft	50kW (67Hp)
Weight	1032kg
	Diesel Engine Max Blade Size Max Cutting Depth Power at blade shaft

The Soff-Cut 4000 self-propelled petrol saw is designed for heavy-duty commercial, industrial and paying applications. It features technology that enables concrete to be cut within the first one or two hours of finishing and before final set. Soff-Cut™ machines provide the best solution for minimising the

Excluding Diamond Blade

NOTE: OTHER MACHINE SIZES ARE AVAILABLE UPON REQUEST

CODE	H966845502
Petrol Engine	15.3kW (20.5Hp)
Max Blade Size	350mm
Max Cutting Depth	70mm
Weight	190.51kg
Soff-Cut Diamond Blade	H542756II4



Handheld Saws

Premium contractor's blade for wet cutting of all old concrete, reinforced concrete, and general masonry products.

Contractor's blade for wet cutting of all old concrete, reinforced concrete and general masonry products.

CODE	DETAILS	CODE	DETAILS
BO300CS	300 x 3 x 12 x 25.4mm	BO350CP	350 x 3.2 x 15 x 25.4mm (15-35 HP)
BO350CS	350 x 3.2 x 15 x 25.4mm	BO400CP	400 x 3.2 x 10 x 25.4mm (15-35 HP)
		BO450CP	450 x 3.6 x 10 x 25.4mm (15-35 HP)
		BO500CP	500 x 3.6 x 10 x 25.4mm (15-35 HP)
		BO600CP	600 x 4.3 x 10 x 25.4mm (15-35 HP)

Abrasive Concrete

BO700CP

BO550ABP 550 x 4 x 16 x 25.4mm (15-35 HP)

700 x 4.2 x 12 x 25.4mm (35+ HP)



HAND SAW BLADES

Premium contractor's blades for dry/wet cutting of reinforced concrete and bricks. Used with a hand-held petrol or hydraulic power cutter for the fastest cut and lowest cost in professional sawing.

CODE	DETAILS
LS350PRZ	350 x 2.8 x 14mm- Z-Type
LS400PRE	400 x 3.2 x 25.4mm - Red (Long Life)
LS400PRO	400 x 3.2 x 25.4mm - Blue (Quick Cut)
LS400RCP	400 x 3.2 x 25.4mm - Hydraulic
LS400HCP	400 x 4 x 25.4mm- Pre-Cut
LS400PRZ	400 x 2.8 x 14mm- Z-Type
LS500PRZ	500 x 3.2 x 14mm- Z-Type
LS500RCP	500 x 3.5 x 25.4mm - Hydraulic

Pre-cut blade to be used in conjunction with a Ring Saw Weight w/o Equipment 7.8kg

Automatic Safety Cut Off system (ASCO) which automatically cuts off the power if the disc jams. Excluding Diamond Blades

400mm

162mm

120bar

172bar

20-40lpm

Max Blade Size

Oil Flow

Max Cutting Depth

Working Pressure

Noise level 1 m LPA dB 97 Noise level 1 m LWA dB 108 Vibration level m/s2

Max Pressure



HARD CONCRETE PREMIUM

Premium contractor's blade for wet cutting of hard correinforced concrete, and hard masonry products.

350 x 3 x 15 x 25mm

OLD CONCRETE / ASPHALT MULTI CUT Economy all purpose blade for wet cutting of old concrete various building materials, and occasionally asphalt

> DETAILS 350 x 3.2 x 10 x 25.4mm

a concrete,	concrete and general masonry products.





HYCON POWER PACK

Please see page 5

t can operate all tools, but it is typically used for cut-off saws, diamond chain saws, ring saws and other 40 l.p.m. tools.

, 5	
CODE	HX5050018
Oil Flow, I.p.m.	1x20-30-40
Maximum Pressure, bar	160
Noise level 1m LPA dB	89
Noise level LWA dB	101
Weight	105kg
6m Twin Hose	HY4040008

HYCON HCS20 500MM SAW

The HPP18V hydraulic power pack features infinitely variable flow adjustment from 0 to 40 l.p.m. With its great flow range, Cut-off Saw with all the same features.

Recommended Blade LS400PRZ - 400mm Z-Type

Excluding Diamond Blade

CODE	HY3030500
Max Blade size	500mm
Max Cutting Depth	212mm
Oil Flow	30-40lpm
Working Pressure	120bar
Max Pressure	172bar
Noise level 1 m LPA dB	99
Noise level 1 m LWA dB	110
Vibration level m/s²	<2.5
Weight w/o equipment	9.2kg
Recommended Blade	LS500PRZ - 500mm Z-Type

SCAN FOR MORE INFO

Floor Saws



TOOL-CO MGA500 FLOOR SAW

either side of the saw. Ideal for small to mid-sized service and repair jobs in asphalt and concrete. Cuts up to 180mm deep.

Excluding Diamond Blade

	CODE	BMGA500
ì	Petrol Engine	Honda 9.7kW (13 Hp)
į	Max Blade Size	500mm
	Max Cutting Depth	180mm
	Weight	110kg

FS524 FLOOR SAW

This versatile and compact petrol push floor saw fits a 300mm to 500mm diamond blade with a unique ability to cut propelled petrol floor saw ideal for asphalt and concrete cutting. Suitable for small to medium-sized service and repair jobs, up to 241mm cutting depth.

Our new Tool-Co all-purpose municipal blade has a unique alternating Turbo/Standard

cutting in a vast range of materials without

Excluding Diamond Blade

changing the blade.

CODE	H965I50205
Petrol Engine	Honda 15.5kW (21 Hp)
Max Blade Size	600mm
Max Cutting depth	241mm
Weight	231kg



AGP CI6

The C16 is a hand-held saw for concrete, masonry, and stone.
Designed for wet cutting but is also perfectly suitable for dry

This electric all-round cutter minimises the amount of water and slurry. Unlike other electric cutters, the blade rotates cutting. The vacuum port can be used either for wet slurry collection or for dry dust collection. Includes full electronic overload and thermal protection

Excluding Diamond Blade

LUDE	PIM-LIB
Power	3.2kW
Rated RPM	2100RPM
Max Blade Size	405 x 25.4mm
Max Cutting Depth	150mm
Weight w/o Equipment	9.6kg
Recommended Blade	LS400PRZ - 400mm Z-Type

K4000 POWER CUTTER

forward, cutting into the material efficiently with minimum effort on the operator. It's easily adaptable for dry cutting with the Vac attachment accessory for minimal dust generation.

Excluding Diamond Blade

CODE	H96707980I
Blade size	350mm
Cutting Depth	125mm
Arbor Diameter	25.4mm
Engine Voltage	220-240V, 12A
Engine RPM	19350rpm
Output Shaft RPM	3600prm
Recommended Blade	LS350PRZ - 350mm Z-Type







PLEASE NOTE: PICTURES ARE ONLY AN INDICATION. THE ACTUAL PRODUCT MAY VARY SLIGHTLY

Wall Chasing



K7000 POWER SAW & PP65

The K7000 is equipped with high frequency technology for powerful and precise cutting.

The PP 70 is a versatile electric power pack. The low weight,

compact design and user-friendly interface with digital menu makes the PP 70 very easy to use and transport. Connects to

Excluding Diamond Blade

CODE	H96708290I	CODE	
Power 3-phase	5500W	Power 3-phase	ļ
Power 1-phase	3000W	Power 1-phase	
Max Blade Size	400 x 25.4mm	Max Blade Size	
Max Cutting Depth	155mm	Max Cutting Depth	
Weight w/o equipment	9.8kg	Weight w/o equipment	
Recommended Blade	LS400PRZ - 400mm Z-Type	PP70 Power Pack	Ī
PP70 Power Pack	H967828303	Ring Saw Diamond Blade	
		For Hard Concrete	_



ake this machine very efficient and easy to use. The PP 70 is a versatile electric power pack. Connects to both

Excluding Diamond Blade

CODE	H97044980I
Power 3-phase	5500W
Power 1-phase	3000W
Max Blade Size	370mm
Max Cutting Depth	270mm
Weight w/o equipment	13.1kg
PP70 Power Pack	H967828303
Ring Saw Diamond Blade For Hard Concrete	H58702420I





AGP CGI50

Including Diamond Blade

Specifically designed for cutting double slots and channels in reinforced concrete, masonry, and similar materials.


CODE	PTM-CGI50
Power	2500W
Max Blade Size	150 x 22.23mm
Max Cutting Depth	50mm
Channel Width	47mm
Cut To Ceiling / Edge	25mm / 28mm
Weight w/o equipment	7.2kg



and Saw Blade to fit the AGP CG150 wall chaser.

CODE	DETAILS	
RS150GS	150 x 2 2 x 10 x 22 23mm	







Wall Saw Machine & Blades



K7000 CHAIN & PP65

The K 7000 Chain is equipped with high frequency technology, making it a very powerful electric chain cutter. The high power output, well-balanced body and low vibrations makes this machine very efficient and easy to use. With K 7000 Chain it is possible to cut 455 mm deep from one side, making this machine a great complement to wall saws to avoid overcutting at corners. It is also ideal for cutting irregular or small openings (as small as 11x11 cm).

The PP 70 is a versatile electric power pack. Connects to both

3- and 1-phase power.

CODE	H97044970I
Power 3-phase	5500W
Power 1-phase	3000W
Max Cutting Depth	450mm
Weight	9.1kg
PP70 Power Pack	H967828303
Replacement Diamond Chain	H5449084-05

CUT-N-BREAK

The K4000 Cut-n-Break enables you to cut as deep as 400mm from one side. Suitable for flush cutting close to walls and floors as well as for smaller jobs like window openings where you want to avoid over-cutting at the corners.

The new K 4000 has a upgraded electric motor with pop-up carbon brushes for a longer service life.

Includes a set of Diamond Blades

	K4000 Cut-n-Break	H96707970I
	Power 1-Phase	2700W
	Max Blade Size	230mm
	Max Cutting Depth	400mm
	Weight incl. cable & blades	10.4kg
	Replacement Blade Set	H574836202
_		



W5440 HF - 800MM GUARD

WS 440 HF electric wall saw gives you increased possibilities for fast and efficient cutting in reinforced concrete, brick and other building materials, up to 530mm thickness. Use this wall saw for all kinds of openings and sawing including stair, bevel and flush cutting. WS 440 HF can be combined with CS 10, transforming it into a perfect wire saw. Including an 800mm Blade Guard (Cutting Depth = 330mm) Excluding Diamond Blade

CODE	H9668683I3
Motor	Electric 3-phase 1200rpm
Spindle output, max	13kW
Blade Size, min / max	600mm / 1200mm
Cutting depth, max	530mm (1200mm Blade)
Code for I200mm Blade Guard	H57766040I

600 x 4.5 x 12 x 60mm 800 x 5 x 12 x 60mm PRE CUT 800 x 4.5 x 12 x 60mm Z-Type 900 x 4.5 x 12 x 60mm Z-Type 1200 x 4.5 x 12 x 60mm Z-Type

Technology. Guaranteed fastest cut and lowest cost.



NOTE: OTHER MACHINE SIZES ARE AVAILABLE UPON REQUEST

ICS Chain Saws

CONCRETE CHAIN SAW

The new ICS 695XL features include an easy to start engine with higher energy ignition system and durable, long-lasting components including a new muffler, carburettor and piston & cylinder. Available with 30cm or 40cm guide bars and the entire line of MAX, ProForce and PowerGrit series diamond chains. Based on the best-selling 695 saw platform, the 695XL is the highest horsepower ICS gas saw for frequent-use by eneral contractors and concrete professionals.

Excluding Diamond Chain

ICS CHAINSAW CHAINS

CODE	ICS575826
Power	4.8kW
Torque	5.7Nm
Noise Level	115dB
Weight w/o equipment	9.5kg

PowerGrit® Utility Saw Chains provide improved access to the

CONCRETE CHAIN SAW The ICS 890F4 Series hydraulic cutting system offers

the superior strength of FORCE4® technology. From the redesigned, more durable rear handle, to the easy to replace drive sprocket, this saw is engineered to stand up to your toughest jobs. In a package that exceeds industry standards this sleek powerhouse is packed with features designed to make it work as hard as you do. Available in 30lpm or 45lpm hydraulic supply on request.



	ICS575826	CODE	ICS566357
	4.8kW	Power (30LPM / 45LPM)	4.6kW / 6kW
	5.7Nm	Torque (30LPM / 45LPM)	13.78Nm / 19.2Nm
l	115dB	Noise Level	107dB
equipment	9.5kg	Weight w/o equipment	12.4kg



FIBREGLASS BLADES

For cutting all types of fibreglass products.



DETAILS
115 x 22.23mm
180mm (Made To Order)
200mm (Made To Order)
230mm (Made To Order)
300mm (Made To Order)

Vacuum Brazed LVRS230P 230 x 2.3 x 5 x 22.23mm

350 x 2.3 x 5 x 32mm IVRS350P (Bush to 25.4mm Optional)

Pre-Stressed Blades

PRE-STRESSED BLADES

1600 x 4.5 x 9.5 x 60mm Z-Type

Turn your angle grinder into a chaser for cutting grooves into walls, ceilings, and floors for electrical cables and wires. The device is easily and quickly installed on 115, 125, and 230mm

and brush seal effectively remove dust from the cutting area!

AIRCHASER 115-125mm

AIRCHASER 230mm

DETAILS

PFD-10032 PFD-10031

Professional pre-stressed saw blades with a high concentration of diamonds. High quality guaranteed, consistency and performance providing the lowest cost per cut.

600 x 5 x 10 x 40mm 800 x 7.5 x 10 x 100mm 900 x 6 x 10 x 70mm BHD1000P 1000 x 7 x 10 x 60mm



Electro-Plated & Vacuum Brazed


VACUUM BRAZED DIAMOND CORE BITS


Our vacuum brazed diamond core bits are designed to give you uncomplicated, clean, smooth and chip-free holes in fibreglass, fibre concrete, ceramic, granite tops, marble or porcelain.















Masonry Blades



Rescue Blades

TOOL-CO RESCUE BLADES

A specialised vacuum brazed diamond blade that delivers cost efficiency with a much longer tool life and reduces downtime in changing worn abrasive discs by lasting up to 50 times longer than standard abrasives based on internal testing. These jack-of-all trade blades are designed for cutting a long list of materials including but not limited to: carbon steel, ductile iron, steel section, steel bar, steel tube, wood, plastic PVC, stone, and brick.

CODE	DETAILS
LVR115P	115 x 2.5 x 22.23mm
LVR125P	125 x 2.5 x 22.23mm
LVR230P	230 x 2.8 x 22.23mm
LVR300P	300 x 3.1 x 25.4mm
LVR350P	350 x 3.1 x 25.4mm















MASONRY BLADES

Standard wet cutting masonry blades featuring a unique design that provides low cutting cost and high performance brd refractory bricks. when used on a wide range of masonry materials.

CODE	DETAILS	CODE	DETAIL5
BM300MS	300 x 3.2 x 10 x 25.4mm	LSDC300	300 x 2.4 x 7 x 25.4n
BM350MS	350 x 3.2 x 10 x 25.4mm	LSDC350	350 x 3.2 x 5 x 25.4n
		LSDC450	450 x 4 x 7 x 25.4mm



Masonry Machines







Heavy Duty brick cutter for cutting bricks, stone and tiles. It has a sliding table that moves under a cutting head. The cutting head can turn to cut 45degrees as well as move up and down to control depth of cut.

Excluding Diamond Blade

CODE	BCA350TC
Voltage	230V
Power	2.2kW
Max Blade	350mm
Bore	25.4mm
Max Cutting depth	110mm
Max Cutting length	630mm
Mitre Cut	0° - 45°

ALBA TVR 350 BRICK SAW

This dynamic machine offers safety features including a thermal overload protector, it also offers dual head settings, using both the 300mm or 350mm diameter blade on the TVR350. The TVR 350 comes in both single and three phase versions. Vertical positioning can also be used, allowing bricks or blocks to be cut from 1 cm and 15cm. This machine offers mitre cuts as well, from 0 degrees to 45 degrees. You can even regulate height when doing mitre cutting.

Excluding Diamond Blade



CODE - Single Phase CODE - Three Phase	AL06242 AL06243 (On Reques
Voltage 1-/3-Phase	230V / 380V
Power	2.2kW
Max Blade	350mm
Bore	25.4mm
Max Cutting depth	110mm
Max Cutting length	630mm
Mitre Cut	0° - 45°

Handheld Cutting & Grinding Dust Control



AIRDUSTER ANGLE GRINDER DUST GUARD

Device that clips directly onto the existing blade guard, enabling clean, dust free cutting suitable for ALL 115-230mm bevice for angle grinders that significantly reduces dust when cutting ceramic tiles at a 45-degree angle. It also provides a angle grinders! Features an open construction that gives a clear visual of the cutting area while also allowing for cooling of the blade. Made of durable meterials, the AIRDUSTER is available in two variations, 115-125mm and 230mm.

CODE	DETAILS
PED-10001	AIRDUSTER 115-125mm
PED-10002	AIRDUSTER 230mm
7 5	A LAND OF THE PARTY OF THE PART
T 4	
A	The second second



plastic support for less hand fatigue and a window for visual monitoring of the cutting process. This versatile tool fits 115 and 125 angle grinders, ensuring cleaner, more comfortable tile grinding.







SCAN FOR MORE INFO

HEAVY DUTY BRICK SAW

Single phase masonry and refractory saw Also available in 3-phase

Excluding Diamond Blade		
CODE	1471000 (On Reque	
Voltage	230V	
Power	2.2kW	
Max Blade	500mm	
Bore	25.4mm	
Max Cutting depth	190mm	
Max Cutting length	500mm	

ALBA TVR 450 BRICK SAW

Shares the same features as the ALBA TVR 350, but allows you to fit a bigger, 450mm diamond blade.

Excluding Diamond Blade

Max Cutting length

Mitre Cut



	230V	Voltage	230V
	2.2kW	Power	2.2kW
	500mm	Max Blade	450mm
	25.4mm	Bore	25.4mm
depth	190mm	Max Cutting depth	150mm
depth	500mm 25.4mm	Max Blade Bore	450mr 25.4m



AIRSLIDER 90

The AIRSLIDER is a versatile attachment for 115-125 mm angle grinders. It provides precise, clean cuts on various materials like ceramic tile, granite, wood, and more. With adjustable depth and a plastic lining for surface protection, it ensures a perpendicular cut. Safety and dust control are enhanced with a connected vacuum cleaner. Compatible with any angle grinder model, it's a must-have for quality and safe cutting.

CLEAN, PRECISE 90-DEGREE CUTS



TOOL-CO **GI2 VACUUM**

Designed for small floor grinders and hand held power tools. Uses a single motor with a two-stage filtering system. Compatible with the continuous drop down bagging system for ease of use and efficiency.

DROP DOWN BAG SOLD SEPARATELY SEE PGAG

ROP DOWN BAG SOLD SEPARATELY, SEE PG46		
CODE	VCM-AZ00280	
Power	1700W	
Max Air Flow	300m3/h	
Max Vacuum	220mbar	
Primary Filter	1400 cm2, F8	
Second Filter	1250 cm2, H13	
Dimensions	60 x 37 x 105cm	
Weight	35kg	
Drum Pre-Filter	VCC-BM0043I	
Rear Filter	VCC-BM00287	



PETROL BRICK SAW

Excluding Diamond Blade

CODE	BCP350 (On R
Power	2.2kW
Max Blade	350mm
Bore	25.4mm
Max Cutting depth	75mm
Max Cutting length	650mm
Weight	106kg

BS650 BLOCK SAW

Powerful block saw for the long term use on any job-site of large construction project.

630mm

0° - 45°





Tilino Blades

Tile Drilling

TOOL-CO **RED**

CODE	DETAILS
Dry chip free	cutting of ceramics and natural stone tiles.
HC115EC	115 x 2 x 7 x 22.23mm - Continuous Rim
HC230EC	230 x 2.4 x 7 x 22.23mm - Continuous Rim
Dry fast cutting of concrete, bricks, ceramic and natural stone tiles	

115 x 2 x 7 x 22.23mm - Turbo

230 x 2.4 x 7 x 22.23mm - Turbo

TOOL-CO TRADE PRO Do it yourself dry cutting for concrete, tiles, stone, and general Dry cutting diamond blade for general masonry, concrete, tiles, and abrasive material.

CODE	DETAILS
Dry chip free	cutting of ceramics and natural stone tiles.
HC115TC	115 x 2 x 7 x 22.23mm - Continuous Rim
HC230TC	230 x 2.4 x 7 x 22.23mm - Continuous Rim

Dry fast cutting of concrete, bricks, ceramic and natural HT230TC 230 x 2.4 x 7 x 22.23mm - Turbo





PORCELAIN CORE DRILLS

Fast drilling into all types of tiles: Porcelain, hard ceramics, natural stone

Estimated life between 5-20 holes depending on the hardness and thickness of the tile. USE WITH WATER

CODE	DETAILS
LZV005	5 x 40mm x 10mm Hex Shank
LZV006	6 x 40mm x 10mm Hex Shank
LZV008	8 x 40mm x 10mm Hex Shank
17V010	10 x 40mm x 10mm Hex Shank



ceramics natural stone Estimated life between 50-100 holes depending on the hardness and thickness of the tile. USE WITH WATER

6mm x 44mm x 1/2" BSP

8mm x 44mm x 1/2" BSP

10mm x 44mm x 1/2" BSP

12mm x 44mm x 1/2" BSP

16mm x 44mm x 1/2" BSP

20mm x 44mm x 1/2" BSP

32mm x 44mm x 1/2" BSP

17K006P

17K008P

LZK010P

LZK012P

LZK016P

LZK020P

LZK032P

LWST10

	8
Water Swivel	_(0



TRI-PACKS

HT115EC

Pack of three dry cutting diamond blades for general masonry, stone, concrete, and tiles.

CODE	DETAILS
HS115TC3	115 x 2 x 7 x 22.23mm For Cutting Masonry, Concrete & Stone
HC115TC3	115 x 2 x 7 x 22.23mm For Cutting Tiles & Stone



CODE	DETAILS
PED-10040	250 x 50 x 25mm x F120/240





CONTINUOUS RIM DRY

CONTINUOUS RIM WET

Ory chip free cutting of ceramics, porcelain and natural stone Dry fast cutting of ceramic, porcelain, natural stone tiles. hard

CODE	DETAILS
BC115TC	115 x 2 x 7 x 22.23mm - Standard
BC115TE	115 x 1.6 x 7 x 22.23mm - Porcelain
BC115TP	115 x 1.6 x 7 x 22.23mm - Premium
BC125TP	125 x 1.6 x 7 x 22.23mm - Premium
BC180TP	180 x 1.6 x 7 x 22.23mm - Premium
BC230TP	230 x 1.65 x 7 x 22.23mm - Premium

Chip free cutting of ceramics, and natural stone tiles.

300 x 2 x 7 x 25.4mm

350 x 2.2 x 7 x 25.4mm



TURBO SUPER THIN WET

PREMIUM

COE	DE .	DETAILS
BT11	L5E	115 x 8 x 1.8 x 22.23mm - Standard
Sinte	ered Ston	e & Porcelain Professional Blades
LTE1	15P	115 x 7.5 x 1.3 x 22.23mm
LTE1	.25P	125 x 7.5 x 1.3 x 22.23mm
LTE1	.80P	180 x 7.5 x 1.8 x 22.23mm

Chip free and super-fast cutting of hard porcelain, hard

180 x 1.4 x 8 x 25.4mm

200 x 1.8 x 8 x 25.4mm

230 x 1.8 x 8 x 25.4mm

250 x 1.8 x 8 x 25.4mm

300 x 2 x 8 x 25.4mm

350 x 2 x 8 x 25.4mm

ceramics, and natural stone tiles. Can cut up to 15mm tile thickness.

BT180P

BT200P

BT230P

BT250P

BT300P

BT350P



Adaptor Pin

GRANITE CORE DRILLS - BLACK

Economic drilling of all marble and granite Good life with slower drilling speed.

USE WITH WATER		
CODE	DETAILS	
BZG020P	Core Drill - 20 x 105mm x M14	
BZG025P	Core Drill - 25 x 105mm x M14	
BZG032P	Core Drill - 32 x 105mm x M14	
BZG035P	Core Drill - 35 x 105mm x M14	
BZG051P	Core Drill - 51 x 105mm x M14	
BZG065P	Core Drill - 65 x 105mm x M14	
BZG080S	Core Drill - 80 x 105mm x M14	
BZG085P	Core Drill - 85 x 105mm x M14	
BZG102P	Core Drill - 102 x 105mm x M14	
GAD008	Adaptor Pin to M14	
GAD006	Adaptor Pin to 5/8	





	2
FTT00118	Diamond Core Bit Guide (La
F1100110	Diamona Core bit Guide (3)

CORE DRILLING GUIDES

Keeps your core bit in the correct position and prevents the bit from jumping or skipping. Produces clean and accurate holes with ease, every time.

FTT00116	Diamond Core Bit Guide (Small) 5-12mm
FTT00118	Diamond Core Bit Guide (Large) 20-65mm



TILE CORE DRILLS - BLUE Fast drilling into all types of tiles: Porcelain, ceramics, and

Water Swivel 10mm Shank x 1/2" BSP

CODE	DETAILS
LZG005P	Dowel Drill - 5 x 40mm x Straight Shan
LZG006P	Dowel Drill - 6 x 40mm x Straight Shan
LZG008P	Core Drill - 8 x 40mm x Straight Shank
LZG010P	Core Drill - 10 x 40mm x Straight Shank
LZG012P	Core Drill - 12 x 40mm x Straight Shank
LZG014P	Core Drill - 14 x 40mm x Straight Shank
LZG016P	Core Drill - 16 x 40mm x Straight Shank
LZG006M	Core Drill - 6 x 40mm x M14
LZG008M	Core Drill - 8 x 40mm x M14
LZG010M	Core Drill - 10 x 40mm x M14
LZG016M	Core Drill - 16 x 40mm x M14
LZG018P	Core Drill - 18 x 40mm x M14
LZG020P	Core Drill - 20 x 50mm x M14
LZG025P	Core Drill - 25 x 50mm x M14
LZG032P	Core Drill - 32 x 70mm x M14
LZG035P	Core Drill - 35 x 70mm x M14
LZG040P	Core Drill - 40 x 70mm x M14
LZG045P	Core Drill - 45 x 70mm x M14
LZG052P	Core Drill - 52 x 70mm x M14
LZG065P	Core Drill - 65 x 70mm x M14
LZG078P	Core Drill - 78 x 70mm x M14
LZG080P	Core Drill - 80 x 70mm x M14
LZG090P	Core Drill - 90 x 70mm x M14
LZG095P	Core Drill - 95 x 70mm x M14
LZG102P	Core Drill - 102 x 70mm x M14
LZG120P	Core Drill - 120 x 70mm x M14
GAD008	Adaptor Pin to M14
GAD006	Adaptor Pin to 5/8







MUSIC SLOT WET **PROFESSIONAL**

BC180TS

BC200TS

BC230TS

BC250TS

BC300TS

BC350TS

fessional blade with cooling slots for fast chip free cutting of porcelain and other hard materials.

180 x 1.5 x 7 x 25.4mm (22.23mm Bush)

200 x 1.5 x 7 x 25.4mm (22.23mm Bush)

230 x 1.5 x 7 x 25.4mm (22.23mm Bush)

250 x 1.8 x 7 x 25.4mm (22.23mm Bush)

LCJ250P	250 x 2 x 10 x 25.4mm
LCJ300P	300 x 2 x 10 x 25.4mm
LCJ350P	350 x 2 x 10 x 25.4mm
LCJ400P	400 x 2 x 10 x 25.4mm

MUSIC SLOT WET SILVER

Professional b machines.	lade designed for multi-blade tile cutting	John John State of the Land of
CODE	DETAILS	Application of
LCP250P60XF	250 x 1.8 x 10 x 60mm	THE REAL PROPERTY.
LCP310P60XF	310 x 1.6 x 10 x 60mm	
		-





CONTINUOUS RIM WET GLASS

Premium blade for straight, true chip free cutting into various types of glass.

CODE	DETAILS	
LCJ250G	250 x 1.7 x 5 x 25.4mm	
LCJ300G	300 x 1.7 x 5 x 25.4mm	





FTT00118 - 20-65mm

RAIMONDI SPECIALISED CONTINUOUS RIM WET

CODE	DETAILS
RAD179CC250B	250mm 45° Bevel Blade
RAD179SET300B	300mm Straight Porcelain Blade

VACUUM BRAZED DIAMOND CORE BITS

Designed to give you uncomplicated, clean, smooth and chip-free holes in fibreglass, fibre concrete, ceramic, granite tops, marble or porcelain.

	CODE	DETAILS	CODE	DETAILS
Τ.	LVRC020P	20 x 3.5 x 7mm x M14	LVRC065P	65 x 3.5 x 7mm x M14
	LVRC025P	25 x 3.5 x 7mm x M14	LVRC070P	70 x 3.5 x 7mm x M14
	LVRC032P	32 x 3.5 x 7mm x M14	LVRC075P	75 x 3.5 x 7mm x M14
	LVRC035P	35 x 3.5 x 7mm x M14	LVRC082P	82 x 3.5 x 7mm x M14
	LVRC040P	40 x 3.5 x 7mm x M14	LVRC090P	90 x 3.5 x 7mm x M14
	LVRC045P	45 x 3.5 x 7mm x M14	LVRC102P	102 x 3.5 x 7mm x M14
	LVRC050P	50 x 3.5 x 7mm x M14	LVRC120P	120 x 3.5 x 7mm x M14
	LVRC060P	60 x 3.5 x 7mm x M14		



sigma Series 4

SIGMA 620

Electric Tile Saws



RAIMONDI PIKUS 130

Ideal for cutting granite, marble, porcelain and ceramics. Straight, 45° bevel (Jolly), & plunge cuts. Machine includes a Diamond Blade.

TECHNICAL DETAILS

Power	1.1kW
Max Blade Size	250mm x 25.4mm
Cut Thickness Single Pass	80mm
Cut Thickness Double Pass	150mm
CODE	RAI30PIK
RAS423BL130ADV	Tile Holding Device
RAS423KITDL	Folding Extensions & Left Square 90°
RAS192SQ04A	Right Hand Sliding Square
RAS192SQ07A	Left Hand Sliding Square
RAS191CL04A	Counter-square
RAS240	Water Pump



MANTA I50 & 200

RAS374RU10D40

Available in both 1.5m and 2m versions, the Manta is a heavy duty single phase manual saw for cutting natural stone, porcelain, and ceramics. The head slides on two rectified chrome ground bars by means of linear ball-bearings. It is equipped with a submersible pump placed inside the base, which doubles as the water reservoir. Vertical head motion is by means of a hand-wheel for a fast and stable adjustment. Tilting head for 45° cuts.
EQUIPPED WITH: 1 submersible pump and a set of servicing wrenches.

Self Standing 10 Roller Bench

Excluding Diamond Blade

TECHNICAL DETAILS	Manta I50 / 200
Power	230V, 2.2kW
Max Blade Size	350mm x 25.4mm
Max cutting length	1500mm / 2000mm
Max cutting depth	110mm
Weight	210kg / 260kg
CODE - MANTA I50	MNI20350ED
CODE - MANTA 150 CODE - MANTA 200	MNI20350ED MNI20458
CODE - MANTA 200	MNI20458
CODE - MANTA 200 MNS17M003	MNI2D458 Side Stop









SIGS0027

SIGS0036

Complete Right Support

16mm Titanium Scoring Wheel





484

14NT

SIGMA 760

SIGMA 950

CODE: SIG09501N



SIGMA JOLLY CUT (TO BE DISCONTINUED)

The Sigma Jolly cut is designed to cut Jolly angles effortlessly. This machine is suited for heavy work. It is fitted with a 2.2kw motor and a 300mm diamond blade. The work table slides on bearings. The machine is made of galvanised steel sheet and painted with high resistance epoxy paint. Including Diamond Blade

Side Roller Bench

TECHNICAL DETAILS

MNS17M000

Power	2.2kW
Max Blade Size	300mm x 30mm
Max Tile Size	750mm x 750mm
Weight	61kg
CODE	SIGTO00I
SIGT0002	Complete square with guide & support
SIGT0003	Fixed Square 33cm
SIGT0004	Swivel measure bar 60cm





CODE	DETAILS	ART. №	SIGMA 2.05 <i>SIG20501</i> ART. I2DI	SIGMA 2.45 <i>SIG24501</i> ART. I2EI
SIG20502	13mm Scoring Wheel & Bolt	14X	х	Х
SIGS0003	Ruler Guide	19D	Х	Х
SIG20504	Swivel Ruler 55cm-0-55cm	90LG	x	х
SIGS0004	Ruler Clamping Lever	108621	х	х
SIGS0005	Ruler Clamping Level Nut	1079104	х	Х
SIG20503	Handle 20mm Groove, 13mm Scoring Wheel	24XL	х	Х
SIG15103	Handle Foot Rubber	104058	х	Х
SIGS0033	Front Measure From 410-0-410mm	90E3	х	Х
SIG24502	Complete Left Support Arm	1089143	х	Х
SIG24503	Complete Right Support Arm	1089144	х	Х
SIG24504	XL Base Plate	10882	X	Х



SIGMA Tile Cutters

SIGMA 1.55

SIGMA 1.55

SIGMA I.25

SIGMA 1.25

SIGMA Series 3 Spares






	CODE. 31000301			CODE: SIG09301			CODE: SIG15101		
CODE	DETAILS	ART. №	SIGMA 350 <i>SIG03501</i> ART. 4A	SIGMA 670 <i>SIG06301</i> ART. 3B4	SIGMA 770 <i>SIG07501</i> ART. 3C2	SIGMA 950 <i>SIG09301</i> ART. 3D4	SIGMA 1.29 <i>SIG12801</i> ART. 3E4K	SIGMA 1.56 <i>SIG15101</i> ART. 3F4M	
SIGS0001	12mm Scoring Wheel & Bolt	14A	Х	Х	Х	Х			
SIG12802	15mm Scoring Wheel and Bolt	14C					Х		
SIGS0010	19mm Scoring Wheel & Bolt	14MX					Х	Х	
SIG06303	Handle 8mm Groove, 12mm Wheel	24E	Х	Х					
SIG09304	Handle 10mm Groove, 12mm Wheel	24AE			Х	Χ			
SIG12804	Handle 15mm Groove, 15mm Wheel	24EK					Χ		
SIG15102	Handle 20mm Groove, 19mm Wheel	24M20X						Χ	
SIG03502	Ruler Guide	19	Χ						
SIGS0003	Ruler Guide	19D		Χ	Χ	Χ	Χ	Χ	
SIG03503	Folding Extension	17	Х						
SIGS0008	Universal - Handle Guide Wheel	10144	Χ	Х	Χ	Χ	Χ		
SIGS0007	Universal - Handle Foot Rubber	104033	Χ	Х	Χ	Χ	Χ		
SIG15103	Handle Foot Rubber	104058					Χ	Χ	
SIG15104	Handle Guide Wheel	10166					Χ	Χ	
SIGS0004	Ruler Clamping Lever	108621		Х	Χ	Χ	Χ	Χ	
SIGS0005	Ruler Clamping Level Nut	1079104		Х	Χ	Χ	Χ	Χ	
SIGS0016	Complete Adjustable Support Screw	20B		Х	Х	Χ	Χ	Χ	
SIGS0006	Sliding Bar Support Screw	020A	Χ						
SIG06306	Sliding Bar Support Screw	020	Χ						
SIGS0009	Universal - Spring	10659		X	Χ	Χ	Χ		
SIG06302	Swivel Ruler 47cm-0-35cm	90LB		X					
SIG07502	Swivel Ruler 54cm-0-40cm	90LC			Χ				
SIG09302	Swivel Ruler 64cm-0-46cm	90LD				Χ			
SIG12803	Swivel Ruler 64cm-0-64cm	90LE					Χ	Χ	
SIG12806	Sliding Bar (NO HOLES)	039P2					Χ		
SIG12805	Sliding Bar (WITH HOLES)	039P					X		
SIG09303	Sliding Bar	039N				Х			
SIG07503	Sliding Bar	039B			Х				
SIG06304	Sliding Bar	039L		Х					
SIGS0002	12mm Titanium Scoring Wheel & Bolt	14T	Х	Х	Х	Χ			
SIGS0012	15mm Max Handle	24M15X					Χ		
SIGS0013	Base Rubber Foot	106725	Х	Х	Х	Х	Х	Χ	
SIGS0014	10mm Klick Klock Handle	24AK		·	Х	X			
SIGS0015	15mm Klick Klock Handle	24EK		<u> </u>	<u> </u>		X		
SIGS0020	Ruler Tape Replacement	107126	X	Χ	Χ	Χ	Χ	Χ	
01000500	5 11: 5 : 1 0101	4.7	.,						

NOTE: SIGMA DISPLAY STANDS **AVAILABLE, TILE CUTTERS ARE** SOLD SEPARATELY. **DISPLAY STAND CODE: SIGZ001**

SIG03503 Folding Extension 21-34cm



SIGMA 770



sigma

SIGMA Large Format Tiling Tools

SIMPLE BEVEL

LCGC105F

LCGM105P

LCGF105P

BPAD115

BPN0050

BPN0800 BPN1500

SIGK008

KERA-CUT
The Sigma Kera-Cut is designed to cut large format tiles. The sliding guide in a single piece is light and strong and remains accurate even in the event of accidental falls. It can be fixed either with suction cups to the tile or attached to a work bench for

CODE	DETAILS
SIGK0013	Kera-Cut Rail and Cutter 332cm (8AE)
SIGK0014	Kera-Cut Rail Extension 550mm (8AEP)
SIGK0012	Kera-Cut Replacement Suction Cups (51C)
SIGK0002	Kera-Cut 12mm scoring wheel & bolt (14G)
SIGK0003	Kera-Cut 19mm scoring wheel & bolt - Old Model (14K)
SIGK0005	Universal Separator for breaking tiles between 20-30mm (41D)
SIGK0008	Kera-Flex Attachment, inc. Blade, exc. Grinder (38F13D)
POG125K002	KYNKO KD69 125mm 800W (Constant Speed 11000RPM)
POG125K003	KYNKO KD69-VS 125mm 800W (Variable Speed 0-11000RPM)

Precision Machine for chamfering porcelain tiles, marble, granite & glass. Rests on top of the tile and slides along it's edge to create a uniform chamfer along the entire length of the edge. It will follow the curves in the tile which would not be possible if using a rigid guide. Bevel from 1 to 12mm (from 1 to 6mm on porcelain) Adjustable to any angle between 22° and 90°. The BULL is obtained with multiple passes at different angles. Allows finishing of the lateral edge of the tile. (max 30mm)

Sigma Simple Bevel - Excluding Grinder (36A4D)

Turbo Cup Grinder 105mm x M14 (Course)

Turbo Cup Grinder 105mm x M14 (Fine)

Polishing Pad 100 x 3mm x 50# Light Blue

Polishing Pad 100 x 3mm x 200# Yellow Polishing Pad 100 x 3mm x 800# Dark Green

Polishing Pad 100 x 3mm x 1500# Orange Sigma Simple Bevel Table Fixing Kit (36C4)

Backing Pad 100mm x M14

Turbo Cup Grinder 105mm x M14 (Medium)



TILING

Kera-Flex Attachment







KYNKO KD69

sigma



KYNKO KD69-VS

MS3270W Plastic 10L Mesto PROFI water tank, 3bar POG125K002 KYNKO KD69 125mm 800W (Constant Speed 11000RPM) POG125K003 KYNKO KD69-VS 125mm 800W (Variable Speed 0-11000RPM)









JOLLY EDGE
The Jolly Edge is a combination of the Jolly Bull and the Jolly Angle. It rests on the edge of the tile/slab (stoneware, marble, granite, etc.) to ensure the uniformity of the chamfer along the entire edge being worked. It will follow the curves of the slab, which would not be possible with a cutter guided by a rigid guide. It can work in a single pass on tiles with thickness of 5mm to 20mm. If it is fitted with a diamond blade, its part of the part of the property of the control of the property of the propert blade, it can cut a flat bevel at any angle from 40° to 50° . If it is fitted with a diamond grinding wheel, it can create a bullnose with radius of 6mm, 8mm, or 10mm.

CODE	DETAILS
SIGJE001	Sigma Jolly Edge - Excluding Grinder (37A1D)
BNT115P	Laser Slot Continuous Rim - Premium 115 x 1.3 x 22.23mm
BGS125DN	125mm ADW Epic Diamond Blade
SIGJE006	Jolly Edge Bullnose Wheel R6mm (072L06)
SIGJE005	Jolly Edge Bullnose Wheel R8mm (072L)
SIGJE004	Jolly Edge Bullnose Wheel R10mm (072L10)
BPAD115	Backing Pad 100mm x M14
BPD0200	Polishing Pad, Dry 100 x 1.5mm x 200#
BPD0800	Polishing Pad, Dry 100 x 1.5mm x 800#
BPD1500	Polishing Pad, Dry 100 x 1.5mm x 1500#
SIGJE002	Sigma Jolly Edge Table Fixing Kit (37C)
POG125K002	KVNKO KD69 125mm 800W (Constant Speed 11000RPM)









RAIMONDI Large Format Tiling Tools



EASY-MOVE MKIV

The Easy-Move is designed for the handling and installation of large format tiles and slabs. It incorporates stain-free, tilting suction cups with vacuum gauges. The maximum tile/slab length is 329cm while the minimum is 100cm, in order to handle shorter lengths you can separate the two profiles and use a single profile. The suction cups can slide along the aluminium profiles thanks to the quick lock/ release handle system. The vacuum suction cups are 150mm in diameter and are perfect for smooth or textured tiles and is built with special stain-free rubber. It is possible to restore or increase the vacuum while the suction cups are still attached

CODE	DETAILS
RAL432EM04TA	EASY-MOVE MKIV + crossbars & 8 vacuum gauge suction cup
RAL432EO04TR	Pair of crossbars for the EASY-MOVE MKIV
RAL432EO04VA	Pair of 2 vacuum suction cups with gauge (For MKIV)
RAL432EO03VV	Pair of 2 vacuum suction cups without gauge (For MKIII)
RAL185V150CP	Replacement Suction Cup

RAL185V150GO Gray rubber replacement for vacuum gauge suction cups







RAIMONDI Large Format Tiling Tools

RAIZOR CUTTING SYSTEM

The Raimondi Raizor is a cutting system for large format tiles up to 332cm. The guides are made of sturdy aluminium extruded profiles, each one with 3 stainfree Ø88mm suction cups, totalling 6 suction cups. The suction cups' handles perform a 180° movement in order not to interfere with the cutting unit. The cutting unit is made of die cast aluminium and runs onto the guide thanks to three polyoxymethylene wheels, each equipped with two internal bearings. It is provided with fine adjustment systems which allows for the perfect coupling of the cutting unit with the guide, increasing the precision and quality of the cut.

CODE	DETAILS
RAL433CRR	Raizor Cutting System 3320mm
RAL433CRP100	1150mm Extension Bar
RAL135D16A	Wheel, 16mm with axle
RAL169TM01AN	Cutting-off pliers for 6-20mm Thick Tiles/Slabs
RAL433GT01A	Raizor Cutting Head Including Scoring Wheel
RAS185GO03SG	Replacement Suction Cup



Cutting off Pliers 6-20mm Tile/Slab Thickness





CAM MKIII - LARGE FORMAT TILE CART

Cart designed for transport and handling of large format tiles. It allows to easily and safely spread adhesive in the back of the tile ("back-buttering"). For this purpose it comes with two height-adjustable hooks for holding our Easy Move frame. When the easy move is on the CAM ADV, the suction cups remain fully accessible. This allows you to restore the vacuum easily if needed. This feature is particularly relevant when installing textured large format tiles.

CODE	RALI69CMLUN

Maximum load 250kg

140cm x 43cm x 30cm





POWER RAIZOR

A multi-angle cutting unit to be used with most popular angle grinders and the RAIZOR cutting guide. It performs cuts with the following angles: 45°, 90°, and 180°. It also has a tilting movement for plunge cuts to adjust the depth of the cut. Can be

DCTAILC
DETAILS
Power Raizor (Grinder Not Included)
Laser Slot Continuous Rim Premium 115 x 1.3 x 22.23mm
ADW Epic Diamond Blade 125 x 10 x 22.23mm
Shaping Wheel Half Bullnose 6mm
Shaping Wheel Half Bullnose 10mm
Shaping Wheel Half Bullnose 12mm
Shaping Wheel 45 Profile
Plastic 10L Mesto PROFI water tank, 3bar
Spray Bottle Water Valve
Dust Containment Device
Handheld Diamond Polishing Block 60# (Other Grits Available On Page 57)















BMI80 MKII - MODULAR WORK BENCH

BM180 MkII is the ideal working bench for cutting and processing large format slabs. Worktop dimension (1 single table): 180×90cm; up to 270×90cm with extension. Combining two BM180 MkII tables together and the resulting worktop dimension is 360×90cm, which can be extended up 420×150cm with optional extensions. Ideal for any size tile 300×100cm or bigger. It also comes in a PLUS variant with an adjustable width with a minimum of 100cm and a maximum of 150cm with intermediate steps.

ODE DETAI	

RAL394MAPLUS BM180 With Variable Width and Folding Legs RAL394BLOPIACP Stand-alone tile holder for 3-30mm thickness

RAL394CC01A Kit of 20 tile-support cylinders





KYNKO KD69 I25MM ANGLE GRINDER

CODE	P0Gl25K003	
Power	800W	
Size	125mm	
Speed	11000rpm	
Weight	1.7kg	

KYNKO KD69-V5 125MM VARIABLE SPEED GRINDER

CODE	P0Gl25K002
Power	800W
Size	125mm
Speed	3000-11000RPM
Weight	1.8kg





BC45 BEVEL CUTTING DEVICE ("JOLLY")

A device to perform 45° bevel cuts directly on the construction site! It works by sliding across the edge of the tile or slab with anti-scratch plastic slides. This by shall gardost the edge of the tile of slad with anti-scratch plastic sines. This guarantees a fast and precise execution and allows you to work without any length limits. The maximum tile or slab thickness with a 115mm blade is 16mm, while a 125m blade can cut up to 20mm. There are dedicated knobs for adjusting the cutting depth to determine the best amount of material to remove. Once you make the adjustment, it is set for any future cutting of any tile thickness. Suitable with almost all angle grinders between 600-1100W that have an M14

CODE	DETAILS
RAL433BCOHEU	BC45 Mitre Cut (Jolly) Excl. Grinder
BNT125P	125mm Turbo Diamond Blade
BGS125DN	125mm ADW Epic Diamond Blade
MS3270W	Plastic 10L Mesto PROFI water tank, 3bar
RAL324RA01A	Spray Bottle Water Valve



WET POLISHING PADS WHITE

CODE	DETAILS
BPN0050	100 x 3mm x 50# Light Green
BPN0100	100 x 3mm x 100# Dark Blue
BPN0200	100 x 3mm x 200# Yellow
BPN0400	100 x 3mm x 400# Light Blue
BPN0800	100 x 3mm x 800# Dark Gree
BPN1500	100 x 3mm x 1500# Orange
BPN3000	100 x 3mm x 3000# Pink

BACKING PADS

Backing pads for use with Wet Polishing Pads.

CODE	DETAILS
BPAD115	105mm x M14
BPAD100F	105mm x M14 - Foam Flex



BPAD115

Tool-Co Large Format Tiling Tools

RAIMONDI Large Format Tiling Tools

TIP-TOP

A pair of face-up mitre-clamping-devices for stairs and countertops of any length.



KOMPASS

The Kompass is a device to perform large diameter circular A slab, for example sized 300x150cm, once positioned is hard cuts on large format tiles using the score and snap system. It is possible to cut centered (Ø22cm - Ø100cm), and off centered

to move in order to bring it closer to an adjacent slab properly. This is what the Raimondi Closer is made for. It is the perfect holes(\emptyset 32cm- \emptyset 100cm). It is possible to perform a full circular hole, a semicircular hole, and % circle, rounding the corner of the slab

RAL433KOMP5

device to mechanically accost slabs with ease.

NOTCHED TROWELS



CLOSER





TOOL-CO ELECTRIC TILE VIBRATOR

TOOL-CO CARRY SYSTEM

DETAILS

TOOL-CO TRANSPORT CART

when working with textured large format tiles.

Designed for the effortless handling and installation of large format tiles and slabs. It features suction cups equipped

with vacuum gauges. These suction cups are suitable for

both smooth and textured surfaces and are made of special

Carrying System With 6 Vacuum Pumps

stain-free rubber. The device is adaptable for handling various

commonly known as "back-buttering." When the Tool-Co Carry System frame is mounted on the cart, the suction cups

remain fully accessible, making it convenient to restore or adjust the vacuum as needed. This feature is especially useful

MTT15003 Carrying System With 6 Vacuum Pumps

6 x VACUUM PUMP

lengths of tiles or slabs.

MTT15000

For effortless and precise tile installations. Engineered for optimal convenience, this electric-powered tile beater ensures seamless adhesion by eliminating air pockets and voids between your tile and the substrate. With its easy-touse controls and ergonomic design, achieve a perfectly level and secure installation every time. Ideal for large-format tiles, the Electric Tile Vibrator takes the hard work out of tiling, delivering professional results at the push of a button.

CODE	DETAILS

MTT15005 Electrically Powered Tile Beater format tiles, the Tile Beater is your go-to for achieving a leve secure, and professional-looking finish.

tile and substrate. Its ergonomic handle and padded surface make it easy to use without damaging your tiles. Ideal for large-

The perfect adjustable workbench for cutting and processing large format slabs. The table is designed to be extendible,

allowing for a range of worktop dimensions to suit various

1.8m x 1.4m Workbench

project needs job sites.

MTT15001

MTT15004 Tile Beater with Non-Marking Rubber Base




TILE TEMPLATE XL

TOOL-CO WORKBENCH

1.8m x 1.4m

An effective solution to enhance productivity and accuracy when working with large format. This multifunctional device allows you to transfer the positions of various elements, including holes for sockets, water pipes of different diameters, holes for pre-installed pipes, and even non-standard diameters with the help of a plastic stencil. Additionally, it facilitates drawing angles for columns and other elements, making it a valuable tool for large format tilling projects.

CODE	DETAILS
MTT09016	TILE TEMPLATE XL





MOTOKOMPASS

The MotoKompass is a device designed to perform large diameter circular cuts on a large format tiles and provide a rounded corner finishing with half bullnose and jolly edge

Suitable for most angle grinders between 600-1100W Angle Grinder and Shaping Wheels Not Included

RAI 433KNMNH



of cracking.

LUUE **DETAILS** RAT183HFV6

Slant Ridge Notch-6mm x 36cm RAT184HFV10G Slant Ridge Notch- 10mm x 36cm RAT183Q3G Square Notched-3mm x 36cm

It is fundamental to properly apply adhesive with the correct notched trowel using the "back-buttering" technique. When spreading the tile adhesive with a slanted ridge, the ridge overlaps and collapses to provide superior adhesive coverage

and rudeces any air pockets occuring under the tile/slab. The absence of air under the tile improves the transmission

of heat in case of underfloor heating and reduces the chance





SLIDER 45

Cutting tiles at a 45-degree angle has been simplified with the Slider 45! This device easily attaches to both 115 and 125 angle grinders. You can adjust the cutting angle using the scale to suit your specific task. The accessory's increased surface size and stiffening structure guarantee precise blade positioning for accurate cuts. Ergonomic fasteners ensure precise adjustments, simplifying the job of cutting tiles at a . 45-degree angle.

CODE	DETAILS
PED-10022	SLIDER 45 Cutting Guard 115-125mm
PED-10023	DUST PIPE For SLIDER 45



Tool-Co Manual Tile Cutters



E-FOX BATTERY POWERED TILE VIBRATOR

The e-FOX is a professional large format tile and slab vibrator designed to expel air from underneath the tile or slab by producing high frequency vibrations, removing air pockets sing the distribution of the tile adhesive Replaces the Raimondi Volpino Corded Vibrator



(145x350mm) is used to remove the air beneath tile slabs, which if left alone increases the chance that the slabs will break.



430MM MANUAL TILE CUTTER

CODE	DETAILS
MTT11000	Manual Tile Cutter DIY 430mm
MTT11003	Replacement Scoring Wheel (15 x 6 x 1.5m

MTT11001 Light Duty 600mm Tile Cutter MTT11002 Heavy Duty 600mm Tile Cutter

Available in Heavy Duty and Light Duty versions.

cutters are for ceramic tiles only.

MTT11004 Replacement Scoring Wheel (22 x 6 x 2mm)



I200MM MANUAL TILE CUTTER

DETAILS


A heavy duty manual tile cutter for cutting ceramic and porcelain tiles.

MTT11009 Heavy Duty 1200mm Tile Cutter MTT11402 Replacement Scoring Wheel (22 x 6 x 6mm)

I650MM MANUAL TILE CUTTER A heavy duty manual tile cutter for cutting ceramic and

MTT11020 Heavy Duty 1650mm Tile Cutter









porcelain tiles.

RAIMONDI Bullnose Machine





BULL DOG ADVANCED BULLNOSE MACHINE

The Raimondi Bulldog Advanced Bullnose Machine enables you to perform perfect bullnose and 45-degree mitre cuts on just about any Porcelain or Natural Stone up to 30mm thick. It has a dual motor assembly operating two different diamond wheels in one pass and will produce a perfect edge, regardless of the thickness of

It has an extend length of shaping up to 120cm tiles thanks to side extensions and table available for large materials.

ODE	RA428BI-BULL
laximum Length	120cm
Iill Radius	8mm - 30mm
lotor Power	1000W, Single Phase
/eight	155kg



SCAN THE QR CODE ABOVE FOR MORE INFORMATION






Tool - Co

CODE	DETAILS
MTT01550	Tool-Co Starter Bucket Containing Pliers + 100pcs 3-12mm Clips & Wedges
MTT01510	100pcs x Tool-Co Levelling System Clips 1.5mm (Tile Thickness 3-12mm)
MTT01512	500pcs x Tool-Co Levelling System Clips 1.5mm (Tile Thickness 3-12mm) + Bucket
MTT01514	2000pcs x Tool-Co Levelling System Clips 1.5mm (Tile Thickness 3-12mm)
MTT01520	100pcs x Tool-Co Levelling System Clips 1.5mm (Tile Thickness 11-20mm)
MTT01530	100pcs x Tool-Co Levelling System Wedges (Reusable)
MTT01540	Tool-Co Levelling System Pliers



Clips for tiles with a thickness of 3-12mm Tile Spacing of 1.5mm



Tool-Co Tile Levelling Systems



Tile Spacing of 1.5mm

For tile spacing larger than 1.5mm use standard tile spacers in conjunction with Tool-Co Levelling Systems (See page 21)



Shaping Wheel



Finishing Wheel









RAIMONDI Large Format Tile Cutter










LAB 330 BRIDGE WET SAW

- For straight and 45° angle cut of porcelain, ceramic, granite, marble, etc.
- Plunge cut and adjustable cutting depth.
 Heavy duty water pump and multiple jet nozzles for superior cooling.
 Framework made of aluminum (die-cast and extruded) and galvanized steel.
- Easy-to-remove polypropylene tank for easy cleaning. Capacity 38 lt.
- Equipped with the motor feed system with wheel kit.

LAB 330 Single Phase RAL379CA330EU _AB 330 Three Phase RAL379CA330V400

Power:	2.2kw
Blade Speed:	2800RPM
Blade Size:	200mm
Thickness in 90° Cut:	20mm
Thickness in 45° Cut:	16mm
Max Length:	3300mm
Max Width:	1610mm
Dimensions:	400 x 170 x 120cm x 241kg


























100pcs x 3mm Levelling Base

100pcs x Anti-Friction Pads (Reusable)





MTT01566 50pcs x Spin Tile Levelling Caps (Reusable) MTT01561 100pcs x 1.5mm Levelling Base

Tiling Tools

Tiling Tools

TILE SPACERS

CODE

		GROUT REMOVERS
CODE	DETAILS	

CODE	DETAILS	CODE	DETAILS
MTT01002	2mm x 300pcs	MTT06000	Light Duty Grout Remover
MTT01003	3mm x 120pcs	MTT06001	Heavy Duty Grout Remove
MTT01005	5mm x 120pcs		(Includes 2 Blades)
MTT01006	6mm x 120pcs	MTT06002	Heavy Duty Grout Remove Replacement Blades (2pcs)
MTT01008	8mm x 60pcs		Replacement blades (2pcs)
MTT01010	10mm x 60pcs		



CHINA MARKERS

TAPE MEASURES

MTT09000

MTT09001

MTT09002

MTT09003

MTT09008

MTT09009

MTT09010

Tape Measure 3m x 16mm Rubber Case Magnetic H/D

Tape Measure 5m x 19mm Rubber Case Magnetic H/D

Tape Measure 8m x 25mm

Rubber Case Magnetic H/D

Tape Measure 10m x 25mm

Rubber Case Magnetic H/D

Plastic Case 2-Stop Tape Mesure 5m x 19mm

Plastic Case 2-Stop Tape Measure 8m x 25mm

Plastic Case 2-Stop

GM0004 Yellow China Markers (Single) MTT09007 Red China Markers (Single)

CHALK LINE & PENCILS









NIPPERS & CUTTERS

NOTCHED TROWELS

LUDE	DETAILS	LUDE	DETAILS
MTT03000	Mosaic Nipper	RAT183Q3G	Square Notched Trowel 3mm
MTT03001	Tile Cutter Pliers	MTT05007	Square Notched Trowel 6mm
MTT03002	Tile Nipper	MTT05006	Square Notched Trowel 8mm
MTT03003	Tile Scorer	MTT05005	Square Notched Trowel 10mm
		SIGRO001	Sigma No-Air Trowel 280 x 130mn
		RAT184HFV10G	Raimondi Slant Ridge Trowel 10mi







Slant Ridge Trowel

SPIRIT LEVELS





SILICONE GUNS

Silicone Sealant Gun Bulk Fill Gun 12inch

SILICONE SEALANT SET

KNEE PADS

2002	52111125
MTT0500	9 Silicone Sealant Set







	CODE	DETAILS
	MTT13000	Single Suction Cup
	MTT13001	Double Suction Cup
	MTT13002	Triple Suction Cup
4	RAT185	Raimondi Single Suction Cup

MTT09004 Spirit Level 400mm

MTT09005 Spirit Level 600mm





CHIPPING HAMMER

DETAILS

MTT02005	Chipping Hammer
MTT02006	Chipping Hammer Blade Refill (each)





Cleaning Sponge Sigma Sponge



FAPA1000

FA-SQ91500

FAPA1001

FAPA1030

TILE CLEANING

DETAILS Cleaning Sponge

Sigma Sponge - 300x140mm (Complete) SIGX0002 Sigma Sponge Refill

RAT244SWE4 Raimondi Smart Bucket & Sponge




BLOCK BRUSH

DETAILS

MTT12005 Block Brush Synthetic 190g





APPLICATORS

)E	DETAILS	CODE	DETAIL
ักรถกก	Dual Purnose Squeegee	MTT10003	Knee Pa

WIT 105001	Grout Floor Squeegee & Applicator 10x10m
MTT05002	Grout Wall Squeegee & Applicator 6x6mm
MTT05003	Plastic Floor Applicator 10x10mm
MTT05004	Plastic Wall Applicator 6x6mm





MICROFIBRE MOP & FLOOR SQUEEGEE

FAPA1000 Microfibre Mop - Complete FAPA1001 Microfibre Mop - Frame 385 x 110mm FAPA1022 Microfibre Mop - Sleeve (Dry) 450 x 140mm FAPA1023 Microfibre Mop - Sleeve (Wet) 460 x 150mm FA-HA1300 Aluminium Broomstick Handle 1.3m x 22mm FA-HA1500 Aluminium Broomstick Handle 1.5m x 22mm

Flooring Squeegee

FA-SQ91500 Flooring Squeegee

CLOTHS & RAGS

Mutton Cloth 400g roll Rags 5kg Assorted Colours











Electric Mixers

Tiling Chemicals

RAIMONDI IPERBET



230v mixer, including two 45 litre drums.

CODE	DETAILS
RAI110	Iperbet Mixer with two 45 litre drums included.
RAI289IPER	Standalone black 45 litre drum to fit the Iperbet.



A mixing drum attached to a trolley to easily manoeuvre and pour out the contents. Mixing machines sold separately.

LUDE	DETAILS
RA238EUN	Raimondi Fluid Mix Bucket






LEM-3 DETERGENT

LEM-3 is a concentrated detergent which is used to clean all surfaces. It is especially suited for the treatment of marble, granite and natural stones. Designed for resistant dirt. Can be polished or waxed natural stones. used to clean and wash all cleanable surfaces such as glass.

CODE	DETAILS
GB06201	Lem-3 Neutral Detergent 1L
GB06202	Lem-3 Neutral Detergent 5L



ALGAKILL

L&L CLEAN & POLISH





MOULD OFF

A very concentrated cleaner with strong hygienic action, removes and prevents the formation of mould and the subsequent settlement of fungi, algae, mildew and musk.

A concentrated cleaner, it removes and prevents deposits of algae, mould and mildew on marble, granite, terrazzo, slate, stone, ceramic, concrete, glass and other hard washable surface. Suitable for slabs façades and swimming pools.


CODE	DETAILS	CODE	DETAILS
GB05702	Mould off 500ml	GB05701	Algae Killer 1



ULTRA STRIPPER

Highly efficient detergent for every type of dirt: grease, smog, oily stains. It removes very resistant metallic, acrylic and solvent based waxes from floors and walls and it is also suitable for deep cleaning of floors before polishing.

-UDE	DETAILS
B06101	Ultra-stripper Concentrate Cleaner - 1L
B06102	Ultra-stripper Concentrate Cleaner - 51



TILE & GROUT CLEANER

EUREKA POLISHING GEL










PT0101006

PT0101005



MI4 PADDLE MIXERS

General Purpose Paddle: Ideal for liquid materials with a low viscosity, including wall paints, lacquers, concrete paints, chemicals, and coating compounds.

High Viscosity Paddles: Extra-robust stirring paddle for finished mortar, finished plaster, floor compounds, refractory concrete, insulating materials and epoxy resins.

CODE	DETAILS
PT0101003	160 x 590mm x M14 (General Purpose)
PT0101004	120 x 590mm x M14 (High Viscosity)
PT0101005	140 x 590mm x M14 (High Viscosity)
PT0101006	160 x 590mm x M14 (Highest Viscosity)

AGP EVI60

Helix style mixing paddles to fit the AGP EV160 and mixers that accept a M14 thread.

The AGP EV series electric mixers with revolutionary ergonomic design and sturdy mechanics features electronic speed control thumb wheels which allows the operator to adjust the speed

without taking his hands off the handles.
Compound, curved handle gives extra strength and ideal ergonomic hand positioning. Locking trigger switch. Fibre reinforced nylon motor housing with easily accessible brushes. Anti -dust staggered vent.

We recommend using the AGP EV160 electric mixer with our

Raimondi Fluid Mix bucket.		
CODE	PTM-EVI60	
Voltage	230V	
Power	1600W	
Load Speed	180 - 350 / 280 - 550rpm	
Thread	M14	
Dimensions	350 x 322 x 190mm	
Weight	5.6kg	



DECER DOS

How many times have you seen floors become yellow or covered with an unsightly, film or tiles corroded by exceptionally aggressive or acid-based wax-removing products? Now there is DECER-DOS, a wax-remover which emulsifies resin-based or synthetic waxes, without corroding materials. Even if heavily diluted the waxremoving power of DECER-DOS remains unchanged and removes all traces of wax from the floor while restoring its natural appearance.

ODE 300	DETAILS
B10001	Decer Dos De-waxer - 1L



GB01301

Eureka Porcelain Polishing Gel - 1L







STRAIGHT SHANK PADDLE MIXERS To be used with normal chuck drills.

L	חחב	DETAILS
М	TT04000	Tile Grout & Adhesive Mixer Light Duty
М	TT04001	Tile Grout & Adhesive Mixer Heavy Duty





TILING TILING

Tile Trim Edging





STRAIGHT EDGE SQUARE EDGE

JIKAIOI	II EBBE		SQUARE CD
CODE	DETAILS	CODE	DETAILS
SEA5	5mm x 2.5m- Aluminium	QEA10	10mm x 10mm x 2.5m- Aluminium
SEA8	8mm x 2.5m- Aluminium	QEA12	12mm x 10mm x 2.5m- Aluminium
SEA10	10mm x 2.5m- Aluminium	430 GRAD	POLISHED
SEA12	12mm x 2.5m- Aluminium	QES8P	8mm x 10mm x 2.5m- Stainless Steel
SEA15	15mm x 2.5m- Aluminium	QES10P	10mm x 10mm x 2.5m- Stainless Steel
SEA225	22.5mm x 2.5m- Aluminium	QES12P	12mm x 10mm x 2.5m- Stainless Steel
430 GRAD	E POLISHED	QES15P	15mm x 10mm x 2.5m- Stainless Steel
SES8P	8mm x 2.5m- Stainless Steel	QES225P	22.5mm x 10mm x 2.5m- Stainless Steel
SES10P	10mm x 2.5m- Stainless Steel	304 GRADI	MATT
SES12P	12mm x 2.5m- Stainless Steel	QES8	8mm x 10mm x 2.5m- Stainless Steel
SES15P	15mm x 2.5m- Stainless Steel	QES10	10mm x 10mm x 2.5m- Stainless Steel
SES225P	22.5mm x 2.5m- Stainless Steel	QES12	12mm x 10mm x 2.5m- Stainless Steel
304 GRAD	E MATT	QES15	15mm x 10mm x 2.5m- Stainless Steel
SES8	8mm x 2.5m- Stainless Steel	QES225	22.5mm x 10mm x 2.5m- Stainless Steel
SES10	10mm x 2.5m- Stainless Steel		
SES12	12mm x 2.5m- Stainless Steel		
SES15	15mm x 2.5m- Stainless Steel		
SES225	22.5mm x 2.5m- Stainless Steel		
ALUMINIUM ECONOMY			



Aluminium













ANG12163 12mm x 12mm x 1.6mm x 3m- Aluminium ANG15153 15mm x 15mm x 1 5mm x 3m- Aluminium ANG19163 19mm x 19mm x 1.6mm x 3m- Aluminium ANG25163 25mm x 25mm x 1.6mm x 3m- Aluminium

RETRO CORNER PROTECTOR





430 GRADE POLISHED

8mm x 2.5m- Aluminium

10mm x 2 5m- Aluminium

12mm x 2 5m- Aluminium

REA8

RFA10

RFA12



ROUND EDGE





		TILE
-	1	CODE
	- 1	



SRC50P

10mm x 2.5m- Aluminium CTT1









ONE SIDED ROUND EDGE

WOOD EXPANSION COVER STRIP

DETAILS 1m- Aluminium TRE2.5 2.5m- Aluminium











10mm x 2.5m- Aluminium

12mm x 2.5m - Aluminium

8mm x 2.5m- Aluminium

10mm x 2.5m- Aluminium

12mm x 2.5m- Aluminium

15mm x 2.5m- Aluminium

22.5mm x 2.5m- Aluminium

8mm x 2.5m- Stainless Steel

10mm x 2.5m- Stainless Steel

12mm x 2.5m-Stainless Steel

15mm x 2.5m- Stainless Steel

22.5mm x 2.5m- Stainless Steel

10mm x 2.5m- Stainless Steel

FSFA10

ESEA12

FEA8

FEA10

FEA12

FEA15

FEA225

FFS8P

FFS10P

FES12P

FES15P

FES225P

FES10

304 GRADE MATT





T-PIECE







PVC MOVEMENT JOINT

TRA3 44mm x 3m- Aluminium

2.5m- Aluminium

1m- Aluminium

CARPET TREAD COVER

WOOD TRANSITION RAMP

FLEXIBLE SEALS

The best method for cleaning Stainless Steel is quite simply soap, or a mild detergent (such as SUNLIGHT LIQUID®) in warm water, applied with a soft cloth or synthetic sponge. Rinse in hot water, dry with a soft cloth or allow to "drip dry". Occasionally, the use of a mild household cleaner (HANDY ANDY®) and fine synthetic scourer

(Green SCOTCH-BRITE®) or a brush with nylon bristles may be used. Routine cleaning applied over several days









430 GRADE POLISHED

Available in Black or Grey. (Add B/G to end of code)	
--	--

HEAVY DUTY MOVEMENT JOINT

CODE	BEIAICS
HDA10	10mm x 2.5m- Aluminium
HDA12	12mm x 2.5m- Aluminium
HDA15	15mm x 2.5m- Aluminium
HDA22.5	22.5mm x 2.5m- Aluminiur
430 GRADE	POLISHED
HDS10	10mm x 2.5m- Stainless St



	37123	2011111 X ZIOTT 7 II GITTIII II GITT
НΙ	DA22.5	22.5mm x 2.5m- Aluminium
4	30 GRADE F	POLISHED
ΗΙ	DS10	10mm x 2.5m- Stainless Steel
ΗΙ	DS12	12mm x 2.5m- Stainless Steel
НΙ	DS15	15mm x 2.5m- Stainless Steel
НΙ	DS22.5	22.5mm x 2.5m- Stainless Steel











9mm x 2.4m- Cappuccino

9mm x 2.4m- Dark Brown

9mm x 2.4m- Dark Grey 9mm x 2.4m- Ivory

9mm x 2.4m- Light Brown

9mm x 2.4m- Light Grey

9mm x 2.4m- Terracotta

9mm x 2.4m- White

DETAIL S LUUE PVCI9LG 9mm x 3m- Flexi Seal - Light Grey PVCI9W 9mm x 3m- Flexi Seal - White PVCF12LG 12mm x 3m- Flexi Seal - Light Grey 12mm x 3m- Flexi Seal - White





PVC9C

PVC9DB

PVC9DG

PVC9I

PVC9LB

PVC9LG

PVC9T

PVC9W



LUDE	DETAILS	LUDE	DETAILS
PVC7B	7mm x 2.4m- Black	PVC12BL	12mm x 2.4m- Black
PVC7BF	7mm x 2.4m- Buff	PVC12BF	12mm x 2.4m- Buff
PVC7C	7mm x 2.4m- Cappuccino	PVC12C	12mm x 2.4m- Cappuccino
PVC7DB	7mm x 2.4m- Dark Brown	PVC12DB	12mm x 2.4m- Dark Brown
PVC7DG	7mm x 2.4m- Dark Grey	PVC12DG	12mm x 2.4m- Dark Grey
PVC7I	7mm x 2.4m- Ivory	PVC12I	12mm x 2.4m- Ivory
PVC7LB	7mm x 2.4m- Light Brown	PVC12LB	12mm x 2.4m- Light Brown
PVC7LG	7mm x 2.4m- Light Grey	PVC12LG	12mm x 2.4m- Light Grey
PVC7T	7mm x 2.4m- Terracotta	PVC12T	12mm x 2.4m- Terracotta
PVC7W	7mm x 2.4m- White	PVC12W	12mm x 2.4m- White
PVC9BL	9mm x 2.4m- Black		
I VC3DL	JIIIII X 2.4III- DIACK		
PVC9BF	9mm x 2.4m- Buff	GENERAL	CLEANING:









RETRO STAIR NOSING

	55171165
RET2.5	40mm x 25mm x 2.5m- Aluminium
RETS2.5B	2.5m- Aluminium Single Insert - Black RUBBER INSERT INCLUDED
RETS2.5G	2.5m- Aluminium Single Insert - Grey RUBBER INSERT INCLUDED
RETS3B	3m- Aluminium Single Insert - Grey RUBBER INSERT INCLUDED
RETD2.5B	2.5m- Aluminium Double Insert - Black RUBBER INSERT INCLUDED
RETD2.5G	2.5m- Aluminium Double Insert - Grey RUBBER INSERT INCLUDED



CODE	DETAILS
CSA1	40mm x 1m- Aluminium - Drilled
CSA3	40mm x 3m- Aluminium - No Holes
CSA3D	40mm x 3m- Aluminium - Drilled
CSA1AB	40mm x 1m- Aluminium - No Holes Anodised Bronze
CSA3AB	40mm x 3m- Aluminium - No Holes- Anodised Bronze



LISSTELLO

DOTA!! G	5005	
ELLU		TILE IN LURNER PRUTELTU

CODE	DETAILS	CODE	DETAILS
LIS10	10mm x 10mm x 2.5m- Aluminium	TICPA10	30mm x 30mm x 10mm x 2.5m- Aluminiu
LIS30	30mm x 10mm x 2.5m- Aluminium	430 GRADE	POLISHED
430 GRADE POLISHED		STIC3010P	30mm x 30mm x 10mm x 2.5m
LISS2010P	20mm x 10mm x 2.5m- Stainless Steel	311030101	Stainless Steel
LISS2012P	20mm x 12mm x 2.5m- Stainless Steel	STIC5010P	50mm x 50mm x 10mm x 2.5m Stainless Steel







- The 430 grade of Stainless Steel is recommended to be used for indoor use in dry areas only. The 304 grade of Stainless Steel is recommended for outside use and wet / moist areas indoors
- The 316 grade of Stainless Steel is available for highly corrosive applications salt water, sea-spray, mist



ROUTINE CLEANING:

Stainless Steel / Aluminium / PVC

will generally remove heavy soiling and staining.

DO NOT USE: Coarse abrasive powders Metallic scourers.

Cutting & Grinding Discs

INOX / STAINLESS STEEL ABRASIVE CUTTING DISCS

Excels in heavy-duty environments such as construction, heavy fabrication work, and when cutting through thicker or narder materials

CMI1151.0GP 115 x 1.0 x 22.23mm - 25 Pack / Box of 600 CMI2302.0GP 230 x 1.9 x 22.23mm - 15 Pack / Box of 120

INOX / STAINLESS STEEL ABRASIVE CUTTING DISCS

Super-thin cutting wheel is perfect for precise crafting, fine metal work, or precision manufacturing.

115 x 0.8 x 22.23mm - 25pack / box of 500



METAL ABRASIVE CUTTING DISCS

:ODE	DETAILS
MM1152.4	115 x 2.4 x 22.23n

mm - 10pack / box of 60 230 x 3.0 x 22.23mm - 10pack / box of 40 CMM2303 CMM3503 350 x 3.0 x 25.4mm - 5pack / box of 25

METAL ABRASIVE GRINDING DISCS

CMG1156.0 115 x 6.0 x 22.23mm - 5pack / box of 25





STONE ABRASIVE CUTTING DISCS

I	CODE	DETA	ILS

CMS1152.4 115 x 2.4 x 22.23mm - 10pack/box of 60 CMS2303.0 230 x 3.0 x 22.23mm - 10pack/box of 40





SEMI-FLEX GRINDING DISCS

For grinding Marble, Granite, Terrazzo, Concrete, China Clay, Aluminium oxide flap discs for steel Enamels, Fibreglass, Cast Iron, and cleaning of ship hulls

CEC115C16 115mm x 22.23mm x 16# - 10 Pack CEC115C24 115 x 22.23mm x 24# - 10 Pack CEC115C40 115 x 22.23mm x 40# - 10 Pack

CMFA11540 115 x 22.23mm x 40# - 10 Pack / Box of 200 CMFA11560 115 x 22.23mm x 60# - 10 Pack / Box of 200 CMFA11580 115 x 22.23mm x 80# - 10 Pack / Box of 200







Quickly removes rust, dirt, weld slag, etc. Essentially cleans uneven surfaces. The tool's flexible needles can easily adapt to work on any surface, even those with projections. You will always find the right Von Arx-Needle Scaler to handle every













TCT Blades

TCT WOOD BLADES

CODE	DETAILS
BX16024W	160 x 20 x 16mm x 24T
BX16040T	160 x 20 x 16mm x 40T
BX16048W	160 x 20 x 16mm x 48T (Triple Chip)
BX18524W	185 x 30mm (25.4, 20mm) x 24T
BX18540W	185 x 30mm (25.4, 20mm) x 40T
BX18524W1	185 x 16mm x 24T
BX18540W1	185 x 16mm x 40T
BX19024W	190 x 30mm (25.4, 20, 16mm) x 24T
BX19040W	190 x 30mm (25.4, 20, 16mm) x 40T
BX21024W	210 x 30mm (25.4, 20, 16mm) x 24T
BX21040W	210 x 30mm (25.4, 20, 16mm) x 40T
BX21624W	216 x 30mm (25.4, 20, 16mm) x 24T
BX21640W	216 x 30mm (25.4, 20, 16mm) x 40T
BX21664W	216 x 30mm (25.4, 20, 16mm) x 64T
BX23024W	230 x 30mm (25.4, 20, 16mm) x 24T
BX23040W	230 x 30mm (25.4, 20, 16mm) x 40T
BX23060W	230 x 30mm (25.4, 20, 16mm) x 60T
BX25024W	250 x 30mm (25.4, 20, 16mm) x 24T
BX25040W	250 x 30mm (25.4, 20, 16mm) x 40T
BX25060W	250 x 30mm (25.4, 20, 16mm) x 60T
BX30572W	305 x 25.4mm x 72T
BX30596WT	305 x 25.4mm x 96T (Triple Chip)
BX30596WB	305 x 25.4mm x 96T (Alt Bevel)
BX35096WT	350 x 25.4mm x 96T (Triple Chip)



TCT COLD SAW BLADES

Cold saw blades for Everising or similar macl

LUDE	DETAILS
BXM25072	250 x 2 x 50mm x 72T
BXM28580	285 x 2 x 50mm x 80T
BXM36080	360 x 2.7 x 50mm x 80T



TCT MILD STEEL BLADES

(IVIAX NEIVI 1300)		
CODE	DETAILS	

TCTM230TC	230 x 2.6 x 30mm x 48T
TCTM305TC	305 x 2.4 x 25.4mm x 60T
TCTM355TCC	355 x 2.4 x 25.4mm x 80T





TCT ALUMINIUM BLADES

For cutting aluminium & non-ferrous materials

CODE	DETAILS
BX21060A	210 x 30mm (25.4, 20, 16mm) x 60T
BX25080A	250 x 30mm (25.4, 20, 16mm) x 80T
BX30596A	305 x 25.4mm x 96T

TCT STAINLESS STEEL BLADES

Cold saw blades for burr free cutting of stainless steel. (Max RPM 1500)

CODE	DETAILS
TCTSS30516	305 x 2 x 25.4mm x 80T (316 Grade)
TCTSS355TC	355 x 2.4 x 25.4mm x 90T



TCT Core Drill Bits



TUNGSTEN M22 CORE BITS DIY / ECONOMY

For general masonry drilling. No hammer action needed.

CODE	DETAILS
TCTBB030P	TCT Core Bit - 30mm x M22
TCTBB040P	TCT Core Bit - 40mm x M22
TCTBB045P	TCT Core Bit - 45mm x M22
TCTBB050P	TCT Core Bit - 50mm x M22
TCTBB055P	TCT Core Bit - 55mm x M22
TCTBB060P	TCT Core Bit - 60mm x M22
TCTBB065P	TCT Core Bit - 65mm x M22
TCTBB070P	TCT Core Bit - 70mm x M22
TCTBB080P	TCT Core Bit - 80mm x M22
TCTBB090P	TCT Core Bit - 90mm x M22
TCTBB100P	TCT Core Bit - 100mm x M22
	TCTBB030P TCTBB040P TCTBB045P TCTBB050P TCTBB055P TCTBB060P TCTBB067P TCTBB070P TCTBB080P TCTBB090P

TCTBB115P	TCT Core Bit - 115mm x M22	
EXTENSIONS AND ADAPTORS		
TCTBBE001	TCT SDS Plus pilot drill bit SDS	
TCTBBE110	Plus Extension 110mm x M22 SDS	
TCTBBE350	Plus Extension 350mm x M22 SDS	
TCTBBE350M	Max Extension 350mm x M22 SDS	



STRAIGHT SHANK FOR STEEL

	16	11/6	A 16.
CODE	SIZE(mm)	LENGTH	QTY
TCTR01.0.0034	1.0	34	Pack of 10
TCTR01.2.0038	1.2	38	Pack of 10
TCTR01.5.0040	1.5	40	Pack of 10
TCTR01.8.0046	1.8	46	Pack of 10
TCTR02.0.0049	2.0	49	Pack of 10
TCTR02.2.0053	2.2	53	Pack of 10
TCTR02.5.0061	2.5	61	Pack of 10
TCTR02.8.0061	2.8	61	Pack of 10
TCTR03.0.0065	3.0	65	Pack of 10
TCTR03.2.0070	3.2	70	Pack of 10
TCTR03.3.0070	3.3	70	Pack of 10
TCTR03.5.0075	3.5	75	Pack of 10
TCTR03.6.0075	3.6	75	Pack of 10
TCTR03.8.0075	3.8	75	Pack of 10
TCTR04.0.0075	4.0	75	Pack of 10
TCTR04.1.0080	4.1	80	Pack of 10
TCTR04.2.0080	4.2	80	Pack of 10
TCTR04.5.0080	4.5	80	Pack of 10
TCTR04.8.0086	4.8	86	Pack of 10
TCTR05.0.0086	5.0	86	Pack of 10
TCTR05.2.0086	5.2	86	Pack of 10
TCTR05.5.0093	5.5	93	Pack of 10
TCTR05.8.0093	5.8	93	Pack of 10
TCTR06.0.0093	6.0	93	Pack of 10
TCTR06.2.0101	6.2	101	Pack of 10
TCTR06.5.0101	6.5	101	Pack of 10
TCTR06.8.0109	6.8	109	Pack of 5
TCTR07.0.0109	7.0	109	Pack of 5
TCTR07.5.0109	7.5	109	Pack of 5
TCTR08.0.0117	8.0	117	Pack of 5
TCTR08.5.0117	8.5	117	Pack of 5
TCTR09.0.0125	9.0	125	Pack of 5
TCTR10.0.0133	10.0	133	Pack of 5
TCTR10.5.0133	10.5	133	Pack of 5
TOTO 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			



STRAIGHT SHANK

FOR MASONRY

75 85

100

100

400

100

100

100

120

400

120

120

400

150

150

150

150

160

3.0

4.0

5.0

5.5

6.0

6.0

6.5

7.0

7.5

8.0

8.0

9.0

10.0

10.0

11.0

12.0

13.0

14.0

16.0

STRAIGHT SHANK FLAT BITS

CODE	SIZE(mm)	LENGTH	
TCTF10.0.0155	10.0	155	
TCTF12.0.0155	12.0	155	
TCTF13.0.0155	13.0	155	
TCTF14.0.0155	14.0	155	
TCTF19.0.0155	19.0	155	
TCTF20.0.0155	20.0	155	
TCTF25.0.0155	25.0	155	
TCTF32.0.0155	32.0	155	



SDS PLUS GRANITE CROSS CUT FOR GRANITE

TCT Drill Bits

110

160

110

160

210

160

110

160

210

260

160

160

110

160

210

260

310

160

210

260

310 400

450

600

110

160

210

260

450

600

210

160

210

260

310

400

450

600

160

160

210

260

310

400

450

600

1000

210

310

400

450

600

210

260

310

400

450

600

210

310

400

450

400

400

450

450

TCTP25.0.0400 25.0

TCTP25.0.0450 25.0

TCTP26.0.0450 26.0

SDS PLUS FOR CONCRETE /

MASONRY

TCTP04.0.0110 4.0

TCTP04.0.0160 4.0

TCTP05.0.0110 5.0

TCTP05.0.0160 5.0

TCTP05.0.0210 5.0

TCTP05.5.0160 5.5

TCTP06.0.0110 6.0

TCTP06.0.0160 6.0

100	TCTP-G12.0160 TCTP-G14.0160 TCTP-G16.0160	12.0 14.0 16.0	160 160 160

FO

		100		0.0
65	The same of	100	TCTP06.0.0210	6.0
	SDS MAX	,	TCTP06.0.0260	6.0
FOR CON	ICRETE / N		TCTP06.5.0160	6.5
		-	TCTP07.0.0160	7.0
CODE	SIZE(mm)	LENETH	TCTP08.0.0110	8.0
CODE		LENGTH	TCTP08.0.0160	8.0
TCTX10.0.0280	10.0	280	TCTP08.0.0210	8.0
TCTX10.0.0505	10.0	505	TCTP08.0.0260	8.0
TCTX12.0.0280	12.0	280	TCTP08.0.0310	8.0
TCTX12.0.0340	12.0	340	TCTP10.0.0160	10.0
TCTX12.0.0400	12.0	400	TCTP10.0.0210	10.0
TCTX12.0.0505	12.0	505	TCTP10.0.0260	10.0
TCTX12.0.0570	12.0	570	TCTP10.0.0310	10.0
TCTX14.0.0280	14.0	280	TCTP10.0.0400	10.0
TCTX14.0.0340	14.0	340	TCTP10.0.0450	10.0
TCTX14.0.0400	14.0	400	TCTP10.0.0600	10.0
TCTX14.0.0505	14.0	505	TCTP12.0.0110	12.0
TCTX14.0.0570	14.0	570	TCTP12.0.0160	12.0
TCTX16.0.0280	16.0	280	TCTP12.0.0210	12.0
TCTX16.0.0340	16.0	340	TCTP12.0.0260	12.0
TCTX16.0.0400	16.0	400	TCTP12.0.0450	12.0
TCTX16.0.0505	16.0	505	TCTP12.0.0600	12.0
TCTX16.0.0570	16.0	570	TCTP13.0.0210	13.0
TCTX18.0.0280	18.0	280	TCTP14.0.0160	14.0
TCTX18.0.0340	18.0	340	TCTP14.0.0210	14.0
TCTX18.0.0400	18.0	400	TCTP14.0.0260	14.0
TCTX18.0.0505	18.0	505	TCTP14.0.0310	14.0
TCTX18.0.0570	18.0	570	TCTP14.0.0400	14.0
TCTX20.0.0280	20.0	280	TCTP14.0.0450	14.0
			TCTP14.0.0600	14.0
TCTX20.0.0400	20.0	400	TCTP15.0.0160	15.0
TCTX20.0.0505	20.0	505	TCTP16.0.0160	16.0
TCTX20.0.1000	20.0	1000	TCTP16.0.0210	16.0
TCTX22.0.0340	22.0	340	TCTP16.0.0260 TCTP16.0.0310	16.0 16.0
TCTX22.0.0400	22.0	400	TCTP16.0.0400	16.0
TCTX22.0.0505	22.0	505	TCTP16.0.0450	16.0
TCTX22.0.0570	22.0	570	TCTP16.0.0600	16.0
TCTX22.0.1000	22.0	1000	TCTP16.0.1000	16.0
TCTX24.0.0340	24.0	340	TCTP18.0.0210	18.0
TCTX24.0.0570	24.0	570	TCTP18.0.0310	18.0
TCTX25.0.0340	25.0	340	TCTP18.0.0400	18.0
TCTX25.0.0400	25.0	400	TCTP18.0.0450	18.0
TCTX25.0.0505	25.0	505	TCTP18.0.0600	18.0
TCTX25.0.0570	25.0	570	TCTP20.0.0210	20.0
TCTX25.0.1000	25.0	1000	TCTP20.0.0260	20.0
TCTX26.0.0570	26.0	570	TCTP20.0.0310	20.0
TCTX28.0.0280	28.0	280	TCTP20.0.0400	20.0
TCTX28.0.0400	28.0	400	TCTP20.0.0450	20.0
TCTX28.0.0570	28.0	570	TCTP20.0.0600	20.0
TCTX30.0.0280	30.0	280	TCTP22.0.0210	22.0
TCTX30.0.0400	30.0	400	TCTP22.0.0310	22.0
TCTX30.0.0570	30.0	570	TCTP22.0.0400	22.0
TCTX30.0.1000	30.0	1000	TCTP22.0.0450	22.0
TCTX32.0.0505	32.0	505	TCTP24.0.0400	24.0
TCTV35 0.0570	35.0	570	TCTP25 0 0400	25.0

570

570

570

CODE	SIZE(mm)	LENGTH	QTY	CODE
CTR01.0.0034	1.0	34	Pack of 10	TCTQ03.0.0060
CTR01.2.0038	1.2	38	Pack of 10	TCTQ04.0.0075
CTR01.5.0040	1.5	40	Pack of 10	TCTQ05.0.0085
CTR01.8.0046	1.8	46	Pack of 10	TCTQ05.5.0100
CTR02.0.0049	2.0	49	Pack of 10	TCTQ06.0.0100
CTR02.2.0053	2.2	53	Pack of 10	TCTQ06.0.0400
CTR02.5.0061	2.5	61	Pack of 10	TCTQ06.5.0100
CTR02.8.0061	2.8	61	Pack of 10	TCTQ07.0.0100
CTR03.0.0065	3.0	65	Pack of 10	TCTQ07.5.0100
CTR03.2.0070	3.2	70	Pack of 10	TCTQ08.0.0120
CTR03.3.0070	3.3	70	Pack of 10	TCTQ08.0.0400
CTR03.5.0075	3.5	75	Pack of 10	TCTQ09.0.0120
CTR03.6.0075	3.6	75	Pack of 10	TCTQ10.0.0120
CTR03.8.0075	3.8	75	Pack of 10	TCTQ10.0.0400
CTR04.0.0075	4.0	75	Pack of 10	TCTQ11.0.0150
CTR04.1.0080	4.1	80	Pack of 10	TCTQ12.0.0150
CTR04.2.0080	4.2	80	Pack of 10	TCTQ13.0.0150
CTR04.5.0080	4.5	80	Pack of 10	TCTQ14.0.0150
CTR04.8.0086	4.8	86	Pack of 10	TCTQ16.0.0160
CTR05.0.0086	5.0	86	Pack of 10	
CTR05.2.0086	5.2	86	Pack of 10	
CTR05.5.0093	5.5	93	Pack of 10	
CTR05.8.0093	5.8	93	Pack of 10	
CTR06.0.0093	6.0	93	Pack of 10	
CTR06.2.0101	6.2	101	Pack of 10	
CTR06.5.0101	6.5	101	Pack of 10	State of the later
CTR06.8.0109	6.8	109	Pack of 5	4 50 1
CTR07.0.0109	7.0	109	Pack of 5	1
CTR07.5.0109	7.5	109	Pack of 5	
CTD00 0 0117	0.0	117	Dack of E	

Pack of 5

142

151

151

151

160

45

49

52

55

55

62

62

62

62

62

11.0

12.0

12.5

13.0

14.0

FOR STEEL

TCTR11.0.0421

TCTR12.0.0151

TCTR12.5.0151

TCTR13.0.0151

TCTR14.0.0160

TCTW03.0.0045 3.0

TCTW03.2.0049 3.2

TCTW03.5.0052 3.5

TCTW04.0.0055 4.0

TCTW04.2.0055 4.2

TCTW04.5.0062 4.5

TCTW04.8.0062 4.8

TCTW05.0.0062 5.0

TCTW05.5.0062 5.5

TCTW06.0.0062 6.0

FOR WOOD

Dry Diamond Core Bits

Chisels & Spades

CHISEL - POINT HEX

Commonly used in construction tools for breaking or cutting through tough materials such as concrete and

CODE	DETAILS
CPH-28x400	W28mm x L400mm

CHISEL - FLAT

Suitable for construction tasks that requires precise cutting and shaping of materials like concrete or stone.

CODE	DETAILS
CPH-28x400x36	W28mm x L400mm x P36mm
CPH-28x400x75	W28mm x L400mm x P75mm



CHISEL - POINT SDS MAX

Suitable for breaking and chipping hard materials such as concrete and masonry.

CODE	DETAILS
CPM-18x400x00	W18mm x I 400mm

CHISEL - FLAT SDS MAX

Effective for precise cutting and shaping of materials such as concrete and masonry

LUDE	DETAILS
CPM-18×400×25	W18mm x L400mm x P25mm
CPM-18×400×40	W18mm x L400mm x P40mm
CPM-18×400×50	W18mm x L400mm x P50mm
CPM-18×400×75	W18mm x L400mm x P75mm



CHISEL - POINT SDS PLUS

For applications such as chiseling and breaking through Suitable for construction and masonry work. It has a flat materials such as concrete and masonry.

CODE	DETAILS
CPS-14x250x00	W14mm x L250mm

CHISEL - FLAT SDS PLUS

cutting edge for precise cutting, shaping, or material

LUDE	DETAILS
CPS-14x250x20	W14mm x L250mm x P20mm
CPS-14x250x40	W14mm x L250mm x P40mm



and cutting speed. Our dry core bit accessories can be used Our dry core bit accessories can be used on these bits. Not recommended for heavily reinforced concrete.

CODE	DETAILS
HDC038S	38 x 150mm
HDC041S	41 x 150mm
HDC052S	52 x 150mm
HDC065S	65 x 150mm
HDC078S	78 x 150mm
HDC107S	107 x 150mm
HDC117S	117 x 150mm
HDC127S	127 x 150mm
HDC152S	152 x 150mm

HASDSAD

HASDSMX

HADRIFT

DRY DRILLING CORE BITS

PCD DRY DRILLING CORE BIT

Dry drilling for all masonry and concrete products. Good life
Dry drilling for all masonry and abrasive concrete products

CODE	DETAILS
HDP068	68 x 80mm
HDP082	82 x 80mm

A device that is used along with a vacuum to stick to a su




HAHEX13

	HAEXSDS	
7.8	-	
	HASDSMX	

HAPILOT230

DRY CORE BIT ACCESSORIES

and collect any dust created while drilling. HAHEXEX PED-BA90 Extension 13mm Hex Bar (160mm Long) 90mm HAEXSDS Extension SDS Plus (160mm Long) PED-BA180 180mm HAHEX13





180mm

90mm

Percussion Core Drilling

CHISELS SPECIALISED

CPI-28x500x25

Chisel - Point - PH65

Chisels made to be compatible with specialised machines.

W40mm x L500mm x P40mm







DMTISP MICRO PERCUSSION BRUSHLESS CORE DRILL MOTOR

rushless micro-percussion core drill motor for dry core rilling with dust shroud included.

Power: 1500w Max Drill Diameter: 132mm No Load Impact Speed: 24000/480000bpm Thread: M18

CODE DETAILS			
	CODE	DETAILS	

PTM-DMT15P 1500w Micro Percussion Core Drill Motor

DMT22P MICRO PERCUSSION CORE DRILL MOTOR 📟

Micro-percussion core drill motor with external carb brushes for easy maintenance.

Power: 2200w Max Drill Diameter: 202mm No Load Impact Speed: 16000/38000bpm Thread: 1-1/4" UNC and 1/2" G

CODE DETAILS

PTM-DMT22P 2200w Micro Percussion Core Drill Motor



ST250 DRILL STAND

DMT8 DM9

CODE	PTM-ST250
Travel Length	580mm
Shipping Dimensions	1045 x 230 x 455mm
Weight	13.5kg

PERCUSSION CORE DRILL BITS

Specilised micro percussion drill bits are for hand-held machine with rated power range from 1800-3000w. Suitable for dr drilling through reinforced concrete, masonry, and other building materials.

CODE	DETAILS
LZB052P	52 x 300mm x 1-1/4" UNC
LZB062P	62 x 300mm x 1-1/4" UNC
LZB076P	76 x 300mm x 1-1/4" UNC
LZB102P	102 x 300mm x 1-1/4" UN
LZB112P	112 x 300mm x 1-1/4" UN
LZB132P	132 x 300mm x 1-1/4" UN







Wet Diamond Core Bits

Core Drilling Machines



WET CORE BIT

WET CORE BIT - STANDARD Wet drilling of all types of concrete, reinforced concrete and Wet drilling with very long life. For general use on all types of

concrete, reinforced concrete and general masonry.

CODE	DETAILS	CODE	DETAILS
LZW012P	12 x 400mm x 1/2" BSP Pin	BZW042LS	42 x 38 x 450mm x 1 1/4" UNC Box
LZW014P	14 x 400mm x 1/2" BSP Pin	BZW052LS	52 x 43 x 450mm x 1 1/4" UNC Box
LZW016P	16 x 400mm x 1/2" BSP Pin	BZW065LS	65 x 55 x 450mm x 1 1/4" UNC Box
LZW018P	18 x 400mm x 1/2" BSP Pin	BZW075LS	75 x 70 x 450mm x 1 1/4" UNC Box
LZW020P	20 x 400mm x 1/2" BSP Pin	BZW089LS	89 x 81 x 450mm x 1 1/4" UNC Box
LZW022P	22 x 400mm x 1/2" BSP Pin	BZW102LS	102 x 94 x 450mm x 1 1/4" UNC Box
LZW024P	24 x 400mm x 1/2" BSP Pin	BZW112LS	112 x 104 x 450mm x 1 1/4" UNC Box
LZW025P	25 x 400mm x 1/2" BSP Pin	BZW132LS	132 x 124 x 450mm x 1 1/4" UNC Box
LZW028P	28 x 400mm x 1/2" BSP Pin	BZW152LS	152 x 146 x 450mm x 1 1/4" UNC Box
LZW030P	30 x 400mm x 1/2" BSP Pin	BZW159LS	159 x 151 x 450mm x 1 1/4" UNC Box
LZW032P	32 x 400mm x 1/2" BSP Pin	BZW180LS	180 x 172 x 450mm x 1 1/4" UNC Box
LZW035P	35 x 400mm x 1/2" BSP Pin	BZW200LS	200 x 191 x 450mm x 1 1/4" UNC Box
LZW037P	37 x 400mm x 1/2" BSP Pin	BZW250LS	250 x 240 x 450mm x 1 1/4" UNC Box



DM9 CORE DRILL MOTOR

CODE	PTM-DM9
Power	3500W
Load Speed(rpm)	345 / 630 / 1000
Spindle thread	1-1/4" UNC male & 1/2" BSP Bo
Max drill diameter	Ø250mm
Shipping dimensions	550 x 155 x 210mm
Weight	12.9kg

DMI4 CORE DRILL MOTOR

CODE	PTM-DMI4
Power	3500W
Load Speed(rpm)	255 / 300 / 565 / 780
Spindle thread	1-14" UNC male & 1/2" BSP Box
Max drill diameter	Ø500mm (With Spacer)
Max drill diameter	Ø400mm (Without)
Shipping diameter	550 x 155 x 210mm
Weight	13.5kg
DMI/L Consess Disele	חד כבסס ססבע



S500 DRILL STAND Suitable for DM9 and DM14

CODE	PTM-S250	CODE	PTM-5500
Travel Length	500mm	Travel length	660mm
Shipping Dimensions	485 x 320 x 1000mm	Shipping Dimensions	520 x 20 x 1050mm
Weight	10.5kg	Weight	16.6kg



WET CORE BIT - PREMIUM

LZZ109P

LZZ112P

LZZ117P

LZZ127P

LZZ132P

LZZ152P

LZZ160P

177180P

177201P

LZZ250P

LZZ301P

177350P

LZW400P

BZW450LS

Featuring the latest technology with optimised patterns Wet core drilling of asphalt that uses the same diamond

of diamonds that in			
Performs significan	tly better than	most other b	its on the
market.			

CODE	DETAILS
LZZ042P	42 x 510mm x 1 1/4" UNC Z-TYPE
LZZ052P	52 x 510mm x 1 1/4" UNC Z-TYPE
LZZ056P	56 x 510mm x 1 1/4" UNC Z-TYPE
LZZ060P	62 x 510mm x1 1/4" UNC Z-TYPE
LZZ067P	67 x 510mm x 1 1/4" UNC Z-TYPE
LZZ077P	77 x 510mm x 1 1/4" UNC Z-TYPE
LZZ082P	82 x 470mm x 1 1/4 UNC Z-TYPE
LZZ092P	92 x 510mm x 1 1/4" UNC Z-TYPE
L77102P	102 x 510mm x 1 1/4" UNC 7-TYPE

109 x 510mm x 1 1/4" UNC Z-TYPE

112 x 510mm x 1 1/4" UNC Z-TYPE

117 x 510mm x 1 1/4" UNC Z-TYPE

127 x 510mm x 1 1/4" UNC Z-TYPE

132 x 510mm x 1 1/4" UNC Z-TYPE

152 x 510mm x 1 1/4" UNC Z-TYPE

160 x 510mm x 1 1/4" UNC Z-TYPE

182 x 510mm x 1 1/4" UNC Z-TYPE

202 x 460mm x 1 1/4" UNC Z-TYPE 250 x 460mm x 1 1/4" UNC Z-TYPE

301 x 460mm x 1 1/4" UNC Z-TYPE

350 x 460mm x 1 1/4" UNC Z-TYPE

400 x 450mm x 1 1/4" UNC

450 x 450mm x 1 1/4" UNC





DMS160A DMS160AT

DMSI60A & DMSI60AT CORE DRILL MOTORS AND STANDS

S250 DRILL STAND

Suitable for DM9

Pivot Angle

Weight

A small but powerful electric drill motor and stand system. Used for light core dilling applications up to 120mm diameter.
Suitable for stitch drilling and drilling close to walls and edges

such as small channels and pipes as well as elec			
	CODE - DMSI60A	H965I57502	
	Power	1550W	
	Max drill diameter	Ø120mm	
	Pivot Angle	Fixed 90°	
	Weight	10.5kg	
	CODE - DMSI60AT	H965I57504	

12kg

80° Angled with 360° Rotation



Specially designed heavy duty 2200W motor with 3 speeds for dry and wet core drilling in a handheld portable form factor with the ability to be mounted on a core drill stand. Smart LED warning indicator for overload and carbon brush replacement

CODE	PTM-DMT8			
Power	2200w / 220v			
Max Portable Drill Diameter	Ø162mm			
Max Stand Drill Diameter	Ø202mm			
No Load Speed	650 / 1300 / 2600rpm			
Spindle Thread	1-1/4" UNC & 1/2" G			
ST250 Core Drill Stand	PTM-ST250			





WET CORE BIT SEGMENTS **ASPHALT**

WET CORE BIT - ASPHALT

For re-tipping of asphalt core drill bits.

CODE	DETAILS
BWC109A	109mm (24 x 4 x 10mm



CORE DRILL ADAPTORS

CODE	DETAILS
GAD001	Adaptor 1 1/4" UNC Box to 1/2" Box
GAD007	Adaptor 1/2" Pin to 1 1/4" Pin
GAD014	Adaptor Hilti Pin to 1 1/4" UNC Pin
GAD015	Adaptor Hilti thread to 1 1/4" UNC Pin

CORE DRILL EXTENSIONS

CODE	DETAILS
GAD003	300mm extension 1/2" BSP Box to Pin
GAD002	300mm extension 1 1/4" UNC Box to Pin
GAD009	500mm extension 1 1/4" UNC Box to Pin
GAD011	1000mm extension 1 1/4" UNC Box to Pin



1 1/4" UNC Box To Pin

Core Drilling Accessories




designed for supplying core drills, concrete saws, cu grinders, etc. with cooling and rinsing liquids, usually wat	
CODE	DETAILS
MS3270W	Plastic 10L Mesto PROFI water tank, 3bar
MS6707	Pressure guage 3bar nut
MS6208	Piston washer 38mm
MS6241	Valve disk, NBR
OTHER S	PARES ARE AVAILABLE ON REQUEST

ACCESSORIES

	CODE	DETAILS
	BDK32/0001	Anchoring Nut and Thread 12mm
	GAD010	Brass Washer
	LWSW13	Water Swivel 13mm
	GAD016	Anchor Setting Tool
	GAD017	Drop-in Anchors 12mm x 20mm x 65mm, Box of 50pcs
*	GAD018	Drop-in Anchors 16mm x 20mm x 65mm, Box of 25pcs



Core Bit Segments



WET CORE BIT SEGMENTS PREMIUM Z-TYPE

For re-tipping of concrete core drill bits. Great life and drilling speed (Shape = Rooftop)

For re-tipping concrete core drill bits. Designed for very hard and heavily reinforced concrete. (Shape = Rooftop)

LUDE	DETAILS	LUDE
BWC042L	42mm (20 x 3.26 x 12mm)	BWA0
BWC052L	52mm (24 x 3.44 x 12mm)	BWA0
BWC065L	60 - 65mm (24 x 3.5 x 12mm)	BWA0
BWC080L	80 - 89mm (24 x 3.5 x 12mm)	BWA0
BWC102L	102 - 112mm (24 x 3.55 x 12mm)	BWA1
BWC130L	130 - 138mm (24 x 3.5 x 12mm)	BWA1
BWC150L	140 - 160mm (24 x 4.5 x 12mm)	BWA1
BWC200L	180 - 250mm (24 x 4.5 x 12mm)	BWA2
BWC300L	300 - 350mm (24 x 5.3 x 12mm)	BWA3
BWC400L	400 - 450mm (24 x 5.3 x 12mm)	BWA4
BWC700L	500 - 700mm (24 x 5.3 x 12mm)	

WET CORE BIT SEGMENTS HARD CONCRETE

BWA040S	50mm (24 x 4.5 x 10mm)
BWA046S	50mm (24 x 4.4 x 10mm)
BWA063S	60 - 65mm (24 x 4.3 x 10mm)
BWA083S	75 - 89mm (24 x 4.3 x 10mm)
BWA102S	102 - 109mm (24 x 4 x 10mm)
BWA127S	130 - 138mm (24 x 4 x 10mm)
BWA152S	150 - 158mm (24 x 4 x 10mm)
BWA200S	180 - 200mm (24 x 4 x 10mm)
BWA350S	300 - 350mm (24 x 4 x 10mm)
BWA400S	400 - 450mm (24 x 4 x 10mm)





GAD015



RETIPPING MAGNETS JM Magnets: Economic, solid and easy to handle. 0.75 / 1.00mm clearances. Strong Flux Magnets:Long life and fits nearly all diameters. 0.50 / 0.75 / 1.00 / 1.25 mm clearances. LUUE **DETAILS** DM201000 JM Magnet DM450125 Strong Flux Magnet





Hand Polishing Tools



Concrete Hand Grinding

SEGMENTED CUP GRINDERS ECONOMY

IODE	DETAILS
BCWS115ES	Single Row - 105mm x 22.23mm
BCWS115E	Double Row - 115mm x 22.23mm
BCWS180E	Double Row - 180mm x 22.23mm

SEGMENTED CUP GRINDERS PREMIUM

CODE	DETAILS
LCG115P0	Med Floor Red - 115mm x M14 x 16#
LCG115P1	Med Floor Gold - 115mm x M14 x 25#
LCG115P2	Med Floor Brown - 115mm x M14 x 80#
LCG115P3	Med Floor Black - 115mm x M14 x 120#
LCG115N1	Abrasive Floor White $$ - 115 mm x M14 x 25#
BCWS115P	Premium Silver - 115mm x M14 x 25#



DRY POLISHING PADS - IOOMM

CODE	DETAILS	CODE	DETAILS
LCC0050	100 x 3mm x 50# Light Green	BPP0050	100 x 3mm x 50# Light Blue
LCC0100	100 x 3mm x 100# Red	BPP0100	100 x 3mm x 100# Dark Blue
LCC0200	100 x 3mm x 200# Yellow	BPP0200	100 x 3mm x 200# Yellow
LCC0400	100 x 3mm x 400# Light Blue	BPP0400	100 x 3mm x 400# Orange
LCC0800	100 x 3mm x 800# Green	BPP0800	100 x 3mm x 800# Red
LCC1500	100 x 3mm x 1500# Orange	BPP1500	100 x 3mm x 1500# Dark Green
LCC3000	100 x 3mm x 3000# Pink	BPP3000	100 x 3mm x 3000# Light Green
LCF0050	150 x 3mm x 50# Light Green	BPC0025	100 x 5mm x 25# Dark Blue
LCF0100	150 x 3mm x 100# Red	BPC0050	100 x 5mm x 50# Light Blue
LCF0200	150 x 3mm x 200# Yellow	BPC0100	100 x 5mm x 100# Dark Blue
LCF0400	150 x 3mm x 400# Light Blue	BPC0200	100 x 5mm x 200# Yellow
LCF0800	150 x 3mm x 800# Green	BPC0400	100 x 5mm x 400# Orange
LCF1500	150 x 3mm x 1500# Orange	BPC0800	100 x 5mm x 800# Red
LCF3000	150 x 3mm x 3000# Pink	BPC1500	100 x 5mm x 1500# Dark Green
		BPC3000	100 x 5mm x 3000# Light Green

granite, marble, and concrete.







SEGMENTED CUP GRINDERS **PREMIUM**

	CODE	DETAILS
	LCG180M016	Med Floor Red - 180mm x M14 x 16#
	BCWS180M	Med Floor Gold - 180mm x M14 x 25#
	LCG180M040	Med Floor Gray - 180mm x M14 x 40#
	LCG180M080	Med Floor Brown - 180mm x M14 x 80#
	LCG180M120	Med Floor Black - 180mm x M14 x 120#
	LCG180H025	Hard Floor Green - 180mm x M14 x 25#
	LCG180N1	Abrasive Floor White - 180mm x M14 x 25#

SEGMENTED CUP GRINDERS PREMIUM

CODE	DETAILS
BCW125E	125mm x 22.23mm x 25#
BCW150H	150mm x 22.23mm x 25#
BCWS180P	180mm x 22.23mm x 25#



WET POLISHING PADS - IOOMM

For polishing and buffing of all straight or slightly curved Backing pads for use with Polishing Pads. granite, marble, and concrete.

CODE	DETAILS
BPN0050	100 x 3mm x 50# Light Green
BPN0100	100 x 3mm x 100# Dark Blue
BPN0200	100 x 3mm x 200# Yellow
BPN0400	100 x 3mm x 400# Light Blue
BPN0800	100 x 3mm x 800# Dark Green
BPN1500	100 x 3mm x 1500# Orange
BPN3000	100 x 3mm x 3000# Pink

VELCRO BACKING PADS

	CODE	DETAILS
	BPAD115	105mm x M14
	BPAD100A	105mm x 5/8
	BPAD100F	105mm x M14 - Flexi Foam
	BPAD100R	100m x M14 - Foam
	BPAD105R	105 x M14 - Flexi Rubber
	BPAD150	150mm x M14





BPAD105R BPAD100R



Dust Shrouds

T-SEGMENTED **CUP WHEELS**

An unique segment design for heavy grinding and removal For removing paint and epoxy from concrete floors

ODE	DETAILS
.CG115BSL	115mm x 22.23mm
CC190DCI	100mm v 22 22mm

PCD PAINT REMOVAL **CUP WHEELS**

100mm x 22.23mm

180mm x 22.23mm

BPCD0180



125MM DUST SHROUD

125mm Dustless concrete grinding shroud to fit all major brands of grinders. Please enquire with our sales team regarding the correct vacuum.

e recommend the Makita 9557HN, GA5040C, & GA4530

	Wei
	CO
1000	BD:
	BC\

IDE	DETAILS
S1251	125mm Dust shroud to fit all major brands
W125E	Segmented Diamond Cup Grinder

IBOMM DUST SHRO 180mm Dustless concrete grinding shroud to fit Makita Hitachi grinders. Please enquire with our sales team rega the correct vacuum.

We recommend the Makita GA9010C, GA9020, GA905

180mm Dust Shroud, Makita & Hitachi

Dust Shroud Nylon Replacement Strip

Dust Shroud collar for Makita 9237CB

Dust Shroud Replacement Rubber

OUD a and arding	
50, &	
	TIEN
	1
	Pro- Carlotte



PCD SHARK **CUP WHEELS**

For ripping floor coatings 1-3mm

LUDE	DETAILS
BPCD2125	125mm x 22.23mm
BPCD2180	180mm x 22.23mm

PCD FLOWER CUP WHEELS

For ripping floor coatings 3mm and thicker.

LUDE	DETAILS
BPCD1125	125mm x 22.23mm
BPCD1180	180mm x 22.23mm



KYNKO DUST SHROUD

Our KYNKO 125 and 180mm dust shrouds fits all major brands of grinders. Please enquire with our sales team regarding the correct vacuum.



KNKD69/900 125mm Dust Shroud KNKD71/056 180mm Dust Shroud





SEMI-FLEX GRINDING DISCS

For grinding Marble, Granite, Terrazzo, Concrete, China Clay, For fast aggressive hand grinding of concrete without leaving

deep scratches in the floor or counter top. Use the higher grits to help with the concrete polishing process. Enamels, Fibreglass, Cast Iron, and cleaning of ship hulls.

LUDE	DETAILS	LUDE	DETAILS
CEC115C16	115mm x 22.23mm x 16# - 10 Pack	LCI0030	100mm x 30#
CEC115C24	115 x 22.23mm x 24# - 10 Pack	LCI0050	100mm x 50#
CEC115C40	115 x 22.23mm x 40# - 10 Pack	LCI0100	100mm x 100#
CEC175C16	178 x 22.23mm x 16# - Single Disc	LCI0200	100mm x 200#





BDS001

BDS002

BDS004

BDS006

Power Trowels



BETONELLI BN24 WALK-BEHIND POWER TROWEL

Rated Power: 4.1kw Trowel Diameter: 610mm Speed Range: 40-130rpm Number of Blades: 4 Operating Weight: 50kg

Trowel Diameter: 915mm
Speed Range: 50-140rpm
Number of Blades: 8
Operating Weight: 300kg
Water Tank Capacity: 17L
Fuel Tank Capacity: 17L

Rated Power: 20.1kw

Fuel Tar
CODE

FPV7000 Ride-On Power Trowel - 20.1kw / 17L



WALK-BEHIND POWER TROWEL

Rated Power: 4.85kw Trowel Diameter: 915mn Speed Range: 40-130rpm Operating Weight: 75kg

	ruei falik Capacity. 201			
DETAILS	CODE	DETAILS		

Walk-Behind Power Trowel - 4.85kw / 915mm

BETONELLI BN46 WALK-BEHIND POWER TROWEL

Rated Power: 9.7kw Trowel Diameter: 1165mm Speed Range: 40-150rpm Number of Blades: 4 Operating Weight: 105kg

CODE	DETAILS	CODE
FPV6000	Walk-Behind Power Trowel - 9.7kw / 1165mm	FPV2000

The more air bubbles you have in your concrete, the weaker its structural integrity when it hardens. A concrete vibrator is a concrete tool that produces stronger concrete by vigorously shaking the concrete right after you pour it to eliminate the air bubbles or air pockets.

CODE	DETAILS	
FPV2000	Concrete Vihrator	

Floor Application Tools



VARIABLE POSITION SCREED

The variable position screed is extremely light and has rounded and square profile edges and a bubble level. The clamp handle can be reversed to the other side of the beam.

CODE	DETAILS
FPV3000	Variable Position Screed - 1.2m
FPV3001	Variable Position Screed - 1.5m
FPV3002	Variable Position Screed - 1.8m
FPV3003	Variable Position Screed - 2.1m
FPV3004	Variable Position Screed - 2.4m
FPV3005	Variable Position Screed - 2.7m
FPV3006	Variable Position Screed - 3.0m
FPV3007	Variable Position Screed - 3.6m

MASTERSCREED

MASTERVIBE

CONCRETE VIBRATOR

The Master screed has been engineered to give the maxin frequency of vibration across the entire blade length. This allows the operator to screed the concrete surface in 75% less time than traditional manual screeding methods.

CODE	DETAILS
FPV1000	Masterscreed - 1.12kw
FPV1001	1220mm Blade
FPV1002	1830mm Blade
FPV1003	2440mm Blade
FPV1004	3050mm Blade
FPV1005	3660mm Blade
FPV1006	4270mm Blade
FPV1007	4880mm Blade




These lightweight and durable bullfloats are made from the finest extruded material. They are multi-ribbed for strength screeding large volumes of newly poured concrete with with the standard blade being rounded. The complete assembly comes with a pitch control gearhead and three

CODE	DETAILS	
FPV3020	Bullfloat 1.2m	

considerably less effort than using conventional shovels and rakes. These are lightweight Texas Placers, with bracings welded on each side of the placer's head, giving even more control over the distribution of the poured concrete.

CODE	DETAILS
FPV3010	Texas Placer



METAL FINISHING BLADES

A finishing blade is made of high-carbon steel which provides a flex and swiping action to densify the concrete.

CODE DETAILS	
FPFB024 Finishing Blade 24"	
FPFB0915S Finishing Blade 36", 6" x 14"	ECO
FPFB09151.6 Finishing Blade 36", 6" x 14"	x 1.6n

FPFB11681.6 Finishing Blade 46". 6"x 18" x 1.6mm

PLASTIC FINISHING BLADES

Plastic finishing blades are a combination-style blade made to float and finish any application where leaving burnish marks

CODE	DETAILS
FPPB0915	Plastic Blade 36", 6"x 14" x 1.6mm 4pcs
FPPB1168	Plastic Blade 46", 6"x 18" x 1.6mm 4pcs
	FPPB0915



TROWEL SHINE SYSTEM

power trowel into a planetary polishing machine, it can be adapted for use with any ride-on power trowel and offers over 10,000 square feet per hour, per step. The Trowel Shine tool holders feature rotating head technology and flexible foam for even tool wear and perfect balance.



CODE	DETAILS
BDH0000	Trowel Shine System - 270mm Head
BDH0002	Trowel Shine System - 350mm Head

For industrial floors with large square footage where traditional grinding and polishing is not a good option due to time-frame, budget or other constraints. Transforms your



Floor Application Tools

PLEASE REFER TO PAGE 41 FOR OUR RANGE OF FLOORING PADS

Ride On Pan 1178mm x 10 Hooks (Premium) FP1178U10 FP1178U8 Ride On Pan 1178mm x 8 Hooks (Premium) FP09425 Ride On Pan 942mm x 8 Hooks (Standard) FP094211 Ride-On Pan 942mm x 8 Hooks (Premium) FP0610U Edge Pan 610mm x 4 Hooks (Premium)

Floor Grinding Heads

FLOOR GRINDING HEADS

Co BDG250 Floor Grinder

CODE	DETAILS
LFG250S0	16# - Purple - Coating Removal
LFG250S	25# - Red - Coarse Grinding
LFG250S5	40# - Gray - Medium Grinding
LFG250S2	80# - Brown - Fine Grinding
LFG250S3	120# - Black - Extra Fine Grinding
LFG250A	25# - Blue - Abrasive Floors
LFG250EH	25# - Green - Extra Hard Floors

COATING REMOVAL PLATES PCD tools for removing epoxy and other floor coatings from concrete floors.



LCFF16PCD

DETAILS CODE

LCFE15PCE	PCD Epoxy Ripping Plate Economy 250mm
LCFE16PCD	PCD Epoxy & Bitumen Grinding Plate 250mm

FLOOR GRINDING HEAD **ECONOMY**

250mm x 12mm x 20 segment Diamond Heads for concrete grinding. These grinding heads work perfectly with our Tool-



BFG250P 25# - Black - Course Grinding



Tool-Co Floor Grinders

BDG250 FLOOR GRINDER

The Tool-Co Single head direct drive floor grinder used for floor preparation. This machine uses a 250mm grinding head. From preparing standard concrete floors to repairing badly damaged floor, this machine can do the job. The Tool-Co BDG250 Floor Grinders head can be adjusted to 90° for grinding against walls.

The switch is specially adjusted to protect the motor from over current by disconnecting power supply when the current exceeds its rated maximum. The handle of the machine can fold down to make the machine easier to transport and store. The specialised flexible coupling transmits maximum torque through to the floor while allowing the grinding head to flex with the floor. With the direct drive power system running at 1400RPM the BDG250 can put incredible power to







FPV4000 Walk-Behind Power Trowel - 4.1kw / 610mm

BETONELLI BN36

DETAILS

BETONELLI BN36HG RIDE-ON POWER TROWEL

Rated Power: 20.1kw Trowel Diameter: 915mm Speed Range: 50-140rpm

Fuel Tank Capacity: 20L	
CODE	DETAILS
FDV0000	Dido On Dower Travel 20 1lay / 201

Water Tank Capacity: 20L Fuel Tank Capacity: 20L		
CODE	DETAILS	





SCANMASKIN Floor Grinding Tools

SCANMASKIN Floor Grinders













LCOHE025 Extra Soft Floor 25# - Blue Soft Floor 16# - Red

LCOH025 Soft Floor 25# - Gold

LCOH120 Soft Floor 120# - White

LCOM0016 Medium Floor 16# - Red

LCOM0025 Medium Floor 25# - Gold

LCOM0040 Medium Floor 40# - Silver

LCOM0080 Medium Floor 80# - Brown

LCOM0120 Medium Floor 120# - Black

LCOS0016 Hard Floor 16# - Red

LCOS0025 Hard Floor 25# - Green LCOSE025 Extra Hard Floor 25# - Orange

LCOM1025 Medium Floor 25# - Gold

LCOSE125 Extra Hard Floor 25# - Orange

LCOS1025 Hard Floor 25# - Green

Silver 8/16#

Black 14/16#

Blue 30/40#

White 150#

Yellow 200#

Tools for removing epoxy and other floor coatings from ond plates for concrete grinding and coating removal concrete floors.

CODE	DETAILS
LCSPCD9	Piranha For coatings up to 3mm thick
LCSPCD2	Twin Tiger For coatings up to 7mm thick
SCC-592078	Bauta Crush For coatings up to 10mm thick
LCSPCD4	Guided PCD Plate 2 x PCD / 2 x Round Segment
LCSPCD4A	PCD Arrow Plate 2 x PCD / 2 x Arrow Segment



SCANMASKIN BUSH HAMMER

The bush hammer tool is used to create a very rough surface

orecc.		1. 10
E	DETAILS	
521100	Large - Fits SC650 or WS28	



BAUTA DOUBLE HARDNESS INDEX









SCANMASKIN BAUTA DOUBLE

Our premium series of diamond tools that give you more diamond for your money. It's efficient and high quality grinding tools in a wide range of grit sizes and hardness's to

Every colour of each tool comes in different hardnesses. Use this table to help you choose the correct grit suit your needs.

Very rough diamonds for course grinding.

Fine grinding prior to applying thin coatings.

Provides a very fine surface. Also able to

grind natural stone, both wet and dry. Used to increase the life of plastic bond

polishing tools. Also usable with natural stone, both wet and dry.

Rough diamonds for course grinding.

Brown 20/25# Rough diamonds for coarse grinding.

Green 60/80# Provides very fine and smooth surfaces.

	HARDNESS DETAILS
.y .o	and hardness for the job. Should you require any assistance, please feel free to contact your local branch.
е	every colour of each tool comes in different hardnesses. Use this table to fielp yo

11/11(2)11222	DET/IIIES
SCSSSS	Special diamond tool.
SCSSS	Extremely soft diamond tool for concrete floors with a glossy hard surface.
SCSS	Extra soft diamond tool for extra hard concrete.
SCS	Soft diamond tool for hard concrete.
SCM	Medium hard diamond tool for fast cutting of normal concrete.
SCX	Extra hard diamond tool for soft concrete and filler remnants.
SCXX	Very hard diamond tool for rain damage concrete and rough concrete surfaces.
SCXXX	Extremely hard diamond tool for newly cast concrete.
SCXXXX	Special diamond tool.



BDYFG300E 300MM FLOOR GRINDER

Features a self-levelling head for perfect alignment to achieve A great entry Level, variable speed, single phase floor grinder. a smooth and level floor surface finish, as well as a flexible dust shroud and a vacuum port for effective dust control. It has easily accessible control switch and an adjustable handle for ergonomic use. This machine is ideal for removing surface covering and smoothing rough concrete floors.

CODE	BDYFG300E
Power	3KW
Voltage	220V
Weight	66kg

SCAN COMBIFLEX I8

Can be used on concrete, natural stone and wood. Excellent for getting started.

100kg







SCAN COMBIFLEX 330

configured as a single disc edger by adjusting the axel in two

3-Phase & Variable Speed also available on request.

CODE	SCM-516000
Power	1.5KW
Voltage	1-phase, 230V / 12amp /50Hz
Single Speed	600rpm
Grinding Disc	1x330mm
Grinding Width	330mm
Weight	65kg

SCAN COMBIFLEX 450

The SC 330 features a single 330 mm grinding disc that works great for grinding small areas, removing tough coatings, and general surface preparation. The SC 330 can also be





SCAN COMBIFLEX 450NS

SC450NS is a new generation of floor grinders, which combines a small footprint with high productivity. Along with grinding concrete and natural stone, the SC450NS is also perfect for building remodel applications and coatings removal. With the wide range of available tooling options, the SC450NS can be used for virtually any application out there.

CODE	SCM-524502
Power	1.5KW
Voltage	1-phase, 230V, 10amp, 50Hz
Single Speed	500-1050rpm
Grinding Disc	3x150mm
Grinding Width	450mm
Weight	90kg

SCAN COMBIFLEX 500PD

The SC500PD is the ideal grinding machine for professional grinding and polishing applications. It is extremely versatile in its different applications. The machine is also very effective when it comes to removal work and floor preparation. It really shines in paint and coating removal applications. 3-Phase also available on request.

CODE	SCM-530501
Power	4KW
Voltage	1-phase, 230V, 16amp, 50Hz
Variable Speed	250-1150rpm
Grinding Disc	3x150mm
Grinding Width	500mm
Weight	160kg





SCAN COMBIFLEX 650

The SC650 is a robust and stable machine designed for commercial projects. The counter-rotating design also reduces operator fatigue and allows the machine to be operated with minimal effort. The SC650 features a grinding width of 650mm, and is perfect for both residential and commercial applications.

1-L11025 F70 A011	75141-700007
3-Phase 400volt	SCM-560002
Propane I3.2 kW	SCM-560500
Power 1/3-phase	4KW / 7.5KW
Voltage 1/3-phase	230V / 400V
Variable Speed	350-900rpm / 350-1100rpm
Grinding Disc	3x210mm
Grinding Width	650mm





SCANMASKIN 32



SCANMASKIN 28

Weight

Weight

Designed with a focus on the operator the machine features. Designed with a focus on the operator the machine features. cast alloy components along with a floating shroud, designed for years of durability and dust free operation. Equipped with new tool-head for better balance and tool support, and a new electrical cabinet with a sealed cooling system that protects the electrical components from heat and dust.

Remote Type	*On Request*
Propane I3,2 kW	*On Request*
Power	7.5KW/11KW
Voltage	3-Phase, 400V, 16/32amp, 50/60Hz
Variable Speed	230-825rpm
Grinding Disc	3x220mm

610kg

cast alloy components along with a floating shroud, designed for years of durability and dust free operation. Equipped with a new tool-head for better balance and tool support, and a new electrical cabinet with a sealed cooling system that protects the electrical components from heat and dust. The 370 mm wheels and the quick release makes it easy to operate.

630kg

Pusit type	SLM-3/2800	Pusii iype	2CM-283500
Remote Type	*On Request*	Remote Type	SCM-583250
Propane I3,2 kW	*On Request*	Propane 18.5 kW	*On Request*
Power	7.5KW/11KW	Power	15KW
Voltage	3-Phase, 400V, 16/32amp, 50/60Hz	Voltage	3-Phase, 400V, 32amp, 50/60H
Variable Speed	230-825rpm	Variable Speed	230-825rpm
Grinding Disc	3x220mm	Grinding Disc	3x300mm
Grinding Width	700mm	Grinding Width	800mm



Weight

Floor Polishing Pads



DIAMOND BUFF PADS

Use on a single disc buffer or auto-scrubber for the final buff or rebuff of concrete, terrazzo or even epoxy floors. For both

,	
CODE	DETAILS
LBA240050	240mm x 50#
LBA240100	240mm x 100#
LBA240200	240mm x 200#
LBA240800	240mm x 800#
LBA241500	240mm x 1500#
LBA243000	240mm x 3000#
LBA270050	270mm x 50#
LBA270100	270mm x 100#
LBA270200	270mm x 200#
LBA270800	270mm x 800#
LBA271500	270mm x 1500#
LBA433000	430mm x 3000#
	MADRI E DOI ISHING DADO

MARBLE POLISHING PADS

Specialised polishing pads used on marble flooring

CODE	DETAILS
BPX0050	100 x 2mm x 50# - Light Green
BPX0100	100 x 2mm x 100# - Red
BPX0200	100 x 2mm x 200# - Yellow
BPX0400	100 x 2mm x 400# - Blue
BPX0800	100 x 2mm x 800# - Dark Green
BPX1500	100 x 2mm x 1500# - Orange
BPX3000	100 x 2mm x 3000# - Pink



U-SHAPE **GRINDING & POLISHING PLATES**



oft Floor Grinding Plates		
CFIS025	Soft Floor Grinding 25# - Black	
CFISE025	Extra Soft Floor Grinding 25# - Blue	
Medium Floor Grinding Plates		
CFIM016	Medium Floor Grinding Plate 16# - Red	
CFIM025	Medium Floor Grinding Plate 25# - Gold	
CFIM040	Medium Floor Grinding Plate 40# - Silver	
CFIM080	Medium Floor Grinding Plate 80# - Brown	
CFIM120	Medium Floor Grinding Plate 120# - Black	
CFG016	Medium Floor Grinding Plate 16# - Red Round	
CFG400	Medium Floor Grinding Plate 400# - Blue Round	
lard Floor Grinding Plates		

I CFIH025 Hard Floor Grinding Plate 25# - Green

T (4: 4)	201111020	riara rioor orinanig riace 2511 or
		Polishing Plates
	LCFP0050	Floor Polishing Plate 50# - Black
-	LCFP0100	Floor Polishing Plate 100# - Blue
	LCFP0200	Floor Polishing Plate 200# - Red
	LCFP0400	Floor Polishing Plate 400# - White
	LCFP1500	Floor Polishing Plate 1500# - Yello
000	LCFP3000	Floor Polishing Plate 3000# - Gree
100000000000000000000000000000000000000		

GRINDING PLATES

Soft Floor Grinding Plates

Medium Floor Grinding Plates

Hard Floor Grinding Plates

LCFJ016

LCFJ025

LCFJ040

LCFJ080

LCFJ120

LCFF02P

LCFJ025S Soft Floor Grinding 25# - Black LCFJ025SE Extra Soft Floor Grinding 25# - Blue

Medium Floor Grinding Plate 16# - Red

Medium Floor Grinding Plate 25# - Gold

Medium Floor Grinding Plate 40# - Silver

Medium Floor Grinding Plate 80# - Brown

Medium Floor Grinding Plate 120# - Black

LCFJ025H Hard Floor Grinding Plate 25# - Green



Grindina & Polishina Plates















GRINDING PLATES













HEAVY DUTY POLISHING PADS

Resin-bonded diamond concrete polishing pads gives you a faster polishing speed, higher clarity and gloss shine with

CODE	DETAILS
BPY0050	80mm x 50# Light Green - Dry/Wet
BPY0100	80mm x 100# Red - Dry/Wet
BPY0200	80mm x 200# Yellow - Dry/Wet
BPY0400	80mm x 400# Light Blue - Dry/Wet
BPY0800	80mm x 800# Green - Dry/Wet
BPY1500	80mm x 1500# Orange - Dry/Wet
BPY3000	80mm x 3000# Pink - Dry/Wet

CONCRETE POLISHING PADS

no discolouring or swirls. Optimal results when used under heavy machines. Used for dry polishing of hard floors while P bond is only for wet polishing of hard floors.

CODE	DETAILS
BPW00C1	80mm x C1 - Ceramic - Medium Floors - Dry
BPW00C2	80mm x C2 - Ceramic - Medium Floors - Dry
BPW00C3	80mm x C3 - Ceramic - Medium Floors - Dry
BPW00P1	80mm x P1 - Copper - Hard Floors - Wet Only
BPW00P2	80mm x P2 - Copper - Hard Floors - Wet Only
BPW00P3	80mm x P3 - Copper - Hard Floors - Wet Only
BPW00P4	80mm x P4 - Copper - Hard Floors - Wet Only





CONVERSION PLATES

W_{i}	1			
		To a		1
	-	6	*	1
			8	
	-		3	


CODE	DETAILS
BDG91001	HTC 420 NY
BDG91002	HTC 500 / 650 / Greyline 550 NY
BDG91003	HTC 800 / 950
BDG92001	D435 Diamatic
BDG92002	D500 / 535 Diamatic
BDG93001	Husqvarna 280
BDG93002	Husqvarna 400
BDG93003	Husqvarna 450
BDG93004	Husqvarna 630
BDG93005	Husqvarna 830
BDG95002	Tool-Co BDG250
BDG95003	Tool-Co BDG300

WOOD FLOOR GRINDING TOOLS Conversion plates to enable the use of SCANMASKIN Tools on the machines listed below. Scratch discs for hardwood floors, and various grits of sandpaper for floor grinders. See Velcro conversions in the Scanmaskin Tools Section.

For small machines lighter than 300kg

For large Machines heavier than 300kg

Double Segment



Grinding Accessories SCC-592044





Grindina Plates & Wedges



DIAMOND WEDGE SET

Diamond and Carborundum wedges for concrete grinding and coating removal.

CODE	DETAILS
DWS80	Diamond Wedge Set 12 Segments Yellow (Medium Hard Floors) 25#
DWS90	Diamond Wedge Set 12 Segments Blue (Abrasive Floors) 25#
CWS001	Carborundum Wedge Set
DWS001	Wedge Set Conversion To U-Shape Grinding Plate (On Request)

FLOOR GRINDING SEGMENTS CONCRETE

Quality concrete grinding segments.

CODE	DETAILS
	Medium Floors
LSPF302	40mm x 10mm x 10mm - Gold 25#
LSPF303	40mm x 10mm x 10mm - Brown 80#
LSPF304	40mm x 10mm x 10mm - Black 120# (On Request)
	Soft Floors
LSPF402	40mm x 10mm x 10mm - Blue 25#



METAL BOND GRINDING PLATE Features a velcro backing pad.

CODE	DETAILS
BPG00025H	80mm x 25# - Hard Floors
BPG00025M	80mm x 25# - Medium Floors
BPG00080M	80mm x 80# - Medium Floors
BPG00120M	80mm x 120# - Medium Floors
BPG00025S	80mm x 25# - Soft Floors



CONCRETE TESTING

Concrete is made up of various elements which have different hardness and density. Use these test kits to determine how hard or soft your concrete or stone surface is.

CODE	DETAILS
SCC-100500	Scanmaskin Concrete Test Kit
MTT17100	Schmidt Hammer

VELCRO ADAPTOR PLATES

CODE	DETAILS
BDH0003	Scanmaskin 80mm Velcro Adapter Plate for SC650, WS28, WS32
BDH0007	Scanmaskin 80mm Velcro Replacement
SCC-522015-S	Scan-On Velcro Adapter Plate for SC330, SC450 & SC500 (Single Plate)
SCC-522015-L	Scan-On Velcro Adapter Plate for SC330, SC450 & SC500 (Set of 9 Plates)
LCFG002	U Shape Grinding Plate To 80mm Velcro Conversion Plate

SCC-522039 Scan-On Middle Cushion 330mm x 1





U Shape Grinding Plate To 80mm Velcro Conversion Plate

Floor Chemicals

Floor Finishing

TOOL-CO DIAMOND FLOOR PADS

Use on a high-speed burnisher, single disc buffer or auto-scrubber for the final buff or rebuff of concrete, terrazzo or polishing. even epoxy floors. For both wet and dry use.

even epoxy noors. For both wee and ary ase.		
CODE	DETAILS	
LCA400400	400mm x 400#, No.0 - Blue	
LCA400800	400mm x 800#, No.1 - Red	
LCA401500	400mm x 1500#, No.2 - Yellow	
LCA403000	400mm x 3000#, No.3 - Green	
LCA430400	430mm x 400#, No.0 - Blue	
LCA430800	430mm x 800#, No.1 - Red	
LCA431500	430mm x 1500#, No.2 - Yellow	
LCA433000	430mm x 3000#, No.3 - Green	
LCA433001	430mm x 3000#, No.3 - Green (Soft)	
LCA500400	500mm x 400#, No.0 - Blue	
LCA500800	500mm x 800#, No.1 - Red	
LCA501500	500mm x 1500#, No.2 - Yellow	
LCA503000	500mm x 3000#, No.3 - Green	
LCA680800	680mm x 800#, No.1 - Red	
LCA683000	680mm x 3000#, No.3 - Green	

TOOL-CO FLOOR PADS

CODE	DETAILS	
FAP40000	400mm BLACK (SRIP)	
FAP42500	425mm BLACK (STRIP)	
FAP42501	425mm BLUE (SCRUB)	
FAP42504	425mm RED (BUFF)	
FAP42505	425mm WHITE (BURNISHING)	
FAP50002	500mm RED (BUFF)	
FAP50004	500mm WHITE (BURNISHING)	
FAP60000	600mm WHITE (BURNISHING)	
FAP68000	680mm WHITE (BURNISHING)	
		100





MICROFIBRE MOP

ODE	DETAILS
A1901	Micro Fibre Mop Refill
A1902	Micro Fibre Mop Frame
A-HA1300	Aluminium Broomstick Handle



to 2183 m2/h, you'll quickly recognise huge labour savings!



GROUT & BINDER

Liquid pin-hole and crack filler for polished concrete and terrazzo.

CODE	DETAILS	
LCH30001	Grout & Binder, 1L	
LCH30005	Grout & Binder, 5L	
LCH30025	Grout & Binder, 25L	
LCH30200	Grout & Binder, 200L	
LCH31000	Grout & Binder, 1000L	

SODIUM DENSIFIER

An economic floor hardener for polished co terrazzo. Application: Polished concrete and ant-c

> Sodium Densifier, 5L Sodium Densifier, 25L Sodium Densifier, 200L Sodium Densifier, 1000L

5-7 hours Shipping HxLxW 10.2 x 99 x 20.3cm Shipping Weight 8.16kg

oncrete and lusting	
	14.6

Polishing, Buffing & Burnishing Machines



Solution Tank

TOOL-CO POLISHER

A light duty floor polisher with plastic chassis. Can be used A heavy duty polisher which features a robust steel chassis, a with our polishing pads on concrete, terrazzo, epoxy, vinyl,

Includes 425mm Pad Drive **Excludes Solution Tank**

FAP141036

FAP141037

FAP141038

CODE	FAPI4I034
Voltage	230V / 50Hz
Power	1.1kW
Speed	150RPM
Size	425mm
Weight	45.5kg

425mm - Pad Drive

425mm - Soft Floor Brush

425mm - Hard Floor Brush

15 Litre Solution Tank

HEAVY DUTY

TOOL-CO POLISHER

water tank for working wet and a vacuum extraction port for dry dustless work, this machine will meet most needs. For heavy duty polishing of concrete, terrazzo, epoxy, vinyl etc.

CODE	BDI430/00I	
Voltage	220V / 50Hz	
Power	2.2kW	
Speed	200RPM	
Size	430mm	
Weight	58kg	

Multi-tool plate for velcro & bolt-on tools

Pad Driver for cleaning & diamond pads

12.5kg weight for aggresive polishing

Floor brush for scrubbing & cleaning

TOOL-CO





12.5kg Weight





LITHIUM DENSIFIER

CODE

LCH10005 LCH10025

LCH10200

protective surface for concrete and terrazzo.		
	DETAILS	
01	Protector, 1L	
05	Protector, 5L	
20	Protector, 20L	

LITHIUM BLEND DENSIFIER

A pure lithium Hardener for concrete. Works well on unexposed polished concrete surfaces

A Specially formulated multi silicate densifier with Lithium. Great for hardening concrete floors and providing excellent protection. Works extremely well in unexposed concrete applications.

CODE	DETAILS
LCH80001	Lithium Blend Densifier, 1L
LCH80005	Lithium Blend Densifier, 5L
LCH80025	Lithium Blend Densifier, 25L
LCH80200	Lithium Blend Densifier, 200L



AMERIPOLISH SR2 PROTECTOR

AMERIPOLISH

Creates a

Lithium Densifier, 1L

Lithium Densifier, 25L

Lithium Densifier, 200L

CODE	DETAILS	
LCH90001	Protector, 1L	
LCH90005	Protector, 5L	
LCH90020	Protector, 20L	

AMERIPOLISH 3D SPE SEALER

LCH81000 Lithium Blend Densifier, 1000L

A premium sealer for polished concrete and terrazzo.				
	CODE	DETAILS		
	LCH20001	3D SPE Sealer, 1L		
	LCH20005	3D SPE Sealer, 5L		
	LCH20020	3D SPE Sealer, 20L		
	LCH20200	3D SPE Sealer, 200L		
	LCH21000	3D SPE Sealer, 1000L		



TOOL-CO LOWRIDER PROPANE POWERED

best finish on the market.

Pad Size

Weight

ESSENTIAL TO THE TOOL-CO POLISHING SYSTEM

ELECTRIC POWERED BUFFER / BURNISHER **BUFFER / BURNISHER** Our ultra high speed, 15hp, propane powered burnisher has a capacity of 3000sqm per day, and uses a 685mm floor pad, with less maintenance costs. It is used for long-lasting shine to

making it excellent for bringing out the executive shine for the hard floors or for polishing and maintaining floors in medium-

Speed

Weight

200RPM

430mm

58kg

BDI430/002

BDI430/004

BDI430/005

BDI430/007

duty applications.

also be use erials.	d for stripping of waxes and other similar	good working	position for the op
IDE	AZLR000I	CODE	BDJ500/0
wer	13.4kW	Voltage	220V / 50Hz
and	1E00 2400rnm	Dower	2 21/1/

REJUVINATING CLEANER surfaces. Rejuvenating Cleaner Concentrate provides an additional level of protection to combat microorganisms, for floors cleaned with this product. Rejuvenating Cleaner

clean with an auto-scrubber. This allows the reapplication of SR ² as far out as every 2 years.	C
amounts of densifier and stain-resistant additives while you	p
materials. It rejuvenates the floor by reapplying trace	f
use on vinyl tile, ceramic tile, terrazzo, wood, and composite	Т
the surface. In addition to polished concrete, it is ideal for	
contains no harsh chemicals and does not cause build up on	t

contains no harsh chemicals and does not cat the surface. In addition to polished concret use on vinyl tile, ceramic tile, terrazzo, wood, materials. It rejuvenates the floor by rea amounts of densifier and stain-resistant addi clean with an auto-scrubber. This allows the r SR ² as far out as every 2 years.			
CODE	DETAILS		
LCH110001	1L Rejuvenating Cleaner		

	LCH1100	01 1L Re	juvena	ating Cleaner			
	ı,	SARE	100,100	1386-20178	COST TWEE	-	100.700
uer.	100	BOOK SCHOOL	ON NO.	DECEMBE .	196 Net		100 TWE
		Set No.	200 700	MINE N.E	DE TRE	-	DOL THAT

AMERIPOLISH SURE LOCK DYES

Ameripolish® Rejuvenating Cleaner is a concentrated multipurpose cleaner that removes daily debris from hard updated making them the most vibrant concrete dyes Ameripolish® has ever produced. SureLock Dyes are versatile colorants for polished concrete that mix with water or solvent. SureLock Dies are to be applied just before densifying helping the colour penetrate and chemically bond to the concrete

> The dissolved concentrate liquid is fast and easy to use. The formula includes UV stabilizers to resist fading as well as a penetrating agent to eliminate further mixing and develop deep, rich colours even on hard, dense concrete

A.	<u></u>
Augus	
-20	Assists
2	A CONTRACTOR

100	04 MI	and terms	DOM: TANT	CAMEL	00K 1MI	UA6	DOE THEF	Con Str.	00.190	-
MODE MOVE	100.000	OHIOLATI SHOW	1901,1900	NAT.	136 3ml	MINI SERM	ON NO	OKUNE	500 Not	
NOTE .	N X	COPLAC	1901 7847		DOI DWT	SITER	190 190	MINERAL	1901 1901	
	E		B		N.		H		H	

	CODE	DETAILS	CODE	DETAILS
	LCHD01	Gold	LCHD15	Eggplant
ı	LCHD03	Raw Sienna	LCHD16	Turquiose
ı	LCHD04	Carmel	LCHD17	Slate Blue
ı	LCHD05	Sand	LCHD18	Patriot Blue
	LCHD06	Terra Cotta	LCHD19	Green
	LCHD07	Mahogany	LCHD20	Pine Green
	LCHD08	Saddle Brown	LCHD21	Forest Green
	LCHD09	Chocolate Brown	LCHD22	Black
i	LCHD10	Walnut	LCHD23	Midnight Bla
ı	LCHD11	Burnt Sienna	LCHD24	Red
ı	LCHD12	Chestnut	LCHD02	Gray
!	LCHD13	Maroon		
	LCHD14	Sepia		







680mm

148kg

Tool-Co Dust Control



Flooring Chemicals

TOOL-CO CONCRETE BUSTER DRIED CONCRETE DISSOLVER

An Eco friendly, specially formulated industrial strength product that will remove dried concrete, mortar, and grout from tools, equipment, and most surfaces. It can be used on acid resistant natural stone such as granite, ceramics, porcelain, and acid resistant tiles. It is safe to use on paint, rubber, glass, and aluminium. Always pre-test in an inconspicuous area for product suitability.

CODE	DETAILS
LCH40010	Tool-Co Concrete Buster - 1L
LCH40011	Tool-Co Concrete Buster - 5L
LCH40012	Tool-Co Concrete Buster - 20L

AMERIPOLISH OIL INGESTER

Ameripolish® Oil Ingester is a water-based microbial stain remover that consumes and breaks down oil-based materials and absorbs odors from the surface of the concrete without causing damage or affecting any existing colorant, sealer, or stain protector. The biodegradable product is environmentally safe and can be left on surfaces for several days if needed to deeply penetrate seeped stains.

. , .	
CODE	DETAILS
LCH40000	Oil Ingester - 4L



Von Arx Dust Control



VON ARX 52 DUST EXTRACTOR

Powerful single-phase dust extractors, designed to tackle even the toughest cleaning tasks with ease. With motors boasting an impressive 1200W each for a total of 2400W, VonArx extractors deliver performance and efficiency!

Despite their robust power, our S2 dust extractors remain conveniently portable, with a manageable weight. Move them effortlessly wherever you need them most.

CODE	VXN-520I
Power	2x 1200W
Max Air Flow	400m3/h
Max Vacuum	22 kPa
Pre Filter	Conical Polyester
HEPA Filter	H13
Dimensions	761 x 547 x 1300mm
Weight	52kg



Pullman Ermator Dust Control



AIDOO AIR CLEANER

Compact design, with a high flow, 1000 m3/hour. Can be run at two speeds. Has a H13 filter that's provided with child protection. Equipped with double warning lamps with signal. Red lamp for leakage – worn filter, orange lamp for 90% evacuation hose (8 m max.).

CODE	PE-200900112
Power	285W
Max Air Flow	1000m3/h
Coarse Filter	Yes
HEPA Filter	H13
Dimensions	465 x 385 x 466mm
Main HEPA Filter	PES-200700532
Pre-Filter	PES-201000014

W70P SLURRY VACUUM


Powerful wet cleaner with a 70 litre tank and evacuation pump. Emptying is carried out via a valve. The oil-cooled pump can handle concrete sludge, oils and cutting fluids. The machine is equipped with a coarse separation basket and wet suction bag. blocked filter. The air outlet is directed 90° from the inlet and is fitted with an outlet connector 160 mm in diameter for the

1200W
200m3/h
650W
260I/m
600 x 570 x 1250mm
PES-001337019



NOT RECOMMENDED FOR HIGH DUST ENVIRONMENTS

Workshop Vacuums





WET/DRY		
CODE	VCM-BZ3000	
Power	1000W	
Max Air Flow	191m3/h	I
15/30L Filter Bag	VCM-BZ0002	-
Fine Dust Filter Bag	VCM-BZ0005	

Power 2000W Max Air Flow 382m3/h 60L Filter Bag VCM-BZ0003 Fine Dust Filter Bag VCM-BZ0005

80L STAINLESS STEEL VACUUM WET/DRY - 2 MOTORS

		_
CODE	VCM-BZ5000	0
Power	2000W	F
Max Air Flow	382m3/h	١
80L Filter Bag	VCM-BZ0004	8
Fine Dust Filter Bag	VCM-BZ0005	F

80L STAINLESS STEEL VACUUM WET/DRY - 3 MOTORS

60L PLASTIC VACUUM

WET/DRY - 2 MOTORS

CODE	VCM-BZ6000
Power	3000W
Max Air Flow	572m3/h
80L Filter Bag	VCM-BZ0004
Fine Dust Filter Bag	VCM-BZ0005





TOOL-CO GI2 VACUUM

Designed for small grinders and hand held power tools. Uses a single motor with a two-stage filtering system. Compatible with the continuous drop down bagging system for ease of use and efficiency

Drop Down Bag Sold Separately

CODE	VCM-AZ00280
Power	1700W
Max Air Flow	300m3/h
Max Vacuum	220mbar
Primary Filter	1400 cm2, F8
Second Filter	1250 cm2, H13
Dimensions	60 x 37 x 105cm
Weight	35kg
Drum Pre-Filter	VCC-BM0043I
Rear Filter	VCC-BM00287



use with the Tool-Co Separator. Note: Two rear filters are required

CODE	VCM-AZ0028I
Power	2400W
Max Air Flow	400m3/h
Max Vacuum	220mbar
Primary Filter	2500 cm2, F8
Second Filter	2 x 1250 cm2, H13
Dimensions	65 x 50 x 120cm
Weight	54kg
Drum Pre-Filter	VCC-BM00432
Rear Filter	VCC-BM00287

TOOL-CO G22 VACUUM
Designed for medium grinders. Uses dual motors with a twoDesigned for medium to large grinders. Uses three motors with stage filtering system. Features the continuous drop down bagging system for ease of use and efficiency. For best results, results, use with the Tool-Co Separator. Note: Three rear filters are required.

DE	VCM-AZ0028I	CODE	VCM-AZ00282
ver	2400W	Power	3600W
x Air Flow	400m3/h	Max Air Flow	600m3/h
x Vacuum	220mbar	Max Vacuum	220mbar
mary Filter	2500 cm2, F8	Primary Filter	3500 cm2, F8
ond Filter	2 x 1250 cm2, H13	Second Filter	3 x 1250 cm2, H13
nensions	65 x 50 x 120cm	Dimensions	77 x 50 x 145cm
ight	54kg	Weight	69.8kg
ım Pre-Filter	VCC-BM00432	Drum Pre-Filter	VCC-BM00433
ar Filter	VCC-BM00287	Rear Filter	VCC-BM00287
		·	



TOOL-CO SEPARATOR

vacuums. The Tool-Co Separator effectively separates up to 90% of dust and leaves very little fine dust for the vacuum to filter. It works with great reliability and virtually zero-cost

CODE	V/CM 4700303

TOOL-CO G4I7 VACUUM

TOOL-CO ACCESSORIES

nended for use with our Tool-Co and Scanmaskin Recommended for large grinders. A world-class quality turbine motor which provides up to 530 m3/h and 320mbar vacuum, securing high suction power to all sizes of concrete grinders, and a reliable 24 hours of non-stop operations. Equipped with a HEPA Filter, the machine can separate 0.3um dust with a 99% efficiency, securing a high standard of quality and safety.

ODE	VCM-AZ00285
ower .	7500W
∕lax Air Flow	530m3/h
Лах Vacuum	320/31.4
ilter Capacity	0.3um, efficiency > 99%
ilter Area	3.5m2
Dimensions	73 x 105 x 160 cm
Veight	170kg







VCC-BM00225



GENERAL ACCESSORIES Drop Down Bag: Continuous plastic bags for use with all of Various accessories and spare parts for our Tool-Co G12, G22

our vacuums and separators

Drop Down Bag - Pack of 4 Per Box

Drop Down Bag Holder


Ametek 240V / 1200W Vacuum Motor Replacement

Holder	VCC-BM00160
	MTT17000
1	

Plastic Bags - 500 x 750 x 70micron (100pcs)

and G32 vacuums

CODE	DETAILS
VCC-BD00438	D50mm x 375mm hose & fitting(G12)
VCC-BC00033	D40mm lower wand (G12)
VCC-BC00034	D40mm upper wand (G12)
VCC-BD00030	Floor Brush 40mm x 400mm (G12)
VCC-BM00004	Spare Brush (G12)
VCC-BM00439	D50mm x 5.4m hose & fitting (G22)
VCC-BM00441	D50mm x 8mm hose & fitting (G32)
VCC-BM00050	50mm S wand (G22 & G32)
VCC-BC00043	50mm crevice tool (G22 & G32)
VCC-BD00054	50mm floor brush (G22 & G32)
VCC-BM00001	Spare brush (G22 & G32)



NOT RECOMMENDED FOR HIGH DUST ENVIRONMENTS

VonArx Scarifiers



VONARX VA IO L

Designed for roughening and cleaning small areas and tight corners. Equipped with swivel handgrip. Runs on 230V household mains supply. Various cutters can be fitted to suit different applications.

5 Point: Tungsten carbide inserts, for roughening concrete and asphalt, for removing old coatings.

6 Point: Tungsten carbide inserts, for roughening concrete nd asphalt, for removing old coatings.

12 Point: For removing road markings and paint from asphalt and concrete, and for work on large steel structures with only a slight change of the surface structure.

Steel Wire Brush: For polishing and cleaning various surfaces and for removal of light rust.

Product CODE:	VXN-7023II	E
Power	2200W	P
Working Width	100mm	F
Distance To Wall	20mm	Р
5 Point Set	VXN-701027	V
5 Point Drum	VXN-701006	D
6 Point Set	VXN-701928	5
6 Point Drum	VXN-706561	5
12 Point Set	VXN-701028	6
12 Point Drum	VXN-701007	6
Steel Wire Brush	VXN-700982	1
		1

VONARX FR 200

Handles a variety of different jobs, from straight forward cleaning to the tricky removal of pavement markings. The compact size and the easy handling of the machine makes it ideal for carrying out precise work on small or medium surfaces, both indoors and outdoors

The drum can be fitted with various types of cutters. It takes about 2 minutes to make the switch, enabling the FR 200 to work fast on a variety of tasks.

Available as both an electric and petrol version.

Electric CODE:	VXN-701449
Power	2200W
Petrol CODE:	VXN-70I436
Power	4000W (Honda Petrol Engine)
Working Width	200mm
Distance To Wall	54mm
5 Point Set	VXN-701505
5 Point Drum	VXN-701422
6 Point Set	VXN-701930
6 Point Drum	VXN-706563
12 Point Set	VXN-701506
12 Point Drum	VXN-701423





VONARX DTF 25 SH

Precisely grinds the surface instead of chipping away at it. producing a smooth surface by using a drum fitted with 125mm diamond blades. Both grooving and milling can be achieved by choosing between two different diamond blades. One for a rough, and the other for a smooth finish.

Surface Materials:

Asphalt and cast asphalt surfaces

- Concrete and cement, synthetic stone, floor tiles
- Screeds of cement, wood cement, ceramic etc.
- Natural stone Metals
- Thermoplastic materials

Electric Code:	VXN-708697
Power	11kW 400V, 50HZ
Petrol Code:	VXN-800076
Engine	16.5kW Honda Propane Engine
Working Width	250mm
Distance To Wall	100mm
Shaving Depth	12mm
Production/h	50-55m2/h
Diamond Blades	73pcs x 125mm



SPARE DIAMOND BLADES & DRUMS

Replacement parts for the VonArx DTF 25

ı			
	VXN-707326	Blade Set for Regular Concrete - 72 Blades	
	VXN-707289	Complete Drum for Regular Concrete	1
	VXN-800040	Blade Set for Hard Concrete - 72 Blades	
	VXN-800036	Complete Drum for Hard Concrete	
	VXN-800041	Blade Set for Regular Concrete - 33 Blades	1

VXN-800034 Complete Drum for Regular Concrete VXN-800042 Blade Set for Hard Concrete - 33 Blades

VXN-800035 Complete Drum for Hard Concrete VXN-707410 Blade Set for Regular Concrete - 24 Blades VXN-707417 Complete Drum for Regular Concrete

VXN-800099 Blade Set for Hard Concrete - 24 Blades





VonArx Surface Shaver















VonArx Floor Scrapers



VONARX VA 25 S

The VA 25 S is an ideal solution for tasks involving the roughening, grooving, cleaning, or removal of various

The VA 30 S is an ideal solution for tasks involving the roughening, grooving, cleaning, or removal of various surface layers. Its infinite variable depth adjuster ensures a perfect fit for any surface, while the vibration absorption system and user-friendly design make the job efficient and comfortable. This heavy-duty surface preparation machine can tackle even the toughest challenges, and it accommodates various cutters to suit different applications. It's suitable for materials like asphalt, concrete, natural stone, metals, and more, making it a versatile tool for surface preparation tasks.

Pentagonal: Roughening concrete and asphalt, for removing

Hexagonal: Roughening concrete and asphalt, for removing Hexagonal: Roughening concrete and asphalt, and removing old coatings. Beam Cutters: For removing road markings and paint from

asphalt and concrete, and for work on large steel structures with only a slight change on the surface structure.

Milling Cutters: For removing and stripping thermoplastic

and cold plastic coatings and markings. Clover Leaf Cutters: For roughening concrete and asphalt, or

Power

Working Width

Distance To Wal

5 Point Set

5 Point Drum

6 Point Cutter Set

6 Point Cutter Drum

11mm Milling Set

11mm Milling Drum

19mm Milling Set

19mm Milling Drum

22mm Milling Set

Beam Cutter Set

Beam Cutter Drum

Clover Leaf Cutter Set

Clover Leaf Cutter Drum

22mm Milling Drum

removing old coatings.

VXN-707335

250mm

67mm

VXN-706306

VXN-706946

VXN-706306

VXN-706946

VXN-702594

VXN-707194

VXN-702387

VXN-706947

VXN-702593

VXN-707193

VXN-702385

VXN-706948

VXN-702590

VXN-707190

5300W (Honda Petrol Engine)

roughening, grooving, cleaning, or removal of various surface layers. Its infinite variable depth adjuster ensures a perfect fit for any surface, while the vibration absorption system and user-friendly design make the job efficient and comfortable. This heavy-duty surface preparation machine can tackle even the toughest challenges, and it accommodates various cutters to suit different applications. It's suitable for materials like asphalt, concrete, natural stone, metals, and more, making it a versatile tool for surface preparation tasks.
Octagonal: Roughening concrete and asphalt, and removing old coatings

VONARX VA 30 S

Beam: Removing road markings and paint from asphalt and concrete, and work on large steel stuctures with only a slight

Milling: Removing and stripping thermoplastic and cold plastic coatings and markings.

Round: Roughening concrete and asphalt, and removing old

7









VONARX SC 20

renovation and maintenance projects

Strip floor

carpets Cork tiles and

matting

· Remove felt.

coverings
• Lift carpet tiles

and foam backed



VONARX SC 35

The Von Arx SC 20 is a versatile, hand-guided, motor-driven floor scraper. Expertly designed for efficient removal of adds a self-propelled design for increased operator comfort floor coverings from various surfaces including screed, latex, concrete, or wood, it ensures a clean, residue-free range of surfaces without leaving any residue. In addition to its surface. It also serves a dual purpose by creating an aging effect on hardwood floors, making it a valuable tool for both floors. Its self-propelled nature makes it a particularly suitable

choice for larger, more demanding projects, bringing efficien and ease-of-use to any commercial or industrial flooring task		
Electric CODE:	VXN-701449	
Power	2200W	
Petrol CODE:	VXN-701436	
Power	4000W (Honda I	Petrol Engine)
Working Width	200mm	
Distance To Wall	54mm	
Chisel Set	VXN-400253	TilesParquetHard debris

VXN-400216

VXN-400218

VXN-400123



 Cork tiles and matting • Remove felt, underlay Linoleum and vinyl flooring Matting Strip floor

coverings Lift carpet tiles and foam · Backed carpets Cork tiles and

matting Strip floor coverings Lift carpet tiles and foam

 Backed carpets Cork tiles and

Debris Blade Wide Blade U Blade Top Edge Long Blade Basic Blade

U Blade

















old coatings.

change of the surface structure.

Product CODE:	VXN-706276
Power	6000W (Honda Petrol Engine)
Working Width	300mm
Distance To Wall	90mm
8 Point Set	VXN-701836
8 Point Drum	VXN-701691
12 Point Set	VXN-706691
12 Point Drum	VXN-706566
Beam Cutter Set	VXN-701839
Beam Cutter Drum	VXN-701694
19mm Milling Set	VXN-701841
19mm Milling Drum	VXN-701696
39mm Milling Set	VXN-701840
39mm Milling Drum	VXN-701695
Round Cutter Set	VXN-701842
Round Cutter Drum	VXN-701697



PLEASE NOTE: PICTURES ARE ONLY AN INDICATION. THE ACTUAL PRODUCT MAY VARY SLIGHTLY

Basic Blade

Debris Blade

Wide Blade

U Blade Top Edge

Long Blade

Floor Application Tools

Floor Application Tools

SPIKED ROLLER **I2MM SPIKES**

For removing air bubbles from coatings 1mm and thicker. The bubble at the end of the spike displaces the material more which in turn creates a more uniform finish. This is to be used on flowable products. Used for ensuring the floor coating is smooth and properly distributed. The 12mm bubble buster spike should be used on 4mm thick coatings.

The sharp spike gives a more pin like effect that is easier able
to penetrate the surface of the coating. This will result in the
relaxation in the product and allow it to flow. For removing air
bubbles from coatings 1mm and thicker. Used for ensuring the
floor coating is smooth and properly distributed. The 12mm
bubble buster spike should be used on 4mm thick coatings.

CODE	DETAILS	CODE	DETAILS
721100	Roller assembly 100mm	721100SS	Roller assembly 100mm
721225	Roller assembly 225mm	721225SS	Roller assembly 225mm
721300	Roller assembly 300mm	721300SS	Roller assembly 300mm
721450	Roller assembly 450mm	721450SS	Roller assembly 450mm
721600	Roller assembly 600mm	721600SS	Roller assembly 600mm
721100R	Refill 100mm	721100SSR	Refill 100mm
721225R	Refill 225mm	721225SSR	Refill 225mm
721300R	Refill 300mm	721300SSR	Refill 300mm
721450R	Refill 450mm	721450SSR	Refill 450mm
721600R	Refill 600mm	721600SSR	Refill 600mm

SPIKED ROLLER 3IMM SPIKES

This is designed to roll thicker applications, 4mm and up. Rolling the surface of the self-levelling coating will result in a smooth and more even distribution of the product. This a smooth and more even distribution of the product. This results in a better finish and higher quality overall. Never press down on the roller handle.

SPIKED ROLLER
LOOSE DISC

SPIKED ROLLER

I2MM SHARP SPIKES

aids this procress.

CODE	DETAILS
731100	Roller assembly 100mm
731225	Roller assembly 225mm
731300	Roller assembly 300mm
731450	Roller assembly 450mm
731600	Roller assembly 600mm
731100R	Refill 100mm
731225R	Refill 225mm
731300R	Refill 300mm
731450R	Refill 450mm
731600R	Refill 600mm







SPIKED SHOES 25MM & 3IMM SPIKES

CODE	DETAILS
SS700	Spike Shoe – 31mm Spike
SS725	Spike Shoe – 25mm Spike
SS700R	Replacement Spike Set – 31mm
SS725R	Replacement Spike Set – 25mm
SS760	Replacement Straps

HAND TROWELS

Spiked shoes are used to gain safe access onto new flooring overlay systems.

Trowels are for hand application of high build, self-leveling coatings and semi-flowable mortars.

400mm x 4mm V Notched Trowel

400mm x 5mm V Notched Trowel

400mm x 6mm V Notched Trowel

400mm x 8mm V Notched Trowel

400mm x 10mm V Notched Trowel

400mm x 15mm V Notched Trowel

400mm x 16mm V Notched Trowel

	CODE	DETAILS
		Double Edged
	BTE29102	290mm x 2mm V Notched Trowel
	BTE29103	290mm x 3mm V Notched Trowel
	BTE29104	290mm x 4mm V Notched Trowel
	BTE29105	290mm x 5mm V Notched Trowel
	BTE29106	290mm x 6mm V Notched Trowel
	BTE29108	290mm x 8mm V Notched Trowel
	BTE29110	290mm x 10mm V Notched Trowel
	BTE29115	290mm x 15mm V Notched Trowel
450mm rs & thin	BTE29116	290mm x 16mm V Notched Trowel
		Double Edged
	BTE40102	400mm x 2mm V Notched Trowel
rubber	BTE40103	400mm x 3mm V Notched Trowel



Squeegees are available in three sizes, 325mm and 600mm wide for efficient spreading of primer coatings.

CODE	DETAILS
SQ81300	300mm Soft Squeegee with black rubber
SQ81450	450mm Soft Squeegee with black rubber
SQ81600	600mm Soft Squeegee with black rubber
SQ91300R	300mm Squeegee with stiff white rubber
SQ91450	450mm Squeegee with stiff white rubber
SQ91600	600mm Squeegee with stiff white rubber
SQ81300R	300mm black blades – 10/pack
SQ81450R	450mm black blades – 10/pack
SQ81600R	600mm black blades – 10/pack
SQ91300R	300mm white blades – 10/pack
SQ91450R	450mm white blades – 10/pack
SQ91600R	600mm white blades – 10/pack



DOUBLE EDGE RAKE 450MM & 600MM

For spreading new floor coatings to desired thicknesses. Will spread the material to 40% of the tooth depth. A rake with a 5mm tooth will achieve a 2mm coating thickness.

CODE	DETAILS
BR24501	450mm No 1# x 500μ
BR24502	450mm No 2# x 1000μ
BR24503	450mm No 3# x 1250μ
BR24504	450mm No 4# x 1500μ
BR24505	450mm No 5# x 2000μ
BR24506	450mm No 6# x 2500μ
BR24508	450mm No 8# x 3000μ
BR24510	450mm No 10# x 4000μ
BR24512	450mm No 12# x 5000μ
BR26001	$600 mm$ No 1# x 500μ
BR26002	$600 mm$ No 2# x 1000μ
BR26003	$600 mm$ No 3# x 1250μ
BR26004	$600 mm$ No 4# x 1500μ
BR26005	$600 mm$ No 5# x 2000μ
BR26006	$600 mm$ No 6# x 2500μ
BR26008	$600mm$ No 8# x 3000μ
BR26010	$600 mm$ No $10 \text{\#}\text{x}4000 \mu$
BR26012	600mm No 12# x 5000μ
BR24501R	Replacement Blade 450mm No 1#
BR24502R	Replacement Blade 450mm No 2#
BR24503R	Replacement Blade 450mm No 3#
BR24504R	Replacement Blade 450mm No 4#
BR24505R	Replacement Blade 450mm No 5#
BR24506R	Replacement Blade 450mm No 6#
BR24508R	Replacement Blade 450mm No 8#
BR24510R	Replacement Blade 450mm No 10#
BR24512R	Replacement Blade 450mm No 12#
BR26001R	Replacement Blade 600mm No 1#
BR26002R	Replacement Blade 600mm No 2#
BR26003R	Replacement Blade 600mm No 3#
BR26004R	Replacement Blade 600mm No 4#
BR26005R	Replacement Blade 600mm No 5#
BR26006R	Replacement Blade 600mm No 6#
BR26008R	Replacement Blade 600mm No 8#
BR26010R	Replacement Blade 600mm No 10#
BR26012R	Replacement Blade 600mm No 12#
Contraction of the last	



FLOOR SQUEEGEE

CODE	DETAILS
FA-SQ91500	Floor Squeegee





FLOOR SPREADERS 600MM & 800MM

application of flowable overlay materials applied in excess flowable materials at precise thicknesses of 4mm thick.

CODE	DETAILS
FS60080	Floor Spreader 0 –30mm x 600mm
FS80080	Floor Spreader 0 –30mm x 800mm
FS60081	Replaceable Skis for 600mm Floor Spreader
FS80081	Replaceable Skis for 800mm Floor Spreader



Available in 2 sizes. The thin flexible spring steel blade allows the tool to be used as a surface smoother providing trowelling quality. It may also be used as a squeegee to apply thin film

CODE	DETAILS
SP30135	300mm long x 100mm Mild Steel
SP60110	600mm long x 100mm Mild Steel

TRIGLIDE SPREADER 600MM

A Floor Spreader is an adjustable heavy-duty spreader for A Triglide Spreader is a simple to use leveller for spreading semi

nowable materials at precise thicknesses.		
CODE	DETAILS	
TG61604	600mm x 4mm	
TG61605	600mm x 5mm	
TG61606	600mm x 6mm	
TG61608	600mm x 8mm	
TG61610	600mm x 10mm	
TG61004	Replaceable 600mm x 4mm set of 2	
TG61005	Replaceable 600mm x 5mm set of 2	
TG61006	Replaceable 600mm x 6mm set of 2	
TG61008	Replaceable 600mm x 8mm set of 2	
TG61010	Replaceable 600mm x 10mm set of 2	







BTE40104

BTE40105

BTE40106

BTE40108

BTE40110

BTE40115

BTE40116

Floor Application Tools



SKEG LEVELERS 450MM & 600MM

Skeg Levelers have four pre-set skegs that determine the depth of overlay. This tool is the perfect choice for applying self-smoothing materials to achieve uniform thickness. The skegs glide over the substrate with minimum tool chatter.

Adjustable Pin Levellers spread flooring overlay compounds in one easy application. The tools are ideal for application of floor coatings having good flow characteristics.

CODE	DETAILS
SL33452	450mm x 2mm Skeg Leveler
SL33453	450mm x 3mm Skeg Leveler
SL33454	450mm x 4mm Skeg Leveler
SL33455	450mm x 5mm Skeg Leveler
SL33456	450mm x 6mm Skeg Leveler
SL33458	450mm x 8mm Skeg Leveler
SL334510	450mm x 10mm Skeg Leveler
SL33602	600mm x 2mm Skeg Leveler
SL33603	600mm x 3mm Skeg Leveler
SL33604	600mm x 4mm Skeg Leveler
SL33605	600mm x 5mm Skeg Leveler
SL33606	600mm x 6mm Skeg Leveler
SL33608	600mm x 8mm Skeg Leveler
SL33610	600mm x 10mm Skeg Leveler
SL33002	Skeg Set of 4pcs x 2mm
SL33003	Skeg Set of 4pcs x 3mm
SL33604	Skeg Set of 4pcs x 4mm
SL33005	Skeg Set of 4pcs x 5mm
SL33006	Skeg Set of 4pcs x 6mm

ADJUSTABLE PIN LEVELLER 450MM & 600MM

CODE	DETAILS
PLR31450	450mm Pin Leveller – adjustable 0 – 10mm
PLR31600	600mm Pin Leveller – adjustable 0 – 10mm
PLR31450R	Replacement Round Pin Plate 450mm
PLR31600R	Replacement Round Pin Plate 600mm





BROOMSTICK HANDLES

CODE	DETAILS
FA-HW1200	25mm x 1.2m - Wooden Broomstick
FA-HA1500	25mm x 1.5m - Aluminium Broomstick
FA-HM1400	25mm x 1.4m to 2.5m Metal Telescopic Broomstick

1.2m Wooden Broomstick 1.5m Aluminium Broomstick

1.4m to 2m Metal Telescopic Broomstick



SI 33008

SI 33010

RAIMONDI FLUID MIX
A mixing drum attached to a trolley to easily manoeuvre and pour out the contents. Mixing Machine Not Included - We recommend our AGP

Skeg Set of 4pcs x 8mm Skeg Set of 4pcs x 10mm

> ADJUSTABLE SCREED BOX
> For use with cement bound or resin-based mortars. After adjusting the front screeding plate to the required height the surfacing material is applied to a uniform finished thickness. There is no need for screeding bars, or time consuming inefficient setting up, just set the height and weight the ballast

cavity, then load with material and pull! The use of a screeding box will speed up application for a level flooring finish of consistent quality. Any abutting runs may be filled and smoothed by hand trowelling.

CODE	DETAILS
RA238EUN	Raimondi Fluid Mix Bucket





AGP EVI60
The AGP EV series are electric mixers with revolutionary ergonomic design and sturdy mechanics. Electronic speed control thumb wheels allow the operator to adjust the speed without taking his hands off the handles. Features a locking trigger switch & fibre reinforced nylon motor housing with

easily accessible brushes.		
CODE	PTM-EVI60	
Voltage	230V	
Power	1600W	
Load Speed	180 - 350 / 280 - 550rpm	
Thread	M14	
Shipping Dimensions	580 x 240 x 330mm	
Weight	5.6kg	
	1931	

MI4 PADDLE MIXERS

Helix style mixing paddles to fit the AGP EV160 and mixers that accept a M14 thread.

CODE	DETAILS
PT0101003	160 x 590mm x M14 (General Purpose)
PT0101004	120 x 590mm x M14 (High Viscosity)
PT0101005	140 x 590mm x M14 (High Viscosity)
PT0101006	160 x 590mm x M14 (Highest Viscosity)







SCANMASKIN POWER TROWEL

coloured granules, and floorings of natural stone.
We have different blades for different applications:

Compact Blades: Made to be used on floor where you scatter the sand into the surface of slurry and then trowel the surface to a smooth and nice surface.

White Flex: Made to be used on when you mix the sand and epoxy to a mortal and bring the coating on the floor with a

White Plastic: Made to be used on when you mix the sand and epoxy to a mortal and bring the coating on the floor with

CODE	DETAILS
SCM-220000	Electric Power Trowel
SCC-230000	Compact Blade
SCC-230004	White Plastic Flex Blade (Single Blade)
SCC-230009	White Plastic Flex Blade (Complete Set)



SCANMASKIN

MACHINES-MINERALS-KNOW-HOW

FROM SMALL TO LARGE **GRINDING MACHINES**



SEE OUR COMPLETE RANGE AT www.MACTOOL.co.za

Wet Blades



Dry Blades

SEGMENTED STONE

Dry economy cutting of granite and marble products.

CODE	DETAILS
HQS125P	125 x 2.2 x 8 x 22.23mm
HQS180P	180 x 2.4 x 8 x 25.4mm
HQS230E	230 x 2.6 x 8 x 22.23mm

TURBO **SEGMENTED CYCLONE**

Super fast cutting of all natural and engineered stone products.

CODE	DETAILS
BTY230P	230 x 2.9 x 8 x 22.23mm



SILENT CENTRE GRANITE - CYCLONE



DETAILS	CODE	DETAILS
350 x 15 x 50/60mm	BGS300P	300 x 12 x 50/60mn
400 x 15 x 50/60mm	BGS350P	350 x 12 x 50/60mm
450 x 15 x 50/60mm	BGS400P	400 x 12 x 50/60mm
500 x 15 x 50/60mm	BGS450P	450 x 12 x 50/60mm
600 x 15 x 50/60mm	BGS500P	500 x 12 x 50/60mm
800 x 15 x 100mm	BGS600P	600 x 12 x 50/60mm





TURBO SEGMENTED

Dry cutting of granite and marble products.

CODE	DETAILS
HQS230ET	230 x 2.8 x 15 x 22.23mm



LUDE	DETAILS
BGS115S	115 x 2.2 x 7 x 22.23mm
BGS125S	125 x 2.5 x 7 x 22.23mm
BGS180S	180 x 2.6 x 7 x 25.4mm
BGS230S	230 x 2.8 x 7 x 22.23mm



SILENT CENTRE

QUARTZ - CTCCUNC		
CODE	DETAILS	
HQS400Q	400 x 2.8 x 8 x 50/60mm	

STANDARD CENTRE **MARBLE**

CODE	DETAILS
HQM350P	350 x 10 x 50/60mm - Economy*
HQM400P	400 x 10 x 50/60mm - Economy*
BGS400M	400 x 12 x 50/60mm - Premium
BGS500M	500 x 12 x 50/60mm - Premium





BTW230P

LTG230P

TURBO WAVE
For fast and smooth cutting of all natural stone, engineered
For super fast cutting of all natural and engineered stone stone, and building products. Suitable for dry or wet use.

CODE	DETAILS
BTW115P	115 x 2.2 x 10 x 22.23mm
BTW125P	125 x 2.2 x 8 x 22.23mm
BTW180P	180 x 2 5 x 8 x 25 4mm

230 x 2.6 x 8 x 22.23mm

products.

CODE	DETAILS
BTX125P	125 x 2.2 x 9 x 22.23mm
BTX180P	180 x 2.6 x 9 x 25.4mm
BTX230P	230 x 2.9 x 9 x 22.23mm



STANDARD CENTRE SANDSTONE

BGT300P 300 x 3.2 x10 x 25.4mm BGT350P 350 x 3.2 x 10 x 25.4mm BGT450P 450 x 3.6 x 10 x 25.4mm 700 x 6.5 x 15 x 50/60mm HQN700P 800 x 7 x 15 x 50/60mm HQN800P

STANDARD CENTRE GRANITE

CODE	DETAILS
BGS350N	350 x 10 x 50/60mm
BGS400N	400 x 12 x 50/60mm
BGS450N	450 x 12 x 50/60mm





CODE	DETAILS
LTG125P	125 x 2.2 x 8 x 22.23mm
LTG150P	150 x 2.6 x 8 x 22.23mm
LTG180P	180 x 2.6 x 9 x 25.4mm
LTG200P	200 x 2.8 x 8 x 22.23mm

230 x 2.8 x 9 x 22.23mm

TURBO PREMIUM
For fast and smooth cutting of all natural stone, engineered stone, and building products. Suitable for dry or wet use.

T-SEGMENTED CONCAVE
For cutting oval or circular shapes in all natural and engineered stone products. For wet and dry use.

CODE	DETAILS
BSC125P	125 x 3.5 x 8 x 22.23mm - Economy
BSC180P	180 x 2.5 x 9 x 22.23mm - Economy
LSC125PP	125 x 2.8 x 8 x 22.23mm - Premium
LSC180PP	180 x 3.2 x 9 x 22.23mm - Premium





SINTERED STONE & PORCELAIN TURBO - WET/DRY

:ODE	DETAILS
NT125DN	125 x 1.3 x 22.23mm
NT180DN	185 x 1.8 x 22.23mm

SINTERED STONE & PORCELAIN LASER SLOT - WET/DRY

CODE	DETAILS
BNC115P	115 x 1.3 x 22.23mm
BNC125P	125 x 1.3 x 22.23mm
DNIC100D	100 v 1 7 v 22 22mm





Achilli & Blue Ripper Blades



TURBO SEGMENTED WET CUTTING

CODE	DETAILS
BBR350P25	Achilli Diamond Blade - 25.4mm Bore
BBR350P60	Blue Ripper Diamond Blade - 60mm Bore





SINTERED STONE & PORCELAIN THIN TURBO - WET/DRY



Tool - Co

00000

LTE115P 115 x 7.5 x 1.3 x 22.23mm LTE125P 125 x 7.5 x 1.4 x 22.23mm LTE180P 180 x 7.5 x 1.8 x 22.23mm

the F120 or F240 side of the abrasive bar. It's advisable to use a clamp to secure the bar for better control while using the blade sharpening abrasive bar.

BLADE SHARPENING ABRASIVE BARS

PED-10040	250 x 50 x 25mm x F120/240
1900	
	max 5 mm

* BLADES TO BE DISCONTINUED IN 2024





ADW Diamond Blades

ADW Diamond Blades

ADW JOKER SILENT CENTRE MULTI-PURPOSE

The ADW JOKER is not your ordinary cutting tool; it's a multi-purpose silent center designed to revolutionize your cutting experience. With one blade that seamlessly tackles a wide range of materials and delivers exceptional cutting speed and a pristine finish, the ADW JOKER stands out as the go-to choice for various applications.

Ultracompact Surfaces: up to 2.5 meters a minute Natural Quartzite: up to 3 meters a minute Marble: up to 4 meters a minute Quartz Stone: up to 6 meters a minute Granite: up to 6 meters a minute

CODE	DETAILS
BGS350US	ADW JOKER - 350mm x 10mm x 60mm Bore - 2450rpm
BGS400US	ADW JOKER - 400mm x 10mm x 60mm Bore - 2100rpm
BGS450US	ADW JOKER - 450mm x 10mm x 60mm Bore - 1900rpm
BGS500US	ADW JOKER - 500mm x 10mm x 60mm Bore - 1700rpm



The ADW Jumbo is your answer to the demands of high-speed cutting in the world of granite, quartzite, and engineered quartz stone. This silent center boasts exceptional RPM, making it a game-changer for professionals seeking both speed and quality in their cutting tasks. Featuring innovative Positioned Diamonds technology DOCTO, this technology's precise distribution of diamond particles in the segment, ensuring consistent and top-tier performance.

MATERIAL CUT SPEEDS

Natural Quartzite: up to 5 meters a minute Quartz Stone: up to 12 meters a minute Granite: up to 10 meters a minute

CODE	DETAILS
BGS350QS	ADW JUMBO - 350mm x 20mm x 60mm Bore - 2450rpm
BGS400QS	ADW JUMBO - 400mm x 20mm x 60mm Bore - 2100rpm
BGS450QS	ADW JUMBO - 450mm x 20mm x 60mm Bore - 1900rpm
BGS500QS	ADW JUMBO - 500mm x 20mm x 60mm Bore - 1700rpm




The V30 will replace the V25 in 2024

ADW IKON V25 SINTERED STONE & PORCELAIN (TO BE DISCONTINUED IN 2024)

MATERIAL CUT SPEEDS

12mm Thick Slabs: up to 1.5 meters a minute 20mm Thick Slabs: up to 1 meter a minute

CODE	DETAILS
BGS350DS1	ADW IKON V25 - 350mm x 10mm x 60mm Bore - 2300rpm
BGS400DS1	ADW IKON V25 - 400mm x 10mm x 60mm Bore - 2000rpm
BGS450DS1	ADW IKON V25 - 450mm x 10mm x 60mm Bore - 1800rpm
BGS500DS	ADW IKON V25 - 500mm x 10mm x 60mm Bore - 1600rpm



The all new ADW Ikon v30 is a specialized bridge saw blade tailored for cutting ultra-compact surfaces and sintered stone slabs with precision. It boasts 10mm high segments with a unique sandwich lazer silent center, featuring reinforced corners of a different bond that ensures straight cutting and minimizes segment rounding. Additionally, the closely spaced segments help prevent chipping during use.

MATERIAL CUT SPEEDS 8mm Thick Slabs: up to 3.5 meters a minute 12mm Thick Slabs: up to 2.5 meters a minute 20mm Thick Slabs: up to 1.5 meter a minute

on the course of the tree of the course of t		
CODE	DETAILS	
BGS350DS2	ADW IKON V30 - 350mm x 10mm x 60mm Bore - 2700rpm	
BGS400DS2	ADW IKON V30 - 400mm x 10mm x 60mm Bore - 2400rpm	
BGS450DS2	ADW IKON V30 - 450mm x 10mm x 60mm Bore - 2100rpm	
BGS500DS2	ADW IKON V30 - 500mm x 10mm x 60mm Bore - 1800rpm	
יטא ועטא זיסט כדבט		



ADW IKON V30 STEP SINTERED STONE & PORCELAIN

tely silent version of the Ikon V30 with a step up in thickness in the middle of the blade for reinforcement.

MATERIAL CUT SPEEDS

8mm Thick Slabs: up to 4 meters a minute 12mm Thick Slabs: up to 3.5 meters a minute 20mm Thick Slabs: up to 2.3 meter a minute

	De Mies
BGS350DS3	ADW IKON V30 Step - 350mm x 10mm x 60mm Bore - 2700rpm
BGS400DS3	ADW IKON V30 Step - 400 mm x 10 mm x 60 mm Bore - 2400 rpm
BGS450DS3	ADW IKON V30 Step - 450mm x 10mm x 60mm Bore - 2100rpm
BGS500DS3	ADW IKON V30 Step - 500mm x 10mm x 60mm Bore - 1800rpm



ADW IKON V7

ADW MARMOFAST

Marble: up to 3 meters a minute

Limestone: up to 4 meters a minute

MARBLE, SINTERED STONE & PORCELAIN

BGS400MS ADW MARMOFAST - 400mm x 8mm x 50/60mm - 2150rpm

SILENT CENTRE MARBLE & LIMESTONE

	CODE	DETAILS
,	BGS220DS	ADW IKON V7 MITRE CUT - 220mm x 3.2mm x 60mm



ADW EPIC

SINTERED STONE & PORCELAIN

The ADW Epic Blade is a specialized solution designed for ultra-compact surfaces. Crafted with a unique bond, this blade effortlessly handles the density of these surfaces, offering precise and clean cuts. The ADW Epic Blade features a turbo rim for accuracy and a drilled body for efficient cooling.

The ADW Marmofast marble blade is ideal for cutting all marbles and limestones. The blade cuts fast and give a really high quality smooth edge. The segments are a bronze alloy and are 8mm high. The body of the blade is made of a metal/rubber/metal sandwich which absorbs vibration and reduces noise.

Kev Features:

For Ultra-Compact Surfaces: Purpose-built to excel on ultra-compact surfaces, which are exceptionally dense and challenging materials for cutting.

Designed for Efficiency: The blade's turbo rim design guarantees accuracy, allowing for neat and clean cuts, essential when working with ultra-compact materials, while the drilled holes enable efficient cooling during operation, preventing overheating and ensuring prolonged blade life.

CODE	DETAILS
BGS125DN	ADW EPIC - 125mm x 10mm x 22.23mm - 12000rpm
BGS180DN	ADW EPIC - 180mm x 10mm x 22.23mm - 9000rpm
BGS200DN	ADW EPIC - 200mm x 10mm x 25.4mm - 6600rpm
BGS230DN	ADW EPIC - 230mm x 10mm x 22.23mm - 6600rpm
BGS300DN	ADW EPIC - 300mm x 10mm x 25.4mm (Bush to 22.23mm) - 3600rpm



ADW LIJA

VACUUM BRAZED GRINDING CUPS

For wet grinding of ultra-compact surfaces, which are exceptionally dense and challenging materials for grinding.

CODE	DETAILS
LVCG115F	ADW LIJA VACUUM BRAZED GRINDING CUP - 115mm x M14 - Fine
LVCG115M	ADW LIJA VACUUM BRAZED GRINDING CUP - 115mm x M14 - Medium
LVCG115C	ADW LIJA VACUUM BRAZED GRINDING CUP - 115mm x M14 - Course



KGS HYBRID DIAMOND FLAP DISC

Hybrid wet and dry 50 grit diamond flap disc for grinding and polishing granite, hard marble, concrete, and

CODE	DC IAICS
GPF10050	KGS WET/DRY FLAP DISC - 115mm x 22.23mm / M14 x 50# - 63m/s @ 10500rpm



ADW DEKTOOL **ULTRACOMPACT SURFACES CORE BIT**

and core drills to cope with drilling very dense material, approved for use on ultracompact surfaces.

ODE	DETAILS
3NE006	ADW DEKTOOL - 6mm x 10mm x M14
3NE008	ADW DEKTOOL - 8mm x 10mm x M14
BNE010	ADW DEKTOOL - 10mm x 10mm x M14
BNE020	ADW DEKTOOL - 20mm x 10mm x M14
BNE025	ADW DEKTOOL - 25mm x 10mm x M14
BNE035	ADW DEKTOOL - 35mm x 10mm x M14

Stone Tools



Polishing Pads

WET POLISHING PADS **STANDARD**

BPP0100

BPP0200

BPP0400

BPP0800

BPP1500

BPP3000

BPC0025

BPC0050

BPC0100

BPC0200

BPC0400

BPC0800

BPC1500

BPC3000

100 x 3mm x 50# Light Blue

100 x 3mm x 100# Dark Blue

100 x 3mm x 200# Yellow

100 x 3mm x 400# Orange

100 x 5mm x 25# Dark Blue

100 x 5mm x 50# Light Blue

100 x 5mm x 100# Navy Blue

100 x 5mm x 200# Yellow

100 x 5mm x 400# Orange

100 x 5mm x 1500# Dark Green 100 x 5mm x 3000# Light Green

100 x 5mm x 800# Red

100 x 3mm x 800# Red

WET POLISHING PADS **PROFESSIONAL**





JENNY LIND

GPG0050

GPG0200

GPG0400

GPG10050

GPG10200

GPG10400

METAL

180mm x 50#

180mm x 200#

180mm x 400#

220mm x 50#

220mm x 200#

220mm x 400#



CODE		ETAILS
GPG33	8000 P	olishing Buff Wheel 200mm
GPG30)500 2	00mm x 500#
GPG30	0800 2	00mm x 800#
GPG31	.500 2	00mm x 1500#
GPG40)500 2	50mm x 500#
GPG40	0800 2	50mm x 800#
GPG41	.500 2	50mm x 1500#





WET POLISHING PADS 5MM THICK PREMIUM

3 STEP WET POLISHING PADS **IOOMM PREMIUM**

CODE	DETAILS
BPT0001	100 x 2.4mm x №1
BPT0002	100 x 2.4mm x №2
BPT0003	100 x 2.4mm x №3



DRUM WHEELS D50 X 40MM GRINDING & POLISHING

POLISHING POWDER

JENNY LIND

Used for polishing stone surfaces, including marble, granite, and quartz. Its high hardness and fine particle size make it an effective abrasive for smoothing and bringing a high luster to various types of stone.

Calcined Alumina Powder - 1kg

Calcined Alumina Powder - 30kg

CODE	DETAILS
LPD5040	M14 - Metal
LPD0050	50# x M14 - Black
LPD0100	100# x M14 - Yellow
LPD0200	200# x M14 - Orange
LPD0400	400# x M14 - Red
LPD0800	800# x M14 - Green
LPD1500	1500# x M14 - Blue
LPD3000	3000# x M14 - Brown





WET POLISHING PADS WHITE

3 STEP WET POLISHING PADS **ISOMM PREMIUM**

150mm x 3mm x №1

150mm x 3mm x №2

150mm x 3mm x №3

CODE	DETAILS
BPN0050	100 x 3mm x 50# Light Green
BPN0100	100 x 3mm x 100# Dark Blue
BPN0200	100 x 3mm x 200# Yellow
BPN0400	100 x 3mm x 400# Light Blue
BPN0800	100 x 3mm x 800# Dark Green
BPN1500	100 x 3mm x 1500# Orange
BPN3000	100 x 3mm x 3000# Pink



GRINDING X BLOCKS

POLISHING BLOCKS

ODE	DETAILS
PGX0	X0 24# Green
PGX1	X1 36# Black
PGX2	X2 60# Orange
PGX3	X3 120# Red
PGX4	X4 320# Yellow

REBUFF



SILICONE CARBIDE ANTIQUING BRUSHES

Used for cleaning and applying textured finished on marble,

Antiquing Brush 46#

Antiquing Brush 60#

Antiquing Brush 120#

Antiquing Brush 240#

Snail Lock 100mm x M14

Snail Lock 100mm x 5/8

80 x 40 mm x M14 x 120#

Snail Lock 127mm x M14 (150mm)

Snail Lock Velcro Backing Pad 115mm

limestone, granite, ceramic, and agglomerates.

PPOW001

PPOW040

WHA046

WHA240

SNLK2

SNLK1

SNLK3

SNLKBP115





DRY POLISHING PADS PREMIUM

CODE	DETAILS
BPD0050	100 x 1.5mm x 50# Dark Blue
BPD0100	100 x 1.5mm x 100# Yellow
BPD0200	100 x 1.5mm x 200# Orange
BPD0400	100 x 1.5mm x 400# Red
BPD0800	100 x 1.5mm x 800# Green
BPD1500	100 x 1.5mm x 1500# Light Blue
BPD3000	100 x 1.5mm x 3000# Brown

VELCRO BACKING PADS

CODE	DETAILS
BPAD115	105mm x M14
BPAD100A	105mm x 5/8
BPAD100F	105mm x M14 - Flexi Foam
BPAD100R	105mm x M14 - Foam
BPAD105R	105mm x M14 - Flexi Rubber
BPAD150	150mm x M14
	BPAD115 BPAD100A BPAD100F BPAD100R BPAD105R











FELT BUFF

GCP02

GCP03

GCP04

GCP05

CODE	DETAILS
FELTBUFF10030	100 x 30mm
FELTBUFF15030	150 x 30mm

SNAIL LOCK









DIAMOND POLISHING PADS HANDHELD BLOCKS

Versatile, general purpose tools that are used for a wide variety of manual applications such as grinding and polishing of glass, ceramics, stone, porcelain or composites. They are often used dry, but if used to obtain a more polished finish, they must be used wet, - plain water is usually sufficient.

CODE	DETAILS
BPH0060	Pink 60mm x 95mm x 60#
BPH0100	Orange 60mm x 95mm x 100#
BPH0200	Green 60mm x 95mm x 200#
BPH0400	Purple 60mm x 95mm x 400#

BPT1501

BPT1502

BPT1503

DIAMOND SANDPAPER

Upgrade your abrasives with our cutting-edge alternative to traditional sandpaper. Up to 2-4 times more aggressive than conventional abrasives, offering superior polishing without discoloration, and exceptional durability. Coarse grits last 3-4 times longer, fine grits up to 15 times longer, minimizing disc changes for enhanced efficiency. Eco-friendly, it reduces resin dust and waste, compatible with standard and high-speed angle grinders. Color-coded for quick identification.





SNAIL LOCK SPIRAL MAGNESITE WHEEL

Number 1 - 90 x 28mm - 36# Blue

Number 2 - 90 x 28mm - 120# Red

Number 3 - 90 x 28mm - 320# Yellow

Number 4 - 90 x 28mm - 400# Green

Number 5 - 90 x 28mm - 800# Grey

CODE	DETAILS	COD
WHG060	Spiral Magnesite Wheel - 150mm x 60#	CAP
WHG220	Spiral Magnesite Wheel - 150mm x 220#	CAP
WHG320	Spiral Magnesite Wheel - 150mm x 320#	CAP
WHG400	Spiral Magnesite Wheel - 150mm x 400#	CAP
WHG600	Spiral Magnesite Wheel - 150mm x 600#	CAP
WHGBUFF	Spiral Magnesite Wheel - 150mm x BUFF	

MI4 SHAPING WHEEL

80 x 40mm x M14 x 24# 80 x 40mm x M14 x 36# 80 x 40mm x M14 x 60# 80 x 40mm x M14 x 80#





Stone Tools



MITRE CLAMP

simple to use, it features a built-in square, fascia clamping rod, and fascia retaining arm.

CODE	DET	AILS	
00110001	o.l	450 4 411	-

GRMC001 Clamp 45° Mitre Clamp



CODE	DETAILS
GRTL001	Lifter - 50mm slab - 1300kg
GRTI 002	Lifter - 75mm slah - 1500kg





CORE DRILLING GUIDES correct pos skipping on

CODE FTT00116

FTT00118

GM0020



FTT00118 - 20-65mm

SILICONE SEALANT TOOLS The Diamond Core Bit Guide will keep your core bit in the Various tools used for applying and working with silicone

sition and prevent the core bit from jumping or your work piece.		
Details	CODE	DETAIL



Grey 300 micron - 620mm x 25m

VINYL SANDBLASTING

Diamond Core Bit Guide (Small) 5-12mm

Diamond Core Bit Guide (Large) 20-65mm

Silicone Sealant Gun Bulk Fill Gun 12inch Silicone Sealant Set





GRTI 003

SLAB LIFTING CLAMP

Pair of Clamps - 40mm slab - 250kg each



FIBERGLASS RODDING DISPENSER

Dispenser to easily store and cut fibreglass rodding to the required length.



FIBREGLASS RODDING

Protect your natural stone installations with fibreglass installat intricate for use a

reinforced rods. Reinforcing of stone counter-tops is highly recommended to prevent breakages during transport and installation. The reinforcing rods can also be used to hold intricate patterns within the material together. Recommended for use around basins and thinner areas of stone.		
Sold per meter	r.	
CODE	DETAILS	
GR0001	3.17 x 6.35mm	



SINK HOLE SAVER & CLAMPS

Protects finished stone slabs from breaking during lifting, transport and installation. Ideal for reinforcing counter-tops oiled for protection and longevity. and backslashes. The stiffening rail is strong and light weight

Fiberglass Rodding Dispenser

Tape Measure 3m x 16mm

Rubber Case Magnetic H/D

Tape Measure 5m x 19mm

Rubber Case Magnetic H/D

Tape Measure 8m x 25mm

Rubber Case Magnetic H/D

Tape Measure 10m x 25mm

Rubber Case Magnetic H/D Tape Measure 3m x 16mm

Tape Measure 5m x 19mm

Tape Measure 8m x 25mm

Plastic Case 2-Stop

Plastic Case 2-Stop

Plastic Case 2-Stop

CODE	DETAILS	CODE
GRMC002	Sink Hole Saver 2.44m Bar	GM0034
GRMC003	Clamp for Sink Hole Saver	GM0033
		GM0032



TRIMMER BLADES













MASKING TAPE

TAPE MEASURES

MTT09000

MTT09001

MTT09002

MTT09003

MTT09008

MTT09009

MTT09010

Rubber and plastic covered tape measures. DETAILS

Various widths of masking tape

CODE	DETAILS
GM0018	18mm x 40m x 80C - Box of 48
GM0011	24mm x 40m x 80C - Box of 36
GM0013	36mm x 40m x 80C - Box of 24
GM0010	48mm x 40m x 80C - Box of 24

SUCTION CUPS

Suction cups used for lifting slabs and tiles.

Single Suction Cup

Raimondi Single Suction Cup

Note: Chalk line includes chalk refill.

DETAILS

Spirit Level 400mm

Spirit Level 600mm

Chalk Line - Including Chalk

Yellow China Markers (Single)

Red China Markers (Single)

CODE

MTT09004

MTT09005

MTT09007

GM0004

GM0005





TOOL-CO MITRE JOINT ADHESIVE

A non-flexible solid adhesive that has extremely high strength and precise glue application. It's fast drying in winter and it never cracks, has no whitening, no blackening, no mold, no yellowing, 100% seamless splicing effect, and provides environmental protection with high efficiency. All products comply with EU SGS-ROHS, REACH, and ISO9001 certification. Material Bonding: sintered stone, quartz stone, granite, marble, etc.

Working Time: 8-10 minutes @ 24 °C Polishing Time: 18-22minutes @ 24 °C Mixing Ratio of Glue to Curing Agent: $10\ {\rm to}\ 1$

•	
CODE	DETAILS
GSG0001	Mitre Joint Adhesive Iron Moss 250ml
GSG0002	Mitre Joint Adhesive Perfect White 250ml
GSG0003	Mitre Joint Adhesive Chameleon 250ml
GSG0004	Mitre Joint Adhesive Black 250ml
GSG0005	Mitre Joint Adhesive Ash 250ml
GSG0006	Mitre Joint Adhesive Quarry 250ml
GSG0007	Mitre Joint Adhesive Sand 250ml
GSG0008	Mixing Tip 250ml
GSG0000	Mitre Joint Adhesive Dispenser 250ml



Silicone





SOUDAL SILICONE

CODE GS1001 Universal - Black - 270ml G\$1002 Universal - White - 270ml G\$1006 Universal - Clear - 270ml GS1007 Paintable Sealant Acrylic - White - 270ml GS1008 Fix All High Tack - Black - 290ml GS1010 Fix All High Tack - White - 290ml GS1011 Fix All High Tack - Crystal - 290ml GS1012 Soudaflex 40FC - White - 600ml GS1013 Pro Nails Solvent Free - 310ml GS1014 Silirub NES - 280ml

SILTECH SILICONE







MTT13002

Vacuum Brazed Tools

Core Drill Bits

Vacuum Brazed Tools

GRANITE CORE DRILLS

BLACK
Economic drilling of all marble and granite.
Good life with slower drilling speed.
USE WITH WATER

CODE	DETAILS
BZG020P	Core Drill Bit - 20 x 105mm x M14
BZG025P	Core Drill Bit - 25 x 105mm x M14
BZG032P	Core Drill Bit - 32 x 105mm x M14
BZG035P	Core Drill Bit - 35 x 105mm x M14
BZG051P	Core Drill Bit - 51 x 105mm x M14
BZG065P	Core Drill Bit - 65 x 105mm x M14
BZG080S	Core Drill Bit - 80 x 105mm x M14
BZG085P	Core Drill Bit - 85 x 105mm x M14
BZG102P	Core Drill Bit - 102 x 105mm x M14
GAD008	Adaptor Pin to M14
GAD006	Adaptor Pin to 5/8

SINTERED STONE & PORCELAIN CORE DRILL BITS

CODE	DETAILS
BND006	Core Drill Bit - 6mm x M14
BND008	Core Drill Bit - 8mm x M14
BND012	Core Drill Bit - 12mm x M14
BND020	Core Drill Bit - 20mm x M14
BND025	Core Drill Bit - 25mm x M14
BND035	Core Drill Bit- 35mm x M14
BND040	Core Drill Bit- 40mm x M14
BND045	Core Drill Bit- 45mm x M14
BND051	Core Drill Bit- 51mm x M14
BND060	Core Drill Bit- 60mm x M14
BND081	Core Drill Bit- 81mm x M14
BND095	Core Drill Bit- 95mm x M14
BND100	Core Drill Bit- 100mm x M14

VACUUM BRAZED

DIAMOND CORE BITS

STONE & TILE CORE DRILLS BLUE

Fast drilling into all types of tiles: Porcelain, ceramics, and natural stone USE WITH WATER

DETAILS

	LZG005P	Dowel Drill Bit - 5 x 40mm x Straight Shank
	LZG006P	Dowel Drill Bit - 6 x 40mm x Straight Shank
	LZG008P	Core Drill Bit - 8 x 40mm x Straight Shank
	LZG010P	Core Drill Bit - 10 x 40mm x Straight Shank
	LZG012P	Core Drill Bit - 12 x 40mm x Straight Shank
	LZG014P	Core Drill Bit - 14 x 40mm x Straight Shank
	LZG016P	Core Drill Bit - 16 x 40mm x Straight Shank
	LZG006M	Core Drill Bit - 6 x 40mm x M14
	LZG008M	Core Drill Bit - 8 x 40mm x M14
	LZG010M	Core Drill Bit - 10 x 40mm x M14
	LZG016M	Core Drill Bit - 16 x 40mm x M14
	LZG018P	Core Drill Bit - 18 x 40mm x M14
-	LZG020P	Core Drill Bit - 20 x 50mm x M14
	LZG025P	Core Drill Bit - 25 x 50mm x M14
	LZG032P	Core Drill Bit - 32 x 70mm x M14
	LZG035P	Core Drill Bit - 35 x 70mm x M14
	LZG040P	Core Drill Bit - 40 x 70mm x M14
	LZG045P	Core Drill Bit - 45 x 70mm x M14
	LZG052P	Core Drill Bit - 52 x 70mm x M14
	LZG065P	Core Drill Bit - 65 x 70mm x M14
	LZG078P	Core Drill Bit - 78 x 70mm x M14
	LZG080P	Core Drill Bit - 80 x 70mm x M14
	LZG090P	Core Drill Bit - 90 x 70mm x M14
	LZG095P	Core Drill Bit - 95 x 70mm x M14
	LZG102P	Core Drill Bit - 102 x 70mm x M14
	LZG120P	Core Drill Bit - 120 x 70mm x M14
	GAD008	Adaptor Pin to M14
	GAD006	Adaptor Pin to 5/8

LVED01

LVED02

IVFD03

LVED07

LVED10

LVED11

LVED15

IVFD19

VACUUM BRAZED **ENGRAVING BITS**

Our vacuum brazed diamond core bits are designed to give you uncomplicated, clean, smooth and chip-free holes in ing and engraving applications.

orccium.	
CODE	DETAILS
LVRC020P	20 x 3.5 x 7mm x M14
LVRC025P	25 x 3.5 x 7mm x M14
LVRC032P	32 x 3.5 x 7mm x M14
LVRC035P	35 x 3.5 x 7mm x M14
LVRC040P	40 x 3.5 x 7mm x M14
LVRC045P	45 x 3.5 x 7mm x M14
LVRC050P	50 x 3.5 x 7mm x M14
LVRC060P	60 x 3.5 x 7mm x M14
LVRC065P	65 x 3.5 x 7mm x M14
LVRC070P	70 x 3.5 x 7mm x M14
LVRC075P	75 x 3.5 x 7mm x M14
LVRC082P	82 x 3.5 x 7mm x M14
LVRC090P	90 x 3.5 x 7mm x M14
LVRC102P	102 x 3.5 x 7mm x M14
LVRC120P	120 x 3.5 x 7mm x M14

fibreglass, fibre concrete, ceramic, granite tops, marble or

LUDE	DETAILS
LVED01	D1 x 6mm Straight Shank
LVED02	D2 x 6mm Straight Shank
LVED03	D3 x 6mm Straight Shank
LVED07	D7 x 6mm Straight Shank
LVED10	D10 x 6mm Straight Shank
LVED11	D11 x 6mm Straight Shank
LVED15	D15 x 6mm Straight Shank
LVED19	D19 x 6mm Straight Shank
LVED50/40	D50 x 8mm x 40# Straight Shank
LVED50/60	D50 x 8mm x 60# Straight Shank
LVED50/80	D50 x 8mm x 80# Straight Shank

FINGER MILLING BIT VACUUM BRAZED COUNTERSINK CONE

CODE	DETAILS	CODE	DETAILS
LVEM1001	10 x 25mm x M14	LVES1013	2mm to 50mm x M14
		LVES1014	2mm to 70mm x M14



VACUUM BRAZED CUTTING DISCS

CODE	DETAILS
LVEC1030	ELECTROPLATED BLADE 30mm X M14
LVEC1040	ELECTROPLATED BLADE 40mm X M14
LVEC1050	ELECTROPLATED BLADE 50mm X M14
LVEC1075	ELECTROPLATED BLADE 75mm X M14
LVEC1080	ELECTROPLATED BLADE 80mm X M14
LVEC1001	M14 X 90mm MALE TO FEMALE ADAPTOR





is ideal for tasks such as partially flattening floors and finely edging marble or granite boards.



CONCAVE AND CONVEX

TOOL-CO EXTREME THIN A specialised blade for cutting and griding porcelain and glass.

CODE	DETAILS
LVC115CG30	115 x 1.5 x 30 x 22.23m

LVB350C Concave 350mm x 60mm Bore LVB350I Convex 350mm x 60mm Bore



Grinding & Shaping



TURBO CUP GRINDER PREMIUM

CODE	DETAILS
LCGC105P	105mm x M14 - Course
LCGM105P	105mm x M14 - Medium
LCGF105P	105mm x M14 - Fine

HCGC105C 105mm x M14 - Course HCGM105C 105mm x M14 - Medium HCGF105C 105mm x M14 - Fine



SHAPING WHEELS

100			
2	CODE		
NAME OF TAXABLE PARTY.	LVC125CG		
	LGVB125		

CODE	DETAILS
LVC125CG7.5	Cutting & Grinding 125mm x 7.5mm x M14
LGVB125	Grinding Wheel 125mm x 22.23mm

CUTTING & GRINDING WHEELS



TURBO CUP GRINDER

ECONOMY



CERAMIC CUP WHEELS

Specially designed bond for improved edge work, reducing scratches and gauging that metal cup wheels leave.

CODE	DETAILS
LCX125030	125mm x 30# x M14
LCX125050	125mm x 50# x M14

DRAINAGE GROOVE WHEEL





CULE



EDGE PROFILE MILLING MACHINE


Perfect for almost all of your profiling needs. It offers 0-8500rpm, this makes it perfect for polishing as well as cutting. The revolutionary hydrofloat base is extremely easy to operate. The machine glides on water, without even touching the stone. No need to cover up the stone before use or no replacing rollers!

Max Stone Thickness: 20mm Diamond Grinding Wheel: 90mm No Load Speed: 0-8500rpm

שטט.	DETAILS
OM000T001	2000w Edge Profile Milling Machine

EDGE PROFILING TOOLS

































SINK HOLE COUNTERSINK BIT

LUDE	DETAILS
LVES1023	40-60mm x M14
LVES1024	45-65mm x M14
LVES1025	50-70mm x M14

Bellinzoni Sealants



Bellinzoni Glues

MASTIC 2000

solid form for vertical use and is also available in multiple fill or recti

CODE	DETAILS
GB02802	Glue Yellow Solid Kit 750ml
GB02803	Glue Yellow Solid Kit 5L
GB02804	Glue Yellow Solid Kit 17L
GB02902	Glue White Solid Kit 750ml
GB02903	Glue White Solid Kit 5L
GB02904	Glue White Solid Kit 17L
GB03102	Glue Transparent Solid 750ml
GB03103	Glue Transparent Solid 5L
GB03104	Glue Transparent Solid 17L
GB04002	Catalyst Hardener 40ml
GB04003	Catalyst Hardener 180ml

Two-component polyester mastic for the filling and smoothing, ideal for bonding and filling marble, granite, travertine and natural stones. MASTIC 2000 is available in higher adhesive power, its performance makes it useful to high resist

> CODE GB03301

higher adhesive power, its performance makes it useful to fill or rectify also big imperfections on works that otherwise would be considered waste. Weather-proof and with a very high resistance to solvent, alkali and acid, is the best filler-paste for marbles and granites.		6-
CODE	DETAILS	
GB03301	Epoxy A - 1lt	(PO
GB03302	Epoxy B - 250ml	

IMPREPOX 1000

Two-component epoxy system processing field to restore a surfaces, porous and leaky co to reinforce the rear of natural

processing surfaces, po	field to restore and consolidate natural stone rous and leaky concrete and cement objects, and the rear of natural stone slabs subject to breakage.	nethospor	
CODE	DETAILS	Spinish .	nelly.
GB04501	Premium Extra Fluid Epoxy A 1kg		0111
GB04502	Premium Extra Fluid Epoxy B 250g	⇒PREPOX1000	HER
		100	

IDEA HP

LUDE	DETAILS
GB01502	Idea HP Water & Oil Repellent - 1L
GB01503	Idea HP Water & Oil Repellent - 5L
GB01504	Idea HP Water & Oil Repellent - 25L

Clear protective agent to protect stones against water, oil, grease and humidity. IDEA HP penetrates deep into the stone, blocking the efflorescence and lets the stone breath.

Is a new impregnating sealer to protect stones against water, oil, grease and humidity giving an attractive wet-look effect; optimum also for polished materials. When applied, IDEA XC penetrates the stone without forming unsightly plastic films.

CODE	DETAILS
GB01602	Idea XC Water & Oil Repellent - 1L
GB01603	Idea XC Water & Oil Repellent - 5L





IDEA GOLD

GB01802

formulation wide range

ptional anti-stain product based on nanotechnology on; it protects marble and granite stones from a je of stains and has prolonged efficiency.		A product specifically designed to p colour to give an antique look to sto artificial stones. Its typical application such as sand-blasted, bush-hamme honed ones. IDEA STONAGER protec oils, greases, humidity and prevents for	
	DETAILS	CODE	DETAILS
2	Idea Gold Water & Oil Repellent - 1L	GB08801	Idea Stonager - 250ml

IDEA STONAGER

IDEA BLACK

ly designed to protect and intensify the tique look to stones marble, granite and pical application is on unpolished stones d, bush-hammered, rough, flamed or ONAGER protects against stains due to and prevents formation of mildew.

GB08802 Idea Stoneager - 1L

GB08803 Idea Stoneager - 5L

GB01902





MARMOSIL NEUTRAL SILICONE

Professional one component neutral curing silicone sealant. Odorless and not corrosive. Excellent weathering resistance. Its chemical composition is indicated for expansion joints vement according factor 25% (LM25) as per EU standard) sealing of facades, sanitary ware, washbasin, mirrors, glass in contact with natural stones. The product has a good bond and doesn't need a primer. The formulation does not leave stains on natural stone or porous substrates. It's formulation

	nproved with anti mould additive. For indoor and lication.
CODE	DETAILS
GB08401	Marmosil Neutral Silicone - White 300ml
GB08403	Marmosil Neutral Silicone - Transparent 300ml
GB08404	Marmosil Neutral Silicone - Grey 300ml



IDEA TROPICAL

A product specifically designed to protect and intensify the colour and give an antique look to tropical stones. Its typical application is on unpolished stones such as sand-blasted, rough, bush-hammered, flamed or honed. The product protects against stains such as oil, grease, humidity and prevents formation of mildew.

GB01803 Idea Gold Water & Oil Repellent - 5L

ODE	DETAILS	
	IDEAT : I	250

GB08901 IDEA Tropical - 250ml




Idea Black 750ml Water Repellent -750ml



Water and oil repellent protective, impregnating enhancer Certified for foodstuff direct contact.

IDEA QUARZO

CODE	DETAILS
GB09001	IDEA Quarzo - 250ml
GB09002	IDEA Quarzo - 1L



with extra darkening action for quartz resin surfaces and against the penetration of water, oils, grease and moisture.

and rough surfaces of natural stones such as granites, marbles, etc. Specific for dark or black absorbing stones, IDEA DARK deeply enhances the natural colour of stone, covers scratches and flaws of dark/black stone.





GB01704 Idea Dark Water Repellent - 25L



LIMESEALER

Colourless impregnating and anti-salts resurfacing product, that also protects the material from water and oil.

Is a clear siloxane consolidating agent for protection of buildings and stones against penetration of water, grease and LIMESEALER is suited for very porous and fragile stones such humidity. as limestone and sandstone.

ODE	DETAILS
B02001	Limeseal Water & Oil Repellent - 1L
B02002	Limeseal Water & Oil Repellent - 5L
enanna	Limoscal Water & Oil Penallant 2EI

	CODE	DETAILS
ellent - 1L	GB02101	Strong 2000 Consolidator - 1L
ellent - 5L	GB02102	Strong 2000 Consolidator - 5L
ellent - 251	GB02103	Strong 2000 Consolidator - 251




BLOCK D70

formation. It's chemical composition allows the treated material to breathe and allows humidity to exit from the stone but prevent the same from entering.

GB02302	Block D70 Water & Oil Repellent - 1L
GB02303	Block D70 Water & Oil Repellent - 5L
GB02304	Block D70 Water & Oil Repellent - 25L
GB02402	Block D70 Eco+ Water & Oil Repellent- 1L
GB02403	Block D70 Eco+ Water & Oil Repellent- 5L
GB02404	Block D70 Eco+ Water & Oil Repellent- 25L

GREZZO

Colourless water and oil repellent for protection of stone
Is a deep colour enhancing and protective agent, used to facade, floors and stone products against penetration of water, humidity, oil, alimentary grease, and mildew intensely increase colour of material. It also raises resistance against penetration of water and oils, on surface and handmade objects with rough finish.











Bellinzoni Sealants

Bellinzoni Cleaners



DURALBRILL

DURALBRILL is a nanotechnological polish capable of DuralMax is the new, ideal product for bonding, hardening and hardening and strengthening the surface of the stone. Tests show that DURALBRILL makes the surface of a marble almost as resistant as that of a granite. Perfect for polishing, reviving and protecting marble, granite and terrazzo-marble-cement, with notable resistance to water, detergents and abrasion. DURALBRILL forms a very transparent film which makes it ideal for use to treat heavily trafficked surfaces.

רחו	1F	UE.	TAILS
	,_		17103

GB05901 Duralbrill - 11

DURALMAX

protection of floors in marble, terrazzo, engineered stones, limestone, sandstone. Its exclusive resin based formulation with nanotechnology components allows to consolidate and protect the stone, increasing superficial hardness and highly reducing risks of damages due by trampling. It gives a pleasant matt look to treated material.

20	DE	D	ΕT	ΆI	LS	

GB02701 Duralmax - 11



Bedlypper

Bellinzoni Polishers



B-3ACTION TOP

Ready to use, 3 in 1 formula. Triple action product for the This product comes in a paste form for polishing marble. cleaning, protection and maintenance of all polished and semi polished marble, granite, natural stone and quartz counters and vanity tops, public spaces, and other tables. Product cleans eectively while supplying protection against staining and enhances surface shine.

COD			LS

GB04902 B-3 Action Top - 750ml



GB00102

GB00202 Wax Paste for Polishing - Black 930ml





SUPER CRYSTAL

This powder is used as a final step in achieving the high reflectivity finish that is seen on polished marble or granite granite colours giving them attractive "wet look". tiles and slabs. To be used with water and a buffing pad to get excellent results.

IDE			LS

GB0140)1 Marbl	le Polishing Powder Super Crystal - 1kg
GB0140)2 Marbl	le Polishing Powder Super Crystal - 5kg
GB0870)1 Granit	te Polishing Powder Super Crystal - 750g

LIQUID WAX

CODC	DETAILS
CUDE .	TIPIAIL
	DC 17 (1C)

GB00301 Special Liquid for Polishing - 675ml



EUREKA POLISHING GELS

The new line of products in gel specifically formulated for polish and maintain various types of materials: marble, surfaces of marble and stone agglomerates without using wax granite, porcelain and quartz resin.

GB01101	Eureka Granite Polishing Gel - 1L
GB01201	Eureka Marble Polishing Gel - 1L
GB01301	Eureka Porcelain Polishing Gel - 1L

GB08301 Eureka Quartz Polishing Gel - 1L



GB00901	Crystallizer Vetro-Glass - 1L
GB00902	Crystallizer Vetro-Glass - 5L





CRYSTALLIZER ONE Product for the crystallization of marble, marble A specialised liquid developed to polish and boost color

agglomerates, marble-cement, terrazzo and limestone floors to obtain a high durable surface gloss and restore the beauty granite and stones edges. Application of SUPERLUX E3 makes of the material. Periodic use of product increases surface hardness and resistance to potential absorption, foot traffic, scratches and marks. Suitable for use a periodic floor buffing and gloss maintenance to increase surface shine of material.

DETAILS CODE

GB01001 Crystallizer One - 1L GB01002 Crystallizer One - 5L

SUPERLUX E3

VETRO-GLASS

unnecessary the following polishing of treated material. SUPERLUX E3 is particularly suitable to be used on corners and edges, it strongly enhances color and shine to material smoothed up to 800 grit.

CODE DETAILS

GB00901 Crystallizer Vetro-Glass - 750ml



VX-SL SILICON WAX

A polishing liquid containing a special modified silicone. Dries very quickly. This product has been specially formulated for the use with automatic line waxing machines to protect and polish marble, granite, agglomerate slabs and tiles and also terrazzo and ceramic tiles. Its special formulation allows for use to hand polish and protect internal and external walls, skirtings, risers

DETAILS

GB00501 VX-SL Polish - 675ml (To Be Discontinued)





MARBLE & GRANITE CARE KIT

Specific system for the cleaning and protection of marble, granite and stone surfaces. Certified for foodstuff direct surfaces. Certified for foodstuff direct contact.

1				

GB11001 Marble & granite care kit - 250ml

QUARTZ CARE SYSTEM

Specific system for the cleaning and protection of quartz



GB08601 Quartz Care kit - 250ml



MOULD CLEANER

subsequent settlement of fungi, algae, mildew and musk.

Mould Cleaner - 750ml

ALGAKILL

A very concentrated cleaner with strong hygienic action, removes and prevents the formation of mould and the algae, mould and mildew on marble, granite, terrazzo, slate, stone, ceramic, concrete, glass and other hard washable surface. Suitable for slabs façades and swimming pools.

	CODE DETAIL
--	-------------

Algae Killer - 1L



RUST REMOVER

Specific gel cleaner for rust removal from marble, granite, Formulated specifically for the removal of coloured stains ceramic, porcelain, stones and metals.

CODE DETAILS

GB06901 Rust Cleaner Gel - 1L GB06902 Rust Cleaner Gel - 250ml

VIP IO LIQUID CLEANER

SPOT REMOVER

from marble and stone surfaces. Highly recommended for the removal of purple haze or stains left on stone following the application of RUST REMOVER.

DETAILS

GB07001 VIP 10 Liquid Cleaner - 500ml



L&L CLEAN & POLISH

Product for an easy and quick maintenance of ceramic, natural and agglomerated stone floors. Used for the maintenance of a product specifically formulated to remove stains on marble, polished or waxed natural stones.

CODE DETAILS

GB06401 L & L Clean & polish - 1L

granite, ceramic and concrete.

GR06601 Spot Remover Absorbing Paste - 250ml GB06602 Spot Remover Absorbing Paste - 1L

a product specifically formulated to remove stains on marble,

GB06603 Spot Remover Absorbing Paste - 5L



LEM-3 DETERGENT

LEM-3 is a concentrated detergent which is used to clean all Specific solvent-free cleaner for joints and grouts. It respects surfaces. It is especially suited for the treatment of marble, granite and natural stones. Designed for resistant dirt. Can be used to clean and wash all cleanable surfaces such as glass.

Lem-3 Neutral Detergent - 1L GB06202 Lem-3 Neutral Detergent - 5L

TILE & GROUT CLEANER

the environment, EC ECOLABEL.

This is an extremely concentrated, acid-based detergent for

granite, ceramic or porcelain. Should only be used for strongly-

resistant soiling or to eliminate rust or potassium nitrate. One of its great advantages is that it forms a layer of foam that does not drip when used on vertical surfaces, so it is especially useful for the deep cleaning of wall-tiles immediately after fixing.



DETAILS

GB12001 Tile & Grout Cleaner - 500ml



ULTRA STRIPPER

Highly efficient detergent for every type of dirt: grease, smog, oily stains. It removes very resistant metallic, acrylic and solvent based waxes from floors and walls and it is also suitable for deep cleaning of floors before polishing.

000	DEIAICS
B06101	Ultra-stripper Concentrate Clean

GB06102 Ultra-stripper Concentrate Cleaner - 5L GB06501 Ultra-stripper Gel Formula - 1L

DETAIL S

GB06001 Bert 27 Detergent - 1L



ANTI-SLIP POLISH Liquid wax based on natural and synthetic waxes, its special

formula gives reduced slipperiness compared to traditional waxes. Suitable for all kind of marble, granite, terrazzo and ceramic floors. It gives a brilliant-warm sheen.

GB05101 AS11 Anti-Slip Polish - 11

DECER DOS How many times have you seen floors become yellow or

covered with an unsightly, film or tiles corroded by exceptionally aggressive or acid-based wax-removing products? Now there aggressive or acid-based wax-removing products? Now there is DECER-DOS, a wax-remover which emulsifies resin-based or synthetic waxes, without corroding materials. Even if heavily diluted, the wax removing power of DECER-DOS remains unchanged and removes all traces of wax from the floor, while restoring its natural appearance.

-UDC	DETA	ال

GB10001 Decer Dos De-waxer - 1L







Electric Saws




MANTA ISO & 200

Available in both 1.5m and 2m versions, the Manta is a heavy duty single phase manual saw for cutting natural stone, porcelain, and ceramics. the head slides on two rectified chrome ground bars by means of linear ball-bearings. It is equipped with a submersible pump placed inside the base, which doubles as the water reservoir. Vertical head motion is by means of a hand-wheel for a fast and stable adjustment. Tilting head for 45° cuts. EQUIPPED WITH: 1 submersible pump and a set of servicing wrenches.

Excluding Diamond Blade

TECHNICAL DETAILS	Manta 150 / 200
Power	230V, 2.2kW
Max Blade Size	350mm x 25.4mm
Max cutting length	1500mm / 2000mm
Max cutting depth	110mm
Weight	210kg / 260kg
CODE ALANTA ICO	
CODE - MANTA I50	MNI20350ED
CODE - MANTA 200	MNI20350ED MNI20458
CODE - MANTA 200	MNI20458
CODE - MANTA 200 MNS17M003	MNI20458 Side Stop
CODE - MANTA 200 MNS17M003 MNS17M004	MNI20458 Side Stop Long Diagonal Square 50cm





MANTA 200-250-300 ECO

Available in both manual and automatic, the Manta ECO is a heavy duty, inexpensive and easy to run electric saw, making it deal for both small warkshops and big industries that need to cut any kind of stone material. It features a cutting head that cuts from 90° to 45°.

INCLUDING: 1 Side Roller Bench

Blade Speed


OPTIONAL: Extra Side Roller Benches, Diagonal Square, Water Pump

TECHNICAL DETAILS	MANTA 200 ECO / 250 ECO / 300 ECO				
Power	230V, 2.2kW / 400V, 4kW				
May Dlada Ciza	4F0mm v 20mm				

1400rpm or 2800rpm

2000mm / 2500mm / 3000mm Max cutting depth

390kg / 410kg / 470kg Weight



Electric Saws



Wet stone saw with quick release water house coupling and vacuum cleaner port for dry cutting.

Excluding Diamond Blade

TECHNICAL DETAILS	
Power	230V, 1800W
Load Speed	5800rpm
Blade Size	180mm
Blade Bore	22.23mm
Dimensions	475 x 410 x 355mm
Weight	6.7kg
CODE	DETAILS
PTM-SCS7	AGP SCS7 Rail Saw
PTM-SCS7C	SCS7 Rail Saw with Rail, Connector, and Clamps
PT0401001	Guide Rail 1.4m
PT0401002	Guide Rail Connector
PT0401003	Quick Release Clamp
BTW180P	Turbo Wave Economy - 180 x 2.2 x 25.4mm
LTG180P	Turbo Premium - 180 x 2.2 x 8mm
BTX180P	Turbo Stone Cycle - 180 x 22.23mm
PT-SCS7-0047	Brush Cap
PT-SCS7-0046	Carbon Brush
PT-SCS7-0031	Parallel Guide





MANTA POKER JUMBO BASIC

Robust and versatile monolithic machine. It cuts both length ways (X axis) and cross ways (Y axis). The head traverse is driven by means of an electronic program card. The main technical features are: X Axis Traverse: 3500 mm.; Y Axis Traverse: 1650 mm.; Z Axis Raise: 140 mm.; Cutting head speed driven by inverter; manual turning head (0-90 degree); head inclination (0-90 degree) by means of a hand-wheel.

TECHNICAL DETAILS

CODE	(On Reques
Weight	1500kg
Cutting Thickness	140mm
Cutting Length	3500mm
Speed	1400rpm
Blade Size	450mm x 40m
Power	5500W, 400V



RADIAL ARM STONE POLISHER

Used for surface grinding and polishing of tombstones, slabs and mosaic which needs to change the thickness frequently.

TECHNICAL DETAILS


CODE	ML-M2B26
Weight	850kg
Water Consumption	3m³/h
Range of Vertical Stroke	0-800mm
Gyro Radius	2600mm
Wheel Size	220mm
Power	5500W



AGP[®] SCS8 **Wet / Dry Stone Saw**

Up to 45° Bevel Cut COMING SOON







MANUAL POLISHING MACHINE

Manual stone and tile polishing machine with a table size of 1200mm by 800mm

TECHNICAL DETAILS

Application Size 200-600/800/1200mm 1500 x 1300 x 1500mm Dimensions

400kg Weight

CODE



KYNKO Grinders



KYNKO KD69 II5MM ANGLE GRINDER

Blade Size

Weight

125 _N	KYNKO KD69-V5 IM VARIABLE SPEED GRINDER
E	P0Gl25K002
	000/4/

3000-11000RPM

1.8kg



 							-		-				 -	_		-	
٠.	/N 5n	• •	_	• • •	_	_	_	=	C	iF	SI	N	DE	ΞΙ	5		

1.7kg

115mm

11000rpm



CODE	POGI8OKOOI
Power	2600W
Blade Size	180mm
Speed	6600RPM
Weight	5.3kg

Blade Size

Speed

Weight



	KYNKU KU71-UU IBOMM DUSTLESS GRINDER	
	POGI8OKOOI	in So.
	2600W	
e	180mm	
	6600RPM	
	5.3kg	

KYNKO KD7I 230MM ANGLE GRINDER

11000rpm 1.7kg

	CODE	P0G230K00I
	Power	2600W
	Blade Size	230mm
	Speed	6600RPM
	Weight	5.0kg
	KNKD71/056	DS7 180mm Dust Shroud



KYNKO Drills



KYNKO KDO9 I3MM IMPACT DRILL

CODE	P0D0I3K00I	CODE	PODSDSO26KO
Power	1600W	Power	800W
Max Bit	13mm	Max Bit	26mm SDS PLUS
Speed	0-3000RPM	Speed	0-1300RPM
Impact	0-4800BPM	Impact	0-4500BPM @ 3.3J
Weight	2.05kg	Weight	2.9kg



KYNKO Saw



KYNKO KD76 185MM CIRCULAR SAW

CODE	POSI85KOOI
Power	1500W
Blade Size	185mm
Speed	5500rpm
Weight	3.5kg



Flex Grinders & Polishers



FLEX LW I202N I30MM POLISHER

IDE	P0Pl30F002	CODE
wer	1600W	Power
e	130mm	Blade Size
eed	1750rpm	Speed
ture	M14	Fixture
eight	5.1kg	Weight





2200W 230mm 6500rpm M14

APRONS

MTT10401	PVC Kahki Green Aprons 450gr
MTT10402	PVC Green Aprons 400gr



MTT10002

SAFETY EQUIPMENT

Safety Equipment





KNEE PADS

DETAILS	
Knee Pads Plain	
Knee Pads Plastic Cap	
	Knee Pads Plain

EAR PROTECTION

MTT10006 Ear Plugs Re-usable with cord MTT10700 Ear Muffs









DUST MASK							
CODE	DETAILS						
MTT10000	Dust Mask FFP1 (Loose)						
MTT10101	Dust Mask FFP2 NR No Valve (Box of 20)						
MTT10103	Dust Mask FFP2 Valve (Box of 20)						
MTT10105	Dust Mask FFP2 Valve (Loose)						
MTT10104	Respirator Cartridge C8 Solvents,Organic,Petrolm Fumes						
MTT10106	Respirator Cartridge D2 Dust, Fumes & Mist						
MTT10102	Dust Mask Single Respirator						
MTT10107	Dust Mask Double Respirator						



CODE	DETAILS
MTT10802	PVC Red Elbow Gloves 40 Density
MTT10803	Rubber Shoulder Gloves H2-55
MTT10804	Rubber Elbow Gloves H2-55



MTT10802



MARKETING MARKETING

Display Stands


























Diamond Blade Size Chart

Blade Size	Depth of Cut	Min RPM	Max RPM
115mm	25mm	8000	11000
125mm	30mm	7200	12200
180mm	50mm	5100	8730
230mm	80mm	4000	6700
300mm	92mm	3000	5095
350mm	120mm	2500	4365
400mm	150mm	2200	3820
450mm	170mm	2000	3300
500mm	195mm	1800	3000
600mm	250mm	1500	2550
700mm	280mm	1200	2185
800mm	350mm	1100	1910
900mm	370mm	1000	1700
1200mm	500mm	700	1275

Core Drilling Bit Segment Spacing

Core Bit Size	Number of Segments	Core Bit Size	Number of Segments
42mm	4	127-132mm	11
52mm	5	152-160mm	12
60-67mm	6	180mm	13
77mm	7	200mm	14
82-92mm	8	250mm	16
102-109mm	9	300mm	18
112-117mm	10	350mm	20

Core Drilling Speed Chart

One of the major factors in grinding properly and avoiding the diamond segments glazing over is your core drill motor's rpm, which stands for revolutions per minute. Diamonds perform their optimal cutting at a predetermined surface speed, which is why every core bit should run at the proper rpm. If you have a large core diameter, you need to have a low rpm, whereas if you have a small core diameter, you will need to have a higher rpm. Thankfully, these ratings are standard for almost all manufacturers in the industry. Most electric core drill motors have multiple speeds, so you can use different sized core bits and operate them at their appropriate speed. The table below can assist you in selecting the recommended speed for the core size you are drilling.

Core Bit Diameter (mm)	25	50	75	100	150	200	250	300	350	450	500	600	900	1000
Recommended Speed (rpm)	3200	1600	1050	800	530	400	320	265	225	175	160	130	85	75

DISPLAY STANDS

CODE	DETAILS
STAND08	Tool-Co Blue Display Stand
STAND03	Tool-Co Blade Counter Stand
STAND10	Tool-Co Drill Bit Counter Stand
STAND02	Tool-Co Edge Trim Display Stand
STAND09	KYNKO Powertool Display Stand
SIGZ0001	Sigma Tile Cutter Display Stand
ON REQUEST	KAM Tools Display Stand

TECHNICAL INFORMATION TECHNICAL INFORMATION

Diamond Blade Troubleshooting

PROBLEM	CAUSE	SOLUTION
Blade Work Out Of Round	Shaft bearings are worn (masonry & concrete).	Install new blade shaft or replace blade shaft bearings.
Stade Work Out of Round	Blade rotation surges; engine not tuned for concrete saws.	Tune engine according to manufacturer's manual.
	Blade arbour hole is damaged from previous mounting.	Re-braze segments onto new steel centre if the steel thickness is 3mm or less. If steel centre is more than 3mm, re-bore the arbour hole and brush to original size.
	Blade mounting arbour worn in a groove-like formation from previous blades.	Replace worn shaft or mounting arbour bushing.
	Blade is slipping on arbour shaft.	Masonry saws: Tighten blade collar. Concrete saws: Check drive pin is functioning correctly.
	Bond too hard for material causing a "pounding" and wearing one half of the blade more than the other half.	Use proper blade specification.
Blade Will Not Cut	Blade is too hard for material being cut.	Select proper blade specification for material being cut.
	Blade has become dull as a result of being used on too hard a material.	Sharpen by cutting on a lightweight abrasive building block to expose the blade's diamonds. If continual sharpening is required, the blade is too hard for the material being cut.
	Blade does not cut material it was specified for.	Make sure the blade is correct. If so, allow it to dress itself on the material to be cut. If it does not dress itself, sharpen it as you would a dull blade.
Loss Of Tension	Steel centre has been overheating.	Check the water flow, distribution, and lines.
	Steel centre has been overheating as a result of blade spinning on arbour. $\label{eq:spinning} % \begin{center} cente$	Tighten the blade clamping disc nut and make certain the drive pin is functioning on concrete saws.
	Steel centre has been overheating from rubbing the side of material being cut. $ \label{eq:controller} % \begin{center} \begi$	Properly align the saw to prevent square cutting. Make certain the blade RPM is correct, so the blade operates at it's tensioned speed.
	Unequal pressure at blade clamping collars.	Blade clamping collars should be identical in diameter and the recommended size.
	Improper blade specification; blade is too hard for the material being cut.	Use a softer bonded blade to reduce operating stresses.
Blade Wobbles	Blade is too hard for material being cut.	Select proper blade specification for material being cut.
	Blade has become dull as a result of being used on too hard a material.	Sharpen by cutting on a lightweight abrasive building block to expose diamonds. If continual sharpening is required, the blade is too hard for the material being cut and a softer bonded blade is required.
Cracks In Steel Centre Or Segment	Cracks in steel centre - blade flutters in cut as a result of losing blade	Tighten the blade clamping disc nut. Make sure the blade is running at
Cracks in steer centre or segment	tension. Cracks in steel centre - blade specification is too hard for the material	proper tensioned speed and that the drive pin is functioning properly.
	being cut.	Use a softer bonded blade to eliminate stresses which create cracks.
Uneven Segment Wear	Insufficient water. (Usually on one side of the blade)	Flush out water system and check flow and distribution to both sides of the blade.
	Equipment defects cause the segments to wear unevenly.	Replace bad bearings, worn arbour shaft, or misaligned spindle. For concrete saws, the engine must run smoothly to prevent harmonic vibration.
	Saw head is misaligned.	$\label{lem:check-saw} Check saw head alignment for squareness both vertically and horizontally.$
Segment Loss	Material is not being firmly secured.	Hold material firmly against backstop.
	Overheating due to lack of water.	Check water feed lines, checks flow is adequate on both sides of blade.
	Steel centre is worn from undercutting.	Use sufficient water to flush out the cut.
	Defective blade collars are setting the blade out of alignment.	Clean blade clamp surfaces or replace if the clamps are under recommended diameter.
//X	Blade is too hard for material being cut.	Use proper blade specification for material being cut.
	Blade is cutting out of round, causing a pounding motion.	Replace worn bearings; realign blade shaft or replace the worn blade mounting arbour.
	Improper blade tension.	Give running speed of equipment when you order your blades in order to insure they are running at the correct RPM. With concrete saws, check spindle speed with tachometer to ensure blade is running at the correct cutting speed and blade tension.
Arbour Hole Out-Of-Round	Blade collar is not properly tightened, causing vibration on the shaft which causes the blade to rotate out of round.	Tighten the arbour nut with a wrench to make certain that the blade is adequately secured.
	Blade collars are worn or dirty, not allowing proper blade clamping.	Clean blade collars, making sure they are not worn. Tighten arbour nut properly.
-()-	Blade is not properly mounted.	Make certain the blade is mounted on the proper shaft diameter before tightening the arbour nut. On concrete saws, make sure the pin hole slides over the arbour drive pin. Distorted blade arbour holes can be re-bored, provided they are within tolerance and the blank has not been abused.
Undercutting The Steel Centre	Abrasion of steel centre due to highly abrasive dust generated during cutting.	Use the correct amount of water in order to flush out the fine dust generated during cutting, or use wear-retardant cores.

THIS....












A PRACTICAL SOLUTION FOR A COMMON PROBLEM!

№ PAT.APP No 2004/7303, 2004/7279






Getting a perfect polished concrete floor – every time

The Tool-Co Polishing Specification by Mactool is the solution that architects have been waiting for. With the Tool-Co Polishing Specification we can turn any structurally sound concrete into a beautiful decorative finish to rival any other floor covering. A polished surface gives you a harder more durable surface, making it easier to keep clean and maintain.

any times, when your client wants a polished concrete floor, the picture that they had in their mind's eye and the final installation are very different. This often isn't the fault of the architect or even the engineer – it's the result of having differing ideas of what a polished concrete floor should look like. With the Tool-Co Polishing Specification we can be clear on what the floor should look like and partner with the contractor to make sure the outcome meets expectations.

Mactool partners with their clients to make sure The Tool-Co Polishing Specification follows a structured process. We help by recommending the correct equipment, tools and the right chemicals are used for every type of flooring installation. This is to help minimise human error and can prevent costly mistakes from happening on site. When an architect specifies the Tool-Co Polishing Specification from Mactool, the project will benefit from years of expertise, technical knowledge concerning flooring, as well as the use of state-of-the-art equipment.



There are a number of options to choose from in the Tool-Co Specification, namely:

Executive full exposure Specification

With this option, the top +-5mm of concrete is removed to get full exposure on the stone, this is done using a 7 stage grind and polish process. We use diamond tools to expose and remove scratches and marks before applying specialised Tool-Co Grout and Binder to fill pin holes and Tool-Co Lithium Densifier strengthen the floor. The process also involves a 4-stage polishing system followed by a Lithium Based Sealer. We use a high speed burnisher to achieve an executive shine that is easy to maintain. This is the top-of-the-range solution from the Tool-Co Polishing Specification.

There are many variables to consider when specifying a Tool-Co Polishing system. If a 7-stage application process isn't necessary or financially feasible for a project, then a standard 5-stage or 3-stage option is available.

The solution that an architect chooses will depend on the sheen that is required as well as other performance attributes such as slip resistance.

Overlay full executive Specification

This option is ideal for white flooring, where specialised equipment and tools are needed. To avoid damaging white floors, the Mactool team will assess the strength and thickness of the floor before using a unique combination of cutting-edge grinders and weighted floor polishers.

Trowel polish Specification

This system is specified for unexposed polished concrete floors. The Mactool team uses a power-float that has been modified with brushes so that the concrete isn't damaged. The Tool-Co Lithium Densifier is then applied before a high speed burnisher is utilised to make the floor shine.

Hand polished Specification

This system is used for countertop, furniture, gravestone and any other decorative concrete surface.





