

STONE  
& TILE

MACTOOL



Tool-Co  
STANDARD CENTRE  
MARBLE  
\*PREMIUM\*

Tool-Co  
STANDARD CENTRE  
GRANITE  
& QUARTZ

Tool-Co  
SILENT CENTRE  
GRANITE  
\*PREMIUM\*

Tool-Co  
SILENT CENTRE  
GRANITE  
& QUARTZ

2026



# TABLE OF CONTENTS

## STONE INDUSTRY

Dry Blades . . . . .	1
Achilli & Blue Ripper Blades . . . . .	1
Wet Blades . . . . .	2
ADW Diamond Tools . . . . .	3-4
Polishing Pads . . . . .	5
Stone Tools . . . . .	6-8
Silicone . . . . .	8
Core Drill Bits . . . . .	9
Electroplated & Vacuum Brazed . . . . .	9-10
Grinding & Shaping . . . . .	11
Stone Glue & Adhesives . . . . .	13
Bellinzoni Sealants . . . . .	14-15
Bellinzoni Polishers . . . . .	15
Bellinzoni Cleaners . . . . .	16
Electric Saws . . . . .	17-18
Polishing Machines . . . . .	18

## TILING

Tiling Blades . . . . .	19
Tile Drilling . . . . .	20
Electric Tile Saws . . . . .	21
Tool-Co Tile Cutters . . . . .	21
SIGMA Tile Cutters . . . . .	22
SIGMA Large Format Tiling Tools . . . . .	23
RAIMONDI Large Format Tiling Tools . . . . .	24-26
Tool-Co Large Format Tiling Tools . . . . .	26
Tool-Co Tile Levelling Systems . . . . .	27
Tiling Tools . . . . .	28-29
Tiling Chemicals . . . . .	30
Tile Trim Edging . . . . .	31-32

## POWERTOOLS

KYNKO Powertools . . . . .	33
FLEX Powertools . . . . .	33

## SAFETY EQUIPMENT

Safety Equipment . . . . .	34
----------------------------	----

## MARKETING & TECHNICAL INFORMATION

Display Stands . . . . .	35-36
Technical Information . . . . .	36-37







## CONTACT

### WESTERN CAPE

Cape Town - Head Office

[sales@mactool.co.za](mailto:sales@mactool.co.za)

021 552 8566

Unit 6 Pennisi Park, No.3 Jig Ave, Montague Gardens

### GAUTENG

Johannesburg

[salesjhb@mactool.co.za](mailto:salesjhb@mactool.co.za)

011 823 1077

Unit 4 Hughes Industrial Park, Cnr Oscar & Romeo Rd, Hughes

### KWAZULU-NATAL

Durban

[saleskzn@mactool.co.za](mailto:saleskzn@mactool.co.za)

031 350 4004

Unit 3 Mulsanne Business Park, 4 Lemans Place, Pinetown





## Dry Blades



**TURBO SEGMENTED RED**  
Dry cutting of natural and engineered stone.

CODE	DETAILS
HS230EG	230 x 2.8 x 12 x 22.23mm

**TURBO SEGMENTED CYCLONE**  
Super fast cutting of all natural and engineered stone products.

CODE	DETAILS
BTY230P	230 x 2.9 x 8 x 22.23mm



**TURBO SEGMENTED**  
Dry cutting of natural and engineered stone.

CODE	DETAILS
HQS230ET	230 x 2.8 x 15 x 22.23mm

**SEGMENTED PREMIUM**  
Fast cutting of all natural stone, engineered stone and building products. Suitable for dry or wet use.

CODE	DETAILS
BGS115S	115 x 2.2 x 7 x 22.23mm
BGS125S	125 x 2.5 x 7 x 22.23mm
BGS180S	180 x 2.6 x 7 x 25.4mm
BGS230S	230 x 2.8 x 7 x 22.23mm



**TURBO WAVE**  
Fast and smooth cutting of all natural stone, engineered stone, and building products. Suitable for dry or wet use.

CODE	DETAILS
BTW115P	115 x 2.2 x 10 x 22.23mm
BTW125P	125 x 2.2 x 8 x 22.23mm
BTW180P	180 x 2.5 x 8 x 25.4mm
BTW230P	230 x 2.6 x 8 x 22.23mm

**TURBO CYCLONE**  
Super fast cutting of all natural and engineered stone products.

CODE	DETAILS
BTX125P	125 x 2.2 x 9 x 22.23mm
BTX180P	180 x 2.6 x 9 x 25.4mm
BTX230P	230 x 2.9 x 9 x 22.23mm



**TURBO PREMIUM**  
Fast and smooth cutting of all natural stone, engineered stone, and building products. Suitable for dry or wet use.


CODE	DETAILS
LTG125P	125 x 2.2 x 8 x 22.23mm
LTG150P	150 x 2.6 x 8 x 22.23mm
LTG180P	180 x 2.6 x 9 x 25.4mm
LTG200P	200 x 2.8 x 8 x 22.23mm
LTG230P	230 x 2.8 x 9 x 22.23mm

**T-SEGMENTED CONCAVE**  
Ideal for cutting oval or circular shapes in all natural and engineered stone products. For wet and dry use.

CODE	DETAILS
BSC125P	125 x 3.5 x 8 x 22.23mm - Economy
BSC180P	180 x 2.5 x 9 x 22.23mm - Economy
LSC125PP	125 x 2.8 x 8 x 22.23mm - Premium
LSC180PP	180 x 3.2 x 9 x 22.23mm - Premium



## Achilli & Blue Ripper Blades



**TURBO SEGMENTED WET CUTTING**  
Our BBR350 diamond blades are designed to cut Natural Stone and Quartz on lower power machines rated around 2200W

CODE	DETAILS
BBR350P25	Achilli Diamond Blade - 25.4mm Bore
BBR350P60	Blue Ripper Diamond Blade - 60mm Bore





Wet Blades



SILENT CENTRE  
GRANITE - CYCLONE

CODE	DETAILS
HQS350Z	350 x 15 x 50/60mm
HQS400Z	400 x 15 x 50/60mm
HQS450Z	450 x 15 x 50/60mm
HQS500Z	500 x 15 x 50/60mm
HQS600Z	600 x 15 x 50/60mm
HQS800Z	800 x 15 x 100mm

SILENT CENTRE  
GRANITE - PREMIUM

CODE	DETAILS
BGS300P	300 x 10 x 50/60mm
BGS350P	350 x 12 x 50/60mm
BGS400P	406 x 10 x 50/60mm
BGS450P	450 x 10 x 50/60mm
BGS500P	500 x 10 x 50/60mm



SILENT CENTRE  
SINTERED STONE & PORCELAIN -CYCLONE

CODE	DETAILS
HQS400DN	400 x 15 x 60mm

STANDARD CENTRE  
MARBLE

CODE	DETAILS
BGS400M	400 x 10 x 50/60mm - Premium



SINTERED STONE & PORCELAIN  
CROSS TURBO

CODE	DETAILS
BNT125P	125 x 10 x 22.23mm

STANDARD CENTRE  
GRANITE

CODE	DETAILS
BGS300N	300 x 10 x 50/60mm
BGS350N	350 x 10 x 50/60mm
BGS400N	400 x 12 x 50/60mm



SINTERED STONE & PORCELAIN  
TURBO - DRY

CODE	DETAILS
BNT125DN	125 x 1.3 x 22.23mm
BNT180DN	185 x 1.8 x 22.23mm/25.4mm

SINTERED STONE & PORCELAIN  
TURBO - ECO DRY

CODE	DETAILS
HT115DN	115 x 1.2 x 22.23mm
HT125DN	125 x 1.2 x 22.23mm
HT180DN	180 x 1.6 x 22.23mm




SINTERED STONE & PORCELAIN  
THIN TURBO - DRY

CODE	DETAILS
LTE115P	115 x 7.5 x 1.3 x 22.23mm
LTE125P	125 x 7.5 x 1.4 x 22.23mm
LTE180P	180 x 7.5 x 1.8 x 22.23mm

SINTERED STONE & PORCELAIN  
LASER SLOT - DRY


CODE	DETAILS
BNC115P	115 x 1.3 x 22.23mm
BNC125P	125 x 1.3 x 22.23mm
BNC180P	180 x 1.7 x 22.23mm
BNC200P	200 x 1.7 x 22.23mm



BLADE SHARPENING ABRASIVE BARS

Used to re-sharpen diamond blades by making cuts on either the F120 or F240 side of the abrasive bar. It's advisable to use a clamp to secure the bar for better control while using the blade sharpening abrasive bar.

CODE	DETAILS
PED-10040	250 x 50 x 25mm x F120/240



\*PLEASE CHECK OUR WEBSITE FOR MORE DETAILS REGARDING TOOL-CO BLADE PARAMETERS\*





## ADW Diamond Tools



### ADW JOKER SILENT CENTRE MULTI-PURPOSE

The ADW JOKER is not your ordinary cutting tool; it's a multi-purpose silent center designed to revolutionize your cutting experience. With one blade that seamlessly tackles a wide range of materials and delivers exceptional cutting speed and a pristine finish, the ADW JOKER stands out as the go-to choice for various applications.

#### MATERIAL CUT SPEEDS

Ultracompact Surfaces: up to 2.5 meters a minute

Natural Quartzite: up to 3 meters a minute

Marble: up to 4 meters a minute

Quartz Stone: up to 6 meters a minute

Granite: up to 6 meters a minute

CODE	DETAILS
BGS350US	ADW JOKER- 350mm x 10mm x 60mm Bore- 2450rpm
BGS400US	ADW JOKER- 400mm x 10mm x 60mm Bore- 2100rpm
BGS450US	ADW JOKER- 450mm x 10mm x 60mm Bore- 1900rpm
BGS500US	ADW JOKER- 500mm x 10mm x 60mm Bore- 1700rpm



### ADW JUMBO SILENT CENTRE GRANITE & QUARTZ

The ADW Jumbo is your answer to the demands of high-speed cutting in the world of granite, quartzite, and engineered quartz stone. This silent center boasts exceptional RPM, making it a game-changer for professionals seeking both speed and quality in their cutting tasks. Featuring innovative Positioned Diamonds technology DOCTO, this technology's precise distribution of diamond particles in the segment, ensuring consistent and top-tier performance.

#### MATERIAL CUT SPEEDS

Natural Quartzite: up to 5 meters a minute

Quartz Stone: up to 12 meters a minute

Granite: up to 10 meters a minute

CODE	DETAILS
BGS350QS	ADW JUMBO- 350mm x 20mm x 60mm Bore- 2450rpm
BGS400QS	ADW JUMBO- 400mm x 20mm x 60mm Bore- 2100rpm
BGS450QS	ADW JUMBO- 450mm x 20mm x 60mm Bore- 1900rpm
BGS500QS	ADW JUMBO- 500mm x 20mm x 60mm Bore- 1700rpm



### ADW IKON V25 SINTERED STONE & PORCELAIN (TO BE DISCONTINUED IN 2024)

#### MATERIAL CUT SPEEDS

6 - 12mm Thick Slabs: up to 2.5 meters a minute

13 - 20mm Thick Slabs: up to 1.5 meters a minute

CODE	DETAILS
BGS350DS1	ADW IKON V25- 350mm x 10mm x 60mm Bore- 2300rpm
BGS400DS1	ADW IKON V25- 400mm x 10mm x 60mm Bore- 2000rpm
BGS450DS1	ADW IKON V25- 450mm x 10mm x 60mm Bore- 1800rpm
BGS500DS	ADW IKON V25- 500mm x 10mm x 60mm Bore- 1600rpm



### ADW IKON V7 MARBLE, SINTERED STONE & PORCELAIN

The ADW iKon V7 is a high speed diamond blade for mitre cutting.

CODE	DETAILS
BGS220DS	ADW IKON V7 MITRE CUT- 220mm x 3.2mm x 60mm



### ADW EPIC SINTERED STONE & PORCELAIN

The ADW Epic Blade is a specialized solution designed for ultra-compact surfaces. Crafted with a unique bond, this blade effortlessly handles the density of these surfaces, offering precise and clean cuts. The ADW Epic Blade features a turbo rim for accuracy and a drilled body for efficient cooling.

#### Key Features:

**For Ultra-Compact Surfaces:** Purpose-built to excel on ultra-compact surfaces, which are exceptionally dense and challenging materials for cutting.

**Designed for Efficiency:** The blade's turbo rim design guarantees accuracy, allowing for neat and clean cuts, essential when working with ultra-compact materials, while the drilled holes enable efficient cooling during operation, preventing overheating and ensuring prolonged blade life.

CODE	DETAILS
BGS125DN	ADW EPIC- 125mm x 10mm x 22.23mm- 12000rpm
BGS180DN	ADW EPIC- 180mm x 10mm x 22.23mm- 9000rpm
BGS200DN	ADW EPIC- 200mm x 10mm x 25.4mm- 6600rpm
BGS230DN	ADW EPIC- 230mm x 10mm x 22.23mm- 6600rpm
BGS300DN	ADW EPIC- 300mm x 10mm x 25.4mm- 3600rpm





ADW LJA  
VACUUM BRAZED GRINDING CUPS

For wet grinding of ultra-compact surfaces, which are exceptionally dense and challenging materials for grinding.

CODE	DETAILS
LVCG115F	ADW LJA VACUUM BRAZED GRINDING CUP- 115mm x M14- Fine
LVCG115M	ADW LJA VACUUM BRAZED GRINDING CUP- 115mm x M14- Medium
LVCG115C	ADW LJA VACUUM BRAZED GRINDING CUP- 115mm x M14- Course



KGS HYBRID DIAMOND FLAP DISC

Hybrid wet and dry 50 grit diamond flap disc for grinding and polishing granite, hard marble, concrete, and terrazzo.

CODE	DETAILS
GPF10050	KGS WET/DRY FLAP DISC- 115mm x M14 x 50#- 63m/s @ 10500rpm



ADW DEKTOOL  
ULTRACOMPACT SURFACES CORE BIT

Thin wall, soft diamond bond core drills to cope with drilling very dense material, approved for use on ultra-compact surfaces.

CODE	DETAILS
BNE008	ADW DEKTOOL- 8mm x 10mm x M14
BNE012	ADW DEKTOOL- 12mm x 10mm x M14
BNE020	ADW DEKTOOL- 20mm x 10mm x M14
BNE035	ADW DEKTOOL- 35mm x 10mm x M14



TURBO CUP GRINDER  
PREMIUM

CODE	DETAILS
LCGC105P	105mm x M14 - Course
LCGM105P	105mm x M14 - Medium
LCGF105P	105mm x M14 - Fine

TURBO CUP GRINDER  
ECONOMY

CODE	DETAILS
HCGC105C	105mm x M14 - Course
HCGM105C	105mm x M14 - Medium
HCGF105C	105mm x M14 - Fine



CERAMIC CUP WHEELS

Specially designed bond for improved edge work, reducing scratches and gauging that metal cup wheels leave.

CODE	DETAILS
LCX125030	125mm x M14 x 30#
LCX125050	125mm x M14 x 50#

TOOL-CO DIAMOND FLAP DISC

CODE	DETAILS
GPF10060	115mm x M14 x 60#





## Polishing Pads

WET POLISHING PADS  
STANDARD

CODE	DETAILS
BPP0050	100 x 3mm x 50# Light Blue
BPP0100	100 x 3mm x 100# Dark Blue
BPP0200	100 x 3mm x 200# Yellow
BPP0400	100 x 3mm x 400# Orange
BPP0800	100 x 3mm x 800# Red
BPP1500	100 x 3mm x 1500# Dark Green
BPP3000	100 x 3mm x 3000# Light Green

WET POLISHING PADS  
PROFESSIONAL


CODE	DETAILS
BPO0050	100 x 3mm x 50# Brown
BPO0100	100 x 3mm x 100# Red
BPO0200	100 x 3mm x 200# Orange
BPO0400	100 x 3mm x 400# Yellow
BPO0800	100 x 3mm x 800# Red
BPO1500	100 x 3mm x 1500# Light Blue
BPO3000	100 x 3mm x 3000# Purple
BPOBUFFB	Buff Black
BPOBUFFW	Buff White

WET POLISHING PADS  
SMM THICK PREMIUM

CODE	DETAILS
BPC0025	100 x 5mm x 25# Dark Blue
BPC0050	100 x 5mm x 50# Light Blue
BPC0100	100 x 5mm x 100# Navy Blue
BPC0200	100 x 5mm x 200# Yellow
BPC0400	100 x 5mm x 400# Orange
BPC0800	100 x 5mm x 800# Red
BPC1500	100 x 5mm x 1500# Dark Green
BPC3000	100 x 5mm x 3000# Light Green

3 STEP WET POLISHING PADS  
100MM/150MM PREMIUM

CODE	DETAILS
BPT0001	100 x 2.4mm x №1 - Premium
BPT0002	100 x 2.4mm x №2 - Premium
BPT0003	100 x 2.4mm x №3 - Premium
BPT1501	150mm x 3mm x №1 - Standard
BPT1502	150mm x 3mm x №2 - Standard
BPT1503	150mm x 3mm x №3 - Standard
BPT1001	100 x 3.5mm x №1 - Eco
BPT1002	100 x 3.5mm x №2 - Eco
BPT1003	100 x 3.5mm x №3 - Eco



NEW!

WET POLISHING PADS  
WHITE

CODE	DETAILS
BPN0050	100 x 3mm x 50# Light Green
BPN0100	100 x 3mm x 100# Dark Blue
BPN0200	100 x 3mm x 200# Yellow
BPN0400	100 x 3mm x 400# Light Blue
BPN0800	100 x 3mm x 800# Dark Green
BPN1500	100 x 3mm x 1500# Orange
BPN3000	100 x 3mm x 3000# Pink

WET POLISHING PADS  
ECO

CODE	DETAILS
BPS0050	100 x 3mm x 50#
BPS0100	100 x 3mm x 100#
BPS0200	100 x 3mm x 200#
BPS0400	100 x 3mm x 400#
BPS0800	100 x 3mm x 800#
BPS1500	100 x 3mm x 1500#
BPS3000	100 x 3mm x 3000#
BPSBUFFW	100 x 3mm x White Buff



NEW!

DRY POLISHING PADS  
PREMIUM

CODE	DETAILS
BPD0050	100 x 1.5mm x 50# Dark Blue
BPD0100	100 x 1.5mm x 100# Yellow
BPD0200	100 x 1.5mm x 200# Orange
BPD0400	100 x 1.5mm x 400# Red
BPD0800	100 x 1.5mm x 800# Green
BPD1500	100 x 1.5mm x 1500# Light Blue
BPD3000	100 x 1.5mm x 3000# Brown

## VELCRO BACKING PADS

CODE	DETAILS
BPAD115	105mm x M14
BPAD100A	105mm x 5/8
BPAD100F	105mm x M14 - Flexi Foam
BPAD100R	105mm x M14 - Foam
BPAD105R	105mm x M14 - Flexi Rubber
BPAD150	150mm x M14




BPAD150

DIAMOND POLISHING PADS  
HANDHELD BLOCKS

Versatile, general purpose tools that are used for a wide variety of manual applications such as grinding and polishing of glass, ceramics, stone, porcelain or composites. They are often used dry, but if used to obtain a more polished finish, they must be used wet,- plain water is usually sufficient.

CODE	DETAILS
BPH0060	Pink 60mm x 95mm x 60#
BPH0100	Orange 60mm x 95mm x 100#
BPH0200	Green 60mm x 95mm x 200#
BPH0400	Purple 60mm x 95mm x 400#



NEW!

## DIAMOND SANDPAPER

Upgrade your abrasives with our cutting-edge alternative to traditional sandpaper. Up to 2-4 times more aggressive than conventional abrasives, offering superior polishing without discoloration, and exceptional durability. Coarse grits last 3-4 times longer, fine grits up to 15 times longer, minimizing disc changes for enhanced efficiency. Eco-friendly, it reduces resin dust and waste, compatible with standard and high-speed angle grinders. Color-coded for quick identification.

CODE	DETAILS
GPF10010	Swiflex- 100mm x 60#
GPF10011	Swiflex- 100mm x 120#
GPF10012	Swiflex- 100mm x 200#
GPF10013	Swiflex- 100mm x 400#
GPF10014	Swiflex- 100mm x 800#
GPF10015	Swiflex- 100mm x 1500#
GPF10016	Swiflex- 100mm x 3000#





**JENNY LIND METAL**

Used for grinding stone with a radial arm polisher or single head machine.

CODE	DETAILS
GPG0050	180mm x 50#
GPG0200	180mm x 200#
GPG0400	180mm x 400#
GPG10050	220mm x 50#
GPG10200	220mm x 200#
GPG10400	220mm x 400#

CODE	DETAILS
GPG0050	180mm x 50#
GPG0200	180mm x 200#
GPG0400	180mm x 400#
GPG10050	220mm x 50#
GPG10200	220mm x 200#
GPG10400	220mm x 400#

**JENNY LIND POLISHING**

Used for polishing stone with a radial arm polisher or single head machine.

CODE	DETAILS
GPG33000	Polishing Buff Wheel 200mm
GPG30500	200mm x 500#
GPG30800	200mm x 800#
GPG31500	200mm x 1500#
GPG40500	250mm x 500#
GPG40800	250mm x 800#
GPG41500	250mm x 1500#

CODE	DETAILS
GPG33000	Polishing Buff Wheel 200mm
GPG30500	200mm x 500#
GPG30800	200mm x 800#
GPG31500	200mm x 1500#
GPG40500	250mm x 500#
GPG40800	250mm x 800#
GPG41500	250mm x 1500#

**DRUM WHEELS D50 X 40MM GRINDING & POLISHING**

CODE	DETAILS
LPD5040	M14 - Metal
LPD0050	50# x M14 - Black
LPD0100	100# x M14 - Yellow
LPD0200	200# x M14 - Orange
LPD0400	400# x M14 - Red
LPD0800	800# x M14 - Green
LPD1500	1500# x M14 - Blue
LPD3000	3000# x M14 - Brown

CODE	DETAILS
LPD5040	M14 - Metal
LPD0050	50# x M14 - Black
LPD0100	100# x M14 - Yellow
LPD0200	200# x M14 - Orange
LPD0400	400# x M14 - Red
LPD0800	800# x M14 - Green
LPD1500	1500# x M14 - Blue
LPD3000	3000# x M14 - Brown

**POLISHING POWDER**

Used for polishing stone surfaces, including marble, granite, and quartz. Its high hardness and fine particle size make it an effective abrasive for smoothing and bringing a high luster to various types of stone.

CODE	DETAILS
PPOW001	Calcined Alumina Powder - 1kg
PPOW040	Calcined Alumina Powder - 30kg

CODE	DETAILS
PPOW001	Calcined Alumina Powder - 1kg
PPOW040	Calcined Alumina Powder - 30kg

**GRINDING X BLOCKS**

CODE	DETAILS
TPGX0	X0 24# Green
TPGX1	X1 36# Black
TPGX2	X2 60# Orange
TPGX3	X3 120# Red
TPGX4	X4 320# Yellow

CODE	DETAILS
TPGX0	X0 24# Green
TPGX1	X1 36# Black
TPGX2	X2 60# Orange
TPGX3	X3 120# Red
TPGX4	X4 320# Yellow

**REBUFF**

CODE	DETAILS
GPR0001	Black Polishing Block
GPR0002	White Polishing Block

CODE	DETAILS
GPR0001	Black Polishing Block
GPR0002	White Polishing Block

**POLISHING BLOCKS**

CODE	DETAILS
GCP01	Number 1- 90 x 28mm- 36# Blue
GCP02	Number 2- 90 x 28mm- 120# Red
GCP03	Number 3- 90 x 28mm- 320# Yellow
GCP04	Number 4- 90 x 28mm- 400# Green
GCP05	Number 5- 90 x 28mm- 800# Grey

CODE	DETAILS
GCP01	Number 1- 90 x 28mm- 36# Blue
GCP02	Number 2- 90 x 28mm- 120# Red
GCP03	Number 3- 90 x 28mm- 320# Yellow
GCP04	Number 4- 90 x 28mm- 400# Green
GCP05	Number 5- 90 x 28mm- 800# Grey

**SILICONE CARBIDE ANTIQUING BRUSHES**

Used for cleaning and applying textured finished on marble, limestone, granite, ceramic, and agglomerates.

CODE	DETAILS
WHA046	Antiquing Brush 46#
WHA060	Antiquing Brush 60#
WHA120	Antiquing Brush 120#
WHA240	Antiquing Brush 240#

CODE	DETAILS
WHA046	Antiquing Brush 46#
WHA060	Antiquing Brush 60#
WHA120	Antiquing Brush 120#
WHA240	Antiquing Brush 240#

**FELT BUFF**

CODE	DETAILS
FELTBUFF10030	100 x 30mm
FELTBUFF15030	150 x 30mm

CODE	DETAILS
FELTBUFF10030	100 x 30mm
FELTBUFF15030	150 x 30mm

**SNAIL LOCK**

CODE	DETAILS
SNLK2	Snail Lock 100mm x M14
SNLK1	Snail Lock 100mm x 5/8
SNLK3	Snail Lock 127mm x M14 (150mm)
SNLKB115	Snail Lock Velcro Backing Pad 115mm

CODE	DETAILS
SNLK2	Snail Lock 100mm x M14
SNLK1	Snail Lock 100mm x 5/8
SNLK3	Snail Lock 127mm x M14 (150mm)
SNLKB115	Snail Lock Velcro Backing Pad 115mm

**SNAIL LOCK SPIRAL MAGNESITE WHEEL**

CODE	DETAILS
WHG060	Spiral Magnesite Wheel- 150mm x 60#
WHG220	Spiral Magnesite Wheel- 150mm x 220#
WHG320	Spiral Magnesite Wheel- 150mm x 320#
WHG400	Spiral Magnesite Wheel- 150mm x 400#
WHG600	Spiral Magnesite Wheel- 150mm x 600#
WHGBUFF	Spiral Magnesite Wheel- 150mm x BUFF

CODE	DETAILS
WHG060	Spiral Magnesite Wheel- 150mm x 60#
WHG220	Spiral Magnesite Wheel- 150mm x 220#
WHG320	Spiral Magnesite Wheel- 150mm x 320#
WHG400	Spiral Magnesite Wheel- 150mm x 400#
WHG600	Spiral Magnesite Wheel- 150mm x 600#
WHGBUFF	Spiral Magnesite Wheel- 150mm x BUFF

**M14 SHAPING WHEEL**

CODE	DETAILS
CAPW301	80 x 40mm x M14 x 24#
CAPW401	80 x 40mm x M14 x 36#
CAPW501	80 x 40mm x M14 x 60#
CAPW601	80 x 40mm x M14 x 80#
CAPW701	80 x 40 mm x M14 x 120#

CODE	DETAILS
CAPW301	80 x 40mm x M14 x 24#
CAPW401	80 x 40mm x M14 x 36#
CAPW501	80 x 40mm x M14 x 60#
CAPW601	80 x 40mm x M14 x 80#
CAPW701	80 x 40 mm x M14 x 120#



## Stone Tools



### MITRE CLAMP

A useful tool to assemble seamless 90° mitre edges. Fast and simple to use, it features a built-in square, fascia clamping rod, and fascia retaining arm.

CODE	DETAILS
GRMC001	Clamp 45° Mitre Clamp

### STONE SLAB LIFTERS

Our powerful range of slab lifters are dependable for lifting and moving heavy slabs. The lifter integrates a spring-loaded latch that automatically releases from the slab.

CODE	DETAILS
GRTL009	Super Multi Lifter 0-30mm slab - MAX 500kg - White
GRTL008	Sky Rider Lifter 0-30mm slab - MAX 1000kg - White
GRTL001	Lifter With Swivel 10-50mm slab - MAX 1300kg - Black
GRTL002	Lifter With Swivel 30-75mm slab - MAX 1500kg - Black

GRTL009



GRTL008



GRTL001



GRTL002



### SLAB LIFTING CLAMP

CODE	DETAILS
GRTL003	Pair of Clamps - 40mm slab - 250kg each



### FIBREGLASS RODDING DISPENSER

Dispenser to easily store and cut fibreglass rodding to the required length.

CODE	DETAILS
GR0002	Fiberglass Rodding Dispenser

### FIBREGLASS RODDING

Protect your natural stone installations with fibreglass reinforced rods. Reinforcing of stone counter-tops is highly recommended to prevent breakages during transport and installation. The reinforcing rods can also be used to hold intricate patterns within the material together. Recommended for use around basins and thinner areas of stone.

Sold per meter.

CODE	DETAILS
GR0001	3.17 x 6.35mm



### SINK HOLE SAVER & CLAMPS

Protects finished stone slabs from breaking during lifting, transport and installation. Ideal for reinforcing counter-tops and backslashes. The stiffening rail is strong and light weight with a sliding channel for custom placement of each clamp. This device can be applied in the workshop and left on the counter-top all the way to and through the installation.

CODE	DETAILS
GRMC002	Sink Hole Saver 2.44m Bar
GRMC003	Clamp for Sink Hole Saver

### TRIMMER BLADES

Trimmer blades packed in a convenient casing with each blade oiled for protection and longevity.

CODE	DETAILS
GM0032	Pack of 100 Trimmer Blades



Rubber Casing



Plastic Casing

### TAPE MEASURES

Rubber and plastic covered tape measures.

CODE	DETAILS
MTT09000	Tape Measure 3m x 16mm Rubber Case Magnetic H/D
MTT09001	Tape Measure 5m x 19mm Rubber Case Magnetic H/D
MTT09002	Tape Measure 8m x 25mm Rubber Case Magnetic H/D
MTT09003	Tape Measure 10m x 25mm Rubber Case Magnetic H/D
MTT09008	Tape Measure 3m x 16mm Plastic Case 2-Stop
MTT09009	Tape Measure 5m x 19mm Plastic Case 2-Stop
MTT09010	Tape Measure 8m x 25mm Plastic Case 2-Stop

### MEASUREMENT & MARKING

Note: Chalk line includes chalk refill.

CODE	DETAILS
MTT09007	Chalk Line - Including Chalk
GM0004	Yellow China Markers (Single)
GM0005	Red China Markers (Single)



Chalk Line



China Markers

### MASKING TAPE

Various widths of masking tape.

CODE	DETAILS
GM0018	18mm x 40m x 80C - Box of 48
GM0011	24mm x 40m x 80C - Box of 36
GM0013	36mm x 40m x 80C - Box of 24
GM0010	48mm x 40m x 80C - Box of 24



### SUCTION CUPS

Suction cups used for lifting slabs and tiles.

CODE	DETAILS
MTT13000	Single Suction Cup
MTT13001	Double Suction Cup
MTT13002	Triple Suction Cup
RAT185	Raimondi Single Suction Cup







FTTO0116 - 5-12mm



FTTO0118 - 20-65mm

### CORE DRILLING GUIDES

The Diamond Core Bit Guide will keep your core bit in the correct position and prevent the core bit from jumping or skipping on your work piece.

CODE	Details
FTTO0116	Diamond Core Bit Guide (Small) 5-12mm
FTTO0118	Diamond Core Bit Guide (Large) 20-65mm



### SILICONE SEALANT TOOLS

Various tools used for applying and working with silicone.

CODE	DETAILS
GS0024	Bulk Fill Gun 12inch
MTT05009	Silicone Sealant Set



### VINYL SANDBLASTING

CODE	DETAILS
GM0020	Grey 350 micron- 620mm x 25m



### TOOL-CO MITRE JOINT ADHESIVE

A non-flexible solid adhesive that has extremely high strength and precise glue application. It's fast drying in winter and it never cracks, has no whitening, no blackening, no mold, no yellowing, 100% seamless splicing effect, and provides environmental protection with high efficiency. All products comply with EU SGS-ROHS, REACH, and ISO9001 certification.

**Material Bonding:** sintered stone, quartz stone, granite, marble, etc.

**Working Time:** 8-10 minutes @ 24 °C

**Polishing Time:** 18-22minutes @ 24 °C

**Mixing Ratio of Glue to Curing Agent:** 10 to 1

CODE	DETAILS
GSG0001	Mitre Joint Adhesive Iron Moss 250ml
GSG0002	Mitre Joint Adhesive Perfect White 250ml
GSG0003	Mitre Joint Adhesive Chameleon 250ml
GSG0004	Mitre Joint Adhesive Black 250ml
GSG0005	Mitre Joint Adhesive Ash 250ml
GSG0006	Mitre Joint Adhesive Quarry 250ml
GSG0007	Mitre Joint Adhesive Sand 250ml
GSG0008	Mixing Tip 250ml
GSG0000	Mitre Joint Adhesive Dispenser 250ml



### SOUDAL SILICONE

CODE	DETAILS
GS1001	Universal - Black - 270ml
GS1002	Universal - White - 270ml
GS1006	Universal - Clear - 270ml
GS1007	Paintable Sealant Acrylic - White - 270ml
GS1008	Fix All High Tack - Black - 290ml
GS1010	Fix All High Tack - White - 290ml
GS1011	Fix All High Tack - Crystal - 290ml
GS1012	Soudaflex 40FC - White - 600ml
GS1013	Pro Nails Solvent Free - 310ml
GS1014	Silirub NES - 280ml



### SILTECH SILICONE

CODE	DETAILS
GS0001	1000 Universal Sealant - Clear - 260ml
GS0002	1000 Universal Sealant - White - 260ml
GS0003	1000 Universal Sealant - Black - 260ml
GS0009	100 Acetoxy Sealant - Grey - 280ml
GS0016	9000 Paintable Sealant - White - 260ml
GS0017	900 Acrylic Sealant - White - 280ml
GS0020	60 Kwik Stick - White - 280ml
GS0021	PU40 Shore Grey - 600ml





## Core Drill Bits

### GRANITE CORE DRILLS BLACK

Economic drilling of all marble and granite.  
Good life with slower drilling speed.  
USE WITH WATER

CODE	DETAILS
BZG020P	Core Drill Bit- 20 x 105mm x M14
BZG025P	Core Drill Bit- 25 x 105mm x M14
BZG032P	Core Drill Bit- 32 x 105mm x M14
BZG035P	Core Drill Bit- 35 x 105mm x M14
BZG051P	Core Drill Bit- 51 x 105mm x M14
BZG065P	Core Drill Bit- 65 x 105mm x M14
BZG080S	Core Drill Bit- 80 x 105mm x M14
BZG085P	Core Drill Bit- 85 x 105mm x M14
BZG102P	Core Drill Bit- 102 x 105mm x M14
GAD008	Adaptor Pin to M14
GAD006	Adaptor Pin to 5/8

Adaptor Pin

### SINTERED STONE & PORCELAIN CORE DRILL BITS

CODE	DETAILS
BND006	Core Drill Bit- 6mm x M14
BND008	Core Drill Bit- 8mm x M14
BND012	Core Drill Bit- 12mm x M14
BND020	Core Drill Bit- 20mm x M14
BND025	Core Drill Bit- 25mm x M14
BND035	Core Drill Bit- 35mm x M14
BND040	Core Drill Bit- 40mm x M14
BND045	Core Drill Bit- 45mm x M14
BND051	Core Drill Bit- 51mm x M14
BND060	Core Drill Bit- 60mm x M14
BND081	Core Drill Bit- 81mm x M14
BND095	Core Drill Bit- 95mm x M14
BND100	Core Drill Bit- 100mm x M14

### STONE & TILE CORE DRILLS BLUE

Fast drilling into all types of tiles:  
Porcelain, ceramics, and natural stone.  
USE WITH WATER

CODE	DETAILS
LZG005P	Dowel Drill Bit- 5 x 40mm x Straight Shank
LZG006P	Dowel Drill Bit- 6 x 40mm x Straight Shank
LZG008P	Core Drill Bit- 8 x 40mm x Straight Shank
LZG010P	Core Drill Bit- 10 x 40mm x Straight Shank
LZG012P	Core Drill Bit- 12 x 40mm x Straight Shank
LZG014P	Core Drill Bit- 14 x 40mm x Straight Shank
LZG016P	Core Drill Bit- 16 x 40mm x Straight Shank
LZG006M	Core Drill Bit- 6 x 40mm x M14
LZG008M	Core Drill Bit- 8 x 40mm x M14
LZG010M	Core Drill Bit- 10 x 40mm x M14
LZG016M	Core Drill Bit- 16 x 40mm x M14
LZG018P	Core Drill Bit- 18 x 40mm x M14
LZG020P	Core Drill Bit- 20 x 50mm x M14
LZG025P	Core Drill Bit- 25 x 50mm x M14
LZG032P	Core Drill Bit- 32 x 70mm x M14
LZG035P	Core Drill Bit- 35 x 70mm x M14
LZG040P	Core Drill Bit- 40 x 70mm x M14
LZG045P	Core Drill Bit- 45 x 70mm x M14
LZG052P	Core Drill Bit- 52 x 70mm x M14
LZG065P	Core Drill Bit- 65 x 70mm x M14
LZG078P	Core Drill Bit- 78 x 70mm x M14
LZG080P	Core Drill Bit- 80 x 70mm x M14
LZG090P	Core Drill Bit- 90 x 70mm x M14
LZG095P	Core Drill Bit- 95 x 70mm x M14
LZG102P	Core Drill Bit- 102 x 70mm x M14
LZG120P	Core Drill Bit- 120 x 70mm x M14
GAD008	Adaptor Pin to M14
GAD006	Adaptor Pin to 5/8

## Electroplated & Vacuum Brazed

### VACUUM BRAZED DIAMOND CORE BITS

Our vacuum brazed diamond core bits are designed to give you uncomplicated, clean, smooth and chip-free holes in fibreglass, fibre concrete, ceramic, granite tops, marble or porcelain.

CODE	DETAILS
LVRC020P	20 x 3.5 x 7mm x M14
LVRC025P	25 x 3.5 x 7mm x M14
LVRC032P	32 x 3.5 x 7mm x M14
LVRC035P	35 x 3.5 x 7mm x M14
LVRC040P	40 x 3.5 x 7mm x M14
LVRC045P	45 x 3.5 x 7mm x M14
LVRC050P	50 x 3.5 x 7mm x M14
LVRC055P	55 x 3.5 x 7mm x M14
LVRC060P	60 x 3.5 x 7mm x M14
LVRC065P	65 x 3.5 x 7mm x M14
LVRC070P	70 x 3.5 x 7mm x M14
LVRC075P	75 x 3.5 x 7mm x M14
LVRC082P	82 x 3.5 x 7mm x M14
LVRC090P	90 x 3.5 x 7mm x M14
LVRC102P	102 x 3.5 x 7mm x M14
LVRC120P	120 x 3.5 x 7mm x M14

### VACUUM BRAZED ENGRAVING BITS

Vacuum Brazed Engraving Bits designed for edge details grinding and engraving applications.

CODE	DETAILS
LVED01	D1 x 6mm Straight Shank
LVED02	D2 x 6mm Straight Shank
LVED03	D3 x 6mm Straight Shank
LVED07	D7 x 6mm Straight Shank
LVED10	D10 x 6mm Straight Shank
LVED11	D11 x 6mm Straight Shank
LVED15	D15 x 6mm Straight Shank
LVED19	D19 x 6mm Straight Shank
LVED50/40	D50 x 8mm x 40# Straight Shank
LVED50/60	D50 x 8mm x 60# Straight Shank
LVED50/80	D50 x 8mm x 80# Straight Shank



### FINGER MILLING BIT

CODE	DETAILS
LVEM1001	10 x 25mm x M14

### VACUUM BRAZED COUNTERSINK CONE

CODE	DETAILS
LVES1013	2mm to 50mm x M14
LVES1014	2mm to 70mm x M14





## Electro-Plated &amp; Vacuum Brazed



## ELECTROPLATED FIBREGLASS BLADES

CODE	DETAILS
LVC115TC	115 x 22.23mm
EP180	180mm (Made To Order)
EP200	200mm (Made To Order)
EP250	250mm (Made To Order)
EP300	300mm (Made To Order)

## VACUUM BRAZED FIBREGLASS BLADES

CODE	DETAILS
LVRS230P	230 x 5 x 2.3 x 22.23mm
LVRS350P	350 x 5 x 2 x 32.2mm



## PORCELAIN ECO CORE DRILL BITS

Fast drilling into all types of tiles: Porcelain, hard ceramics, natural stone.  
Estimated life between 5-20 holes depending on the hardness and thickness of the tile.  
USE WITH WATER

CODE	DETAILS
LZV005	5 x 40mm x 10mm Hex Shank
LZV006	6 x 40mm x 10mm Hex Shank
LZV008	8 x 40mm x 10mm Hex Shank
LZV010	10 x 40mm x 10mm Hex Shank

## VB PREMIUM DIAMOND CORE BITS

For drilling clean, smooth and chip-free holes in fibreglass, fibre concrete, ceramic, granite tops, marble or porcelain.

CODE	DETAILS	CODE	DETAILS
LVRC020P	20 x 3.5 x 7mm x M14	LVRC060P	60 x 3.5 x 7mm x M14
LVRC025P	25 x 3.5 x 7mm x M14	LVRC065P	65 x 3.5 x 7mm x M14
LVRC032P	32 x 3.5 x 7mm x M14	LVRC070P	70 x 3.5 x 7mm x M14
LVRC035P	35 x 3.5 x 7mm x M14	LVRC075P	75 x 3.5 x 7mm x M14
LVRC040P	40 x 3.5 x 7mm x M14	LVRC082P	82 x 3.5 x 7mm x M14
LVRC045P	45 x 3.5 x 7mm x M14	LVRC090P	90 x 3.5 x 7mm x M14
LVRC050P	50 x 3.5 x 7mm x M14	LVRC102P	102 x 3.5 x 7mm x M14
LVRC055P	55 x 3.5 x 7mm x M14	LVRC120P	120 x 3.5 x 7mm x M14



## VB ECO DIAMOND CORE DRILL BITS

15mm of Vacuum Brazed Diamonds for flawless holes in stone, tile, and tough materials. Built for contractors and DIY. Drill wet to reduce dust and extend bit life, or go dry for quick, on-the-job efficiency.

Compatible with angle grinders (via direct M14 thread) or standard drills with an Adaptor Hex Pin To M14 (sold separately).

CODE	DETAILS
LVRC006E	6mm x 35mm x 10mm x M14
LVRC008E	8mm x 35mm x 10mm x M14
LVRC010E	10mm x 35mm x 10mm x M14
LVRC012E	12mm x 35mm x 10mm x M14
LVRC014E	14mm x 35mm x 10mm x M14
LVRC016E	16mm x 35mm x 10mm x M14
LVRC020E	20mm x 55mm x 15mm x M14
LVRC025E	25mm x 55mm x 15mm x M14
LVRC030E	30mm x 55mm x 15mm x M14
LVRC035E	35mm x 55mm x 15mm x M14
LVRC045E	45mm x 55mm x 15mm x M14
LVRC050E	50mm x 55mm x 15mm x M14
LVRC055E	55mm x 55mm x 15mm x M14
LVRC060E	60mm x 55mm x 15mm x M14
LVRC065E	65mm x 55mm x 15mm x M14
LVRC080E	80mm x 55mm x 15mm x M14
LVRC085E	85mm x 55mm x 15mm x M14
LVRC090E	90mm x 55mm x 15mm x M14
LVRC100E	100mm x 55mm x 15mm x M14
LVRC120E	120mm x 55mm x 15mm x M14
LVRC135E	135mm x 55mm x 15mm x M14
LVRC140E	140mm x 55mm x 15mm x M14

## DIAMOND CORE DRILLING &amp; MILLING BITS


Vacuum brazed core drill bit effortlessly drills clean holes into stone, tile and tough materials, featuring a vacuum brazed tip for core drilling and a secondary segment along its diameter for shaping and edging tasks.

Compatible with angle grinders (via direct M14 thread) or standard drills with an Adaptor Hex Pin To M14 (sold separately).

CODE	DETAILS
LVEF1020	20mm x 40mm x 5mm x 30mm x M14
LVEF1025	25mm x 40mm x 5mm x 30mm x M14
LVEF1030	30mm x 40mm x 5mm x 30mm x M14
LVEF1035	35mm x 40mm x 5mm x 30mm x M14
GAD008	Adaptor Pin to M14



Adaptor Pin  
GAD008



Adaptor Pin  
GAD008





## VACUUM BRAZED CUTTING DISCS

CODE	DETAILS
LVEC1030	ELECTROPLATED BLADE 30mm X M14
LVEC1040	ELECTROPLATED BLADE 40mm X M14
LVEC1050	ELECTROPLATED BLADE 50mm X M14
LVEC1075	ELECTROPLATED BLADE 75mm X M14
LVEC1080	ELECTROPLATED BLADE 80mm X M14
LVEC1001	M14 X 90mm MALE TO FEMALE ADAPTOR EXTENSION

## TOOL-CO EXTREME THIN

A specialised blade for cutting and grinding porcelain and glass.

CODE	DETAILS
LVC115CG30	115 x 1.5 x 30 x 22.23mm
LVC125CG30	125 x 1.5 x 30 x 22.23mm

VACUUM BRAZED  
BULLNOSE GRINDING WHEEL

For grinding and shaping materials such as marble, granite, quartz, ceramics, and stone. It is especially useful for concrete exterior walls in building or decorative projects. The wheel is ideal for tasks such as partially flattening floors and finely edging marble or granite boards.

CODE	DETAILS
LVES1001	Full Bullnose Wheel 75 x 10 x 22.23mm
LVES1002	Full Bullnose Wheel 75 x 15 x 22.23mm
LVES1003	Full Bullnose Wheel 75 x 20 x 22.23mm

## COMING SOON

LVES0001	Half Bullnose Wheel 75 x 10 x 22.23mm
LVES0002	Half Bullnose Wheel 75 x 15 x 22.23mm
LVES0003	Half Bullnose Wheel 75 x 20 x 22.23mm



## SHAPING WHEELS

For shaping natural stones and quartz. Limited life when shaping granite.

CODE	DETAILS
LVB350C	Concave 350mm x 24/22mm Width x 60mm Bore x 9kg
LVB350I	Convex 350mm x 24mm Width x 60mm Bore x 9.7kg
LVB350F15	Flat 350mm x 15mm Width x 60mm Bore x 9kg



## CUTTING &amp; GRINDING DISC

CODE	DETAILS
LVC125CG7.5	Cutting & Grinding 125mm x 7.5mm x M14

## CUTTING &amp; GRINDING WHEELS

CODE	DETAILS
BRT125CG	125mm x 3mm x M14



## DRAINAGE GROOVE WHEEL

CODE	DETAILS
GROOVE	100mm x 10mm x M14
GROOVE125	125mm x 10mm x M14




## EDGE PROFILING MACHINE &amp; TOOLS

Power: 2200W 230V  
Max Stone Thickness: 20mm  
Profiling Wheel: 120mm  
No Load Speed: 8500rpm

CODE	DETAILS
MN192146	Manta Edge
EDGE PROFILING TOOLS	
LVMB1000	Shape B- 20mm 30#
LVMB1001	Shape B- 20mm 50#
LVMB1002	Shape B- 20mm 100#
LVMB1003	Shape B- 20mm 200#
LVMF1000	Shape F- 20mm 30#
LVMF1001	Shape F- 20mm 50#
LVMF1002	Shape F- 20mm 100#
LVMF1003	Shape F- 20mm 200#
LVMH1000	Shape H- 20mm 30#
LVMH1001	Shape H- 20mm 50#
LVMH1002	Shape H- 20mm 100#
LVMH1003	Shape H- 20mm 200#
LVMV1000	Shape V- 20mm 30#
LVMV1001	Shape V- 20mm 50#
LVMV1002	Shape V- 20mm 100#
LVMV1003	Shape V- 20mm 200#

## SINK HOLE COUNTERSINK BITS

CODE	DETAILS
LVES1023	40-60mm x M14
LVES1024	45-65mm x M14
LVES1025	50-70mm x M14



**ALL OUR STOCKED SHAPES ARE IN RED  
OTHER SHAPES ARE AVAILABLE ON REQUEST**



# Tool - Co



**PROFESSIONAL TOOLS  
FOR PROFESSIONAL RESULTS**



## Stone Glue & Adhesives



### MASTIC 2000

Two-component polyester mastic for the filling and smoothing, ideal for bonding and filling marble, granite, travertine and natural stones. MASTIC 2000 is available in solid form for vertical use and is also available in multiple colours.

CODE	DETAILS
GB02802	Glue Yellow Solid Kit 750ml
GB02803	Glue Yellow Solid Kit 5L
GB02804	Glue Yellow Solid Kit 17L
GB02902	Glue White Solid Kit 750ml
GB02903	Glue White Solid Kit 5L
GB02904	Glue White Solid Kit 17L
GB03102	Glue Transparent Solid 750ml
GB03103	Glue Transparent Solid 5L
GB03104	Glue Transparent Solid 17L
GB04002	Catalyst Hardener 40ml
GB04003	Catalyst Hardener 180ml

### EPOX 2000

Two pack epoxy mastic, suitable to glue, joint, fill and reinforce various types of granite marble and stones. Product with a higher adhesive power, its performance makes it useful to fill or rectify also big imperfections on works that otherwise would be considered waste. Weather-proof and with a very high resistance to solvent, alkali and acid, is the best filler-paste for marbles and granites.

CODE	DETAILS
GB03301	Epoxy A- 1lt
GB03302	Epoxy B- 250ml



### IMPREPOX 1000

Two-component epoxy system used mainly in the stone processing field to restore and consolidate natural stone surfaces, porous and leaky concrete and cement objects, and to reinforce the rear of natural stone slabs subject to breakage.

CODE	DETAILS
GB04501	Premium Extra Fluid Epoxy A 1kg
GB04502	Premium Extra Fluid Epoxy B 250g



### EPOWER

Vinyl ester adhesive with strong bonding properties and excellent mechanical resistance indicated for visible and exposed seaming, lamination and gluing of marbles, granite, quartz and ceramics. Ultra advanced solid (knife grade) formulation with strong adhesion, the product is developed for versatility on different surfaces where a clear translucent visible result is important. Highly indicated for 45° and 90° mitring and lamination. Highly recommended for white and light materials. Use 1-3% BPO paste.

CODE	DETAILS
GB15001	Epower Adhesive Kit 750ml



### ROYAL SOLID GLUE RY/S

A polyester glue for bonding natural stone.

CODE	DETAILS
GR11001	Royal Solid Glue RY/S Kit - White 1L
GR11002	Royal Solid Glue RY/S Kit - White 6L
GR11003	Royal Solid Glue RY/S Kit - White 25L
GR12001	Royal Solid Glue RY/S Kit - Beige 1L
GR13001	Royal Solid Glue RY/S Kit - Transparent 1L
GR13002	Royal Solid Glue RY/S Kit - Transparent 6L
GR13003	Royal Solid Glue RY/S Kit - Transparent 25L
GR14001	Royal Catalyst Hardener 180ml

### BELLINZONI WOOD CARE PRODUCT CODE: GB16001





**IDEA HP**

Clear protective agent to protect stones against water, oil, grease and humidity. IDEA HP penetrates deep into the stone, blocking the efflorescence and lets the stone breathe.

CODE	DETAILS
GB01502	Idea HP Water & Oil Repellent- 1L
GB01503	Idea HP Water & Oil Repellent- 5L
GB01504	Idea HP Water & Oil Repellent- 25L

**IDEA XC**

Is a new impregnating sealer to protect stones against water, oil, grease and humidity giving an attractive wet-look effect; optimum also for polished materials. When applied, IDEA XC penetrates the stone without forming unsightly plastic films.

CODE	DETAILS
GB01602	Idea XC Water & Oil Repellent- 1L
GB01603	Idea XC Water & Oil Repellent- 5L

**IDEA GOLD**

Is an exceptional anti-stain product based on nanotechnology formulation; it protects marble and granite stones from a wide range of stains and has prolonged efficiency.

CODE	DETAILS
GB01802	Idea Gold Water & Oil Repellent- 1L
GB01803	Idea Gold Water & Oil Repellent- 5L

**IDEA STONAGER**

A product specifically designed to protect and intensify the colour to give an antique look to stones marble, granite and artificial stones. Its typical application is on unpolished stones such as sand-blasted, bush-hammered, rough, flamed or honed ones. IDEA STONAGER protects against stains due to oils, greases, humidity and prevents formation of mildew.

CODE	DETAILS
GB08801	Idea Stonager- 250ml
GB08802	Idea Stonager- 1L
GB08803	Idea Stonager- 5L

**IDEA TROPICAL**

A product specifically designed to protect and intensify the colour and give an antique look to tropical stones. Its typical application is on unpolished stones such as sand-blasted, rough, bush-hammered, flamed or honed. The product protects against stains such as oil, grease, humidity and prevents formation of mildew.

CODE	DETAILS
GB08901	Idea Tropical- 250ml

**IDEA BLACK**

A new silicone-based protective impregnating agent, dyed in an intense black colour for the treatment of black granites and stones. Great for enhancing black polished granites, that usually cannot be easily enhanced with other products.

CODE	DETAILS
GB01902	Idea Black 750ml Water Repellent -750ml

**IDEA QUARZO**

Water and oil repellent protective, impregnating enhancer with extra darkening action for quartz resin surfaces and against the penetration of water, oils, grease and moisture. Certified for foodstuff direct contact.

CODE	DETAILS
GB09001	Idea Quarzo- 250ml
GB09002	Idea Quarzo- 1L

**IDEA DARK**

Protective impregnating agent, for the treatment of both shiny and rough surfaces of natural stones such as granites, marbles, etc. Specific for dark or black absorbing stones, IDEA DARK deeply enhances the natural colour of stone, covers scratches and flaws of dark/black stone.

CODE	DETAILS
GB01702	Idea Dark Water Repellent – 1L
GB01703	Idea Dark Water Repellent – 5L
GB01704	Idea Dark Water Repellent – 25L

**LIMESEALER**

Colourless impregnating and anti-salts resurfacing product, that also protects the material from water and oil. LIMESEALER is suited for very porous and fragile stones such as limestone and sandstone.

CODE	DETAILS
GB02001	Limeseal Water & Oil Repellent- 1L
GB02002	Limeseal Water & Oil Repellent- 5L
GB02003	Limeseal Water & Oil Repellent- 25L

**STRONG 2000**

Is a clear siloxane consolidating agent for protection of buildings and stones against penetration of water, grease and humidity.

CODE	DETAILS
GB02101	Strong 2000 Consolidator- 1L
GB02102	Strong 2000 Consolidator- 5L
GB02103	Strong 2000 Consolidator- 25L

**BLOCK D70**

Colourless water and oil repellent for protection of stone facade, floors and stone products against penetration of water, humidity, oil, alimentary grease, and mildew formation. It's chemical composition allows the treated material to breathe and allows humidity to exit from the stone but prevent the same from entering.

CODE	DETAILS
GB02302	Block D70 Water & Oil Repellent- 1L
GB02303	Block D70 Water & Oil Repellent- 5L
GB02304	Block D70 Water & Oil Repellent- 25L
GB02402	Block D70 Eco+ Water & Oil Repellent- 1L
GB02403	Block D70 Eco+ Water & Oil Repellent- 5L
GB02404	Block D70 Eco+ Water & Oil Repellent- 25L

**GREZZO**

Is a deep colour enhancing and protective agent, used to intensely increase colour of material. It also raises resistance against penetration of water and oils, on surface and handmade objects with rough finish.

CODE	DETAILS
GB06701	Grezzo Enhancer- 1L
GB06702	Grezzo Enhancer- 5L
GB06703	Grezzo Enhancer- 25L



## Bellinzoni Sealants



### DURALBRILL

DURALBRILL is a nanotechnological polish capable of hardening and strengthening the surface of the stone. Tests show that DURALBRILL makes the surface of a marble almost as resistant as that of a granite. Perfect for polishing, reviving and protecting marble, granite and terrazzo-marble-cement, with notable resistance to water, detergents and abrasion. DURALBRILL forms a very transparent film which makes it ideal for use to treat heavily trafficked surfaces.

CODE	DETAILS
GB05901	Duralbrill- 1L

### DURALMAX

DuralMax is the new, ideal product for bonding, hardening and protection of floors in marble, terrazzo, engineered stones, limestone, sandstone. Its exclusive resin based formulation with nanotechnology components allows to consolidate and protect the stone, increasing superficial hardness and highly reducing risks of damages due by trampling. It gives a pleasant matt look to treated material.

CODE	DETAILS
GB02701	Duralmax- 1L



## Bellinzoni Polishers



### B-3 ACTION TOP

Ready to use, 3 in 1 formula. Triple action product for the cleaning, protection and maintenance of all polished and semi polished marble, granite, natural stone and quartz counters and vanity tops, public spaces, and other tables. Product cleans effectively while supplying protection against staining and enhances surface shine.

CODE	DETAILS
GB04902	B-3 Action Top- 750ml

### WAX PASTE

This product comes in a paste form for polishing marble, granite and cement. It dries quickly and forms a film of top quality wax on the surface which penetrate the material.

CODE	DETAILS
GB00102	Wax Paste for Polishing- White 930ml
GB00202	Wax Paste for Polishing- Black 930ml



### SUPER CRYSTAL

This powder is used as a final step in achieving the high reflectivity finish that is seen on polished marble or granite tiles and slabs. To be used with water and a buffing pad to get excellent results.

CODE	DETAILS
GB01401	Marble Polishing Powder Super Crystal- 1kg
GB01402	Marble Polishing Powder Super Crystal- 5kg
GB08701	Granite Polishing Powder Super Crystal- 750g

### LIQUID WAX

Specially formulated to intensify and enhance marble and granite colours giving them attractive "wet look".

CODE	DETAILS
GB00301	Special Liquid for Polishing- 675ml



### EUREKA POLISHING GELS

The new line of products in gel specifically formulated for polish and maintain various types of materials: marble, granite, porcelain and quartz resin.

CODE	DETAILS
GB01101	Eureka Granite Polishing Gel- 1L
GB01201	Eureka Marble Polishing Gel- 1L
GB01301	Eureka Porcelain Polishing Gel- 1L
GB08301	Eureka Quartz Polishing Gel- 1L

### VETRO-GLASS

It's now easy to renew a long-lasting sheen and to harden the surfaces of marble and stone agglomerates without using wax or resin.

CODE	DETAILS
GB00901	Crystallizer Vetro-Glass- 1L
GB00902	Crystallizer Vetro-Glass- 5L



### CRYSTALLIZER ONE

Product for the crystallization of marble, marble agglomerates, marble- cement, terrazzo and limestone floors to obtain a high durable surface gloss and restore the beauty of the material. Periodic use of product increases surface hardness and resistance to potential absorption, foot traffic, scratches and marks. Suitable for use a periodic floor buffing and gloss maintenance to increase surface shine of material.

CODE	DETAILS
GB01001	Crystallizer One- 1L
GB01002	Crystallizer One- 5L

### SUPERLUX E3

A specialised liquid developed to polish and boost color of every stone material; it protects and polishes marble, granite and stones edges. Application of SUPERLUX E3 makes unnecessary the following polishing of treated material. SUPERLUX E3 is particularly suitable to be used on corners and edges, it strongly enhances color and shine to material smoothed up to 800 grit.

CODE	DETAILS
GB00901	Crystallizer Vetro-Glass- 750ml



### VX-SL SILICON WAX

A polishing liquid containing a special modified silicone. Dries very quickly. This product has been specially formulated for the use with automatic line waxing machines to protect and polish marble, granite, agglomerate slabs and tiles and also terrazzo and ceramic tiles. Its special formulation allows for use to hand polish and protect internal and external walls, skirtings, risers and monuments.

CODE	DETAILS
GB00501	VX-SL Polish- 675ml ( To Be Discontinued )





**MARBLE & GRANITE CARE KIT**

Specific system for the cleaning and protection of marble, granite and stone surfaces. Certified for foodstuff direct contact.

CODE	DETAILS
------	---------

GB11001	Marble & granite care kit- 250ml
---------	----------------------------------

**QUARTZ CARE SYSTEM**

Specific system for the cleaning and protection of quartz surfaces. Certified for foodstuff direct contact.

CODE	DETAILS
------	---------

GB08601	Quartz Care kit- 250ml
---------	------------------------

**MOULD CLEANER**

A very concentrated cleaner with strong hygienic action, removes and prevents the formation of mould and the subsequent settlement of fungi, algae, mildew and musk.

CODE	DETAILS
------	---------

GB05703	Mould Cleaner- 750ml
---------	----------------------

**ALGAKILL**

A concentrated cleaner, it removes and prevents deposits of algae, mould and mildew on marble, granite, terrazzo, slate, stone, ceramic, concrete, glass and other hard washable surface. Suitable for slabs façades and swimming pools.

CODE	DETAILS
------	---------

GB05701	Algae Killer- 1L
---------	------------------

**RUST REMOVER**

Specific gel cleaner for rust removal from marble, granite, ceramic, porcelain, stones and metals.

CODE	DETAILS
------	---------

GB06901	Rust Cleaner Gel- 1L
GB06902	Rust Cleaner Gel- 250ml

**VIP 10 LIQUID CLEANER**

Formulated specifically for the removal of coloured stains from marble and stone surfaces. Highly recommended for the removal of purple haze or stains left on stone following the application of RUST REMOVER.

CODE	DETAILS
------	---------

GB07001	VIP 10 Liquid Cleaner- 500ml
---------	------------------------------

**L&L CLEAN & POLISH**

Product for an easy and quick maintenance of ceramic, natural and agglomerated stone floors. Used for the maintenance of polished or waxed natural stones.

CODE	DETAILS
------	---------

GB06401	L & L Clean & polish- 1L
GB06402	L & L Clean & polish- 5L

**SPOT REMOVER**

Spot Remover Absorbing Paste- for stubborn dirt removal is a product specifically formulated to remove stains on marble, granite, ceramic and concrete.

CODE	DETAILS
------	---------

GB06601	Spot Remover Absorbing Paste- 250ml
GB06602	Spot Remover Absorbing Paste – 1L
GB06603	Spot Remover Absorbing Paste- 5L

**LEM-3 DETERGENT**

LEM-3 is a concentrated detergent which is used to clean all surfaces. It is especially suited for the treatment of marble, granite and natural stones. Designed for resistant dirt. Can be used to clean and wash all cleanable surfaces such as glass.

CODE	DETAILS
------	---------

GB06201	Lem-3 Neutral Detergent- 1L
GB06202	Lem-3 Neutral Detergent- 5L

**TILE & GROUT CLEANER**

Specific solvent-free cleaner for joints and grouts. It respects the environment, EC ECOLABEL.

CODE	DETAILS
------	---------

GB12001	Tile & Grout Cleaner- 500ml
---------	-----------------------------

**ULTRA STRIPPER**

Highly efficient detergent for every type of dirt: grease, smog, oily stains. It removes very resistant metallic, acrylic and solvent based waxes from floors and walls and it is also suitable for deep cleaning of floors before polishing.

CODE	DETAILS
------	---------

GB06101	Ultra-stripper Concentrate Cleaner- 1L
GB06102	Ultra-stripper Concentrate Cleaner- 5L
GB06501	Ultra-stripper Gel Formula- 1L

**BERT 27**

This is an extremely concentrated, acid-based detergent for granite, ceramic or porcelain. Should only be used for strongly-resistant soiling or to eliminate rust or potassium nitrate. One of its great advantages is that it forms a layer of foam that does not drip when used on vertical surfaces, so it is especially useful for the deep cleaning of wall-tiles immediately after fixing.

CODE	DETAILS
------	---------

GB06001	Bert 27 Detergent- 1L
---------	-----------------------

**ANTI-SLIP POLISH**

Liquid wax based on natural and synthetic waxes, its special formula gives reduced slipperiness compared to traditional waxes. Suitable for all kind of marble, granite, terrazzo and ceramic floors. It gives a brilliant-warm sheen.

CODE	DETAILS
------	---------

GB05101	AS11 Anti-Slip Polish- 1L
---------	---------------------------

**DECER DOS**

How many times have you seen floors become yellow or covered with an unsightly, film or tiles corroded by exceptionally aggressive or acid-based wax-removing products? Now there is DECER-DOS, a wax-remover which emulsifies resin-based or synthetic waxes, without corroding materials. Even if heavily diluted, the wax removing power of DECER-DOS remains unchanged and removes all traces of wax from the floor, while restoring its natural appearance.

CODE	DETAILS
------	---------

GB10001	Decer Dos De-waxer- 1L
---------	------------------------







### MANTA 150 & 200

Available in both 1.5m and 2m versions, the Manta is a heavy duty single phase manual saw for cutting natural stone, porcelain, and ceramics. The head slides on two rectified chrome ground bars by means of linear ball-bearings. It is equipped with a submersible pump placed inside the base, which doubles as the water reservoir. Vertical head motion is by means of a hand-wheel for a fast and stable adjustment. Tilting head for 45° cuts.

EQUIPPED WITH: 1 submersible pump and a set of servicing wrenches.

Excluding Diamond Blade

MACHINE	Manta 150	Manta 200
Product Code	MN120350ED	MN120458
Power	2200W, 230V	2200W, 230V
Max Blade Size	350mm x 25.4mm	350mm x 25.4mm
Max cutting length	1500mm	2000mm
Max cutting depth	110mm	110mm
Weight	210kg	260kg
CODE	DETAILS	
MNS17M003	Side Stop	
MNS17M004	Long Diagonal Square 50cm	
MNS17M005	Short Diagonal Square	
MNS020022NMM	Water Pump	
MNS17M000	Side Roller Bench	



### AGP RAIL SAWS

Stone saws suitable for wet and dry cutting, featuring a parallel guide for straight cuts and optional guide rail for precise control with professional cuts.

Excluding Diamond Blade

MACHINE	AGP SCS7	AGP SCS8
Product Code	PTM-SCS7C	PTM-SCS8
Power	230V, 1800W	230V, 2200W
Load Speed	5800rpm	5800rpm
Blade Size	180mm	180mm / 200mm
Blade Bore	22.23mm	22.23mm
Cut Depth 0°	180mm Blade: 60mm(55mm on rail)	200mm Blade: 70mm(65mm on rail) 180mm Blade: 60mm(55mm on rail)
Cut Depth 45°	N/A	200mm Blade: 52mm(47mm on rail) 180mm Blade: 45mm(40mm on rail)
Dimensions	475 x 410 x 355mm	484 x 313 x 198mm
Weight	6.7kg	5.7kg


CODE	DETAILS
PTM-SCS7	AGP SCS7 Rail Saw (Machine Only)
PT0401001	Guide Rail 1.4m
PT0401002	Guide Rail Connector
PT0401003	Quick Release Clamp
PT-SCS7-0047	Brush Cap
PT-SCS7-0046	Carbon Brush
PT-SCS8-0036	Carbon Brush
PT-SCS7-0031	Parallel Guide



SCS7



SCS8





## Electric Saws



### MANTA 300 ECO

Available in both manual and automatic, the Manta 300 Eco is a heavy duty, inexpensive and easy to run electric saw, making it ideal for both small workshops and big industries that need to cut any kind of stone material. It features a cutting head that cuts from 90° to 45°.

INCLUDING: 1 Side Roller Bench

OPTIONAL: Extra Side Roller Benches, Diagonal Square, Water Pump

TECHNICAL DETAILS	MANTA 300 ECO
Power	2.2kW 230V, OR 4kW 400V
Blade Size	450mm x 30mm
Blade Speed	1400rpm OR 2400rpm
Max cutting length	3000mm
Max cutting depth	110mm
Weight	470kg
CODE	(On Request)




### MANTA POKER JUMBO BASIC

Robust and versatile monolithic machine. It cuts both length ways (X axis) and cross ways (Y axis). The head traverse is driven by means of an electronic program card. The main technical features are: X Axis Traverse: 3500 mm.; Y Axis Traverse: 1650 mm.; Z Axis Raise: 140 mm.; Cutting head speed driven by inverter; manual turning head (0-90 degree); head inclination (0-90 degree) by means of a hand-wheel.

TECHNICAL DETAILS	
Power	5500W, 400V
Blade Size	450mm x 40mm
Speed	1400rpm
Cutting Length	3500mm
Cutting Thickness	140mm
Weight	1500kg
CODE	(On Request)



## Polishing Machines



### RADIAL ARM STONE POLISHER

Used for surface grinding and polishing of tombstones, slabs and mosaic which needs to change the thickness frequently.

TECHNICAL DETAILS	
Power	5500W, 400V
Wheel Size	220mm
Gyro Radius	2600mm
Range of Vertical Stroke	0-800mm
Water Consumption	3m³/h
Weight	850kg
CODE	ML-M2B2600





## Tiling Blades



### ECONOMY RED

Do it yourself dry cutting for concrete, tiles, stone, and general masonry.

CODE	DETAILS
Dry chip free cutting of ceramic and natural stone tiles.	
HC115EC	115 x 2 x 7 x 22.23mm - Continuous Rim
HC230EC	230 x 2.4 x 7 x 22.23mm - Continuous Rim
Dry fast cutting of ceramic and natural stone tiles.	
HT115EC	115 x 2 x 7 x 22.23mm - Turbo
HT230EC	230 x 2.4 x 7 x 22.23mm - Turbo

### TRADE PRO

Dry cutting diamond blade for general masonry, concrete, tiles, and abrasive material.

CODE	DETAILS
Dry chip free cutting of ceramic and natural stone tiles.	
HC115TC	115 x 2 x 7 x 22.23mm - Continuous Rim
HC230TC	230 x 2.4 x 7 x 22.23mm - Continuous Rim
Dry fast cutting of ceramic and natural stone tiles.	
HT230TC	230 x 2.4 x 7 x 22.23mm - Turbo



### TRIPLE PACKS


Pack of three dry cutting diamond blades. Available as segmented rim or continuous rim.

CODE	DETAILS
Dry chip free cutting of ceramic and natural stone tiles.	
HS115TC3	115 x 2 x 7 x 22.23mm - Segmented
Dry fast cutting of ceramic and natural stone tiles.	
HC115TC3	115 x 2 x 7 x 22.23mm - Continuous Rim

### BLADE SHARPENING ABRASIVE BARS

Used to re-sharpen diamond blades by making cuts on either the F120 or F240 side of the abrasive bar. It's advisable to use a clamp to secure the bar for better control while using the blade sharpening abrasive bar.

CODE	DETAILS
PED-10040	250 x 50 x 25mm x F120/240



### STANDARD

### PORCELAIN

### CONTINUOUS RIM DRY

Dry chip free cutting of ceramics, porcelain and natural stone tiles.

CODE	DETAILS
BC115TC	115 x 2 x 7 x 22.23mm- Standard
BC115TE	115 x 1.6 x 7 x 22.23mm- Porcelain
BC115TP	115 x 1.6 x 7 x 22.23mm- Premium
BC125TP	125 x 1.6 x 7 x 22.23mm- Premium
BC180TP	180 x 1.6 x 7 x 22.23mm- Premium
BC230TP	230 x 1.65 x 7 x 22.23mm- Premium
BC115TE	115 x 8 x 1.8 x 22.23mm- Turbo Dry

### SINTERED STONE & PORCELAIN

Dry fast cutting of ceramic, porcelain, and natural stone tiles.

CODE	DETAILS
LTE115P	115 x 7.5 x 1.3 x 22.23mm
LTE125P	125 x 7.5 x 1.3 x 22.23mm
LTE180P	180 x 7.5 x 1.8 x 22.23mm



### CONTINUOUS RIM WET


Chip free cutting of ceramics, and natural stone tiles.

CODE	DETAILS
BC180TS	180 x 1.5 x 7 x 25.4mm (22.23mm Bush)
BC200TS	200 x 1.5 x 7 x 25.4mm (22.23mm Bush)
BC230TS	230 x 1.5 x 7 x 25.4mm (22.23mm Bush)
BC250TS	250 x 1.8 x 7 x 25.4mm (22.23mm Bush)
BC300TS	300 x 2 x 7 x 25.4mm
BC350TS	350 x 2.2 x 7 x 25.4mm

### TURBO SUPER THIN WET PREMIUM

Chip free and super-fast cutting of hard porcelain, hard ceramics, and natural stone tiles up to 15mm thickness.

CODE	DETAILS
BT180P	180 x 1.4 x 8 x 25.4mm
BT200P	200 x 1.8 x 8 x 25.4mm
BT230P	230 x 1.8 x 8 x 25.4mm
BT250P	250 x 1.8 x 8 x 25.4mm
BT300P	300 x 2 x 8 x 25.4mm
BT350P	350 x 2 x 8 x 25.4mm



### CONTINUOUS RIM WET GLASS

Premium blade for straight, true chip free cutting into various types of glass.

CODE	DETAILS
LCJ250G	250 x 1.7 x 5 x 25.4mm
LCJ300G	300 x 1.7 x 5 x 25.4mm

### MUSIC SLOT WET SILVER

Professional blade designed for multi-blade tile cutting machines.

CODE	DETAILS
LCP310P60XF	310 x 1.6 x 10 x 60mm
LCP310P60XF2	310 x 2 x 10 x 60mm



### MUSIC SLOT WET PROFESSIONAL

Professional blade with cooling slots for fast chip free cutting of porcelain and other hard materials.

CODE	DETAILS
LCJ250P	250 x 2 x 10 x 25.4mm
LCJ300P	300 x 2 x 10 x 25.4mm
LCJ350P	350 x 2 x 10 x 25.4mm
LCJ400P	400 x 2 x 10 x 25.4mm

### EXTREME THIN

The Tool-Co Extreme Thin effortlessly cuts and grinds glass, porcelain, ceramic, marble, and natural stone. With its 1.5mm thickness and dedicated 30mm vacuum brazed section, this blade offers unparalleled versatility and efficiency!

CODE	DETAILS
LVC115CG30	115 x 1.5 x 30 x 22.23mm
LVC125CG30	125 x 1.5 x 30 x 22.23mm





## GRANITE CORE DRILLS

## BLACK

Economic drilling of all marble and granite.  
Good life with slower drilling speed.

USE WITH WATER

CODE	DETAILS
BZG020P	Core Drill - 20 x 105mm x M14
BZG025P	Core Drill - 25 x 105mm x M14
BZG032P	Core Drill - 32 x 105mm x M14
BZG035P	Core Drill - 35 x 105mm x M14
BZG051P	Core Drill - 51 x 105mm x M14
BZG065P	Core Drill - 65 x 105mm x M14
BZG080S	Core Drill - 80 x 105mm x M14
BZG085P	Core Drill - 85 x 105mm x M14
BZG102P	Core Drill - 102 x 105mm x M14
GAD008	Adaptor Pin to M14
GAD006	Adaptor Pin to 5/8



Adaptor Pin



## TILE CORE DRILLS - BLUE

Fast drilling into all types of tiles: Porcelain, ceramics, and natural stone.

USE WITH WATER

CODE	DETAILS
LZG005P	Dowel Drill - 5 x 40mm x Straight Shank
LZG006P	Dowel Drill - 6 x 40mm x Straight Shank
LZG008P	Core Drill - 8 x 40mm x Straight Shank
LZG010P	Core Drill - 10 x 40mm x Straight Shank
LZG012P	Core Drill - 12 x 40mm x Straight Shank
LZG014P	Core Drill - 14 x 40mm x Straight Shank
LZG016P	Core Drill - 16 x 40mm x Straight Shank
LZG006M	Core Drill - 6 x 40mm x M14
LZG008M	Core Drill - 8 x 40mm x M14
LZG010M	Core Drill - 10 x 40mm x M14
LZG016M	Core Drill - 16 x 40mm x M14
LZG018P	Core Drill - 18 x 40mm x M14
LZG020P	Core Drill - 20 x 50mm x M14
LZG025P	Core Drill - 25 x 50mm x M14
LZG032P	Core Drill - 32 x 70mm x M14
LZG035P	Core Drill - 35 x 70mm x M14
LZG040P	Core Drill - 40 x 70mm x M14
LZG045P	Core Drill - 45 x 70mm x M14
LZG052P	Core Drill - 52 x 70mm x M14
LZG065P	Core Drill - 65 x 70mm x M14
LZG078P	Core Drill - 78 x 70mm x M14
LZG080P	Core Drill - 80 x 70mm x M14
LZG090P	Core Drill - 90 x 70mm x M14
LZG095P	Core Drill - 95 x 70mm x M14
LZG102P	Core Drill - 102 x 70mm x M14
LZG120P	Core Drill - 120 x 70mm x M14
GAD008	Adaptor Pin to M14
GAD006	Adaptor Pin to 5/8



## PORCELAIN CORE DRILLS

## PREMIUM

Professional drilling into all types of tiles: Porcelain, hard ceramics, natural stone.  
Estimated life between 50-100 holes depending on the hardness and thickness of the tile.

USE WITH WATER

CODE	DETAILS
LZK006P	6mm x 44mm x 1/2" BSP
LWST10	Water Swivel 10mm Shank x 1/2" BSP



## CORE DRILLING GUIDES

Keep your core bit in the correct position and prevent the bit from jumping or skipping. Produce clean and accurate holes with ease, every time.

CODE	Details
FTTO0116	Diamond Core Bit Guide (Small) 5-12mm
FTTO0118	Diamond Core Bit Guide (Large) 20-65mm



FTTO0116 - 5-12mm



FTTO0118 - 20-65mm

# sigma





## Electric Tile Saws



### RAIMONDI PIKUS 130 & 150

Ideal for cutting granite, marble, porcelain and ceramic tiles. Straight, 45° bevel (Jolly), & plunge cuts.

Including a Diamond Blade.

Machine	Pikus 130	Pikus 150
Product Code	RA130PIK	RA150PIK
Power	1.1kW	1.1kW
Max Blade Size	250mm x 25.4mm	250mm x 25.4mm
Cut Thickness Single Pass	80mm	80mm
Cut Thickness Double Pass	150mm	150mm
Cut Length	1300mm	1550mm
Weight	112.5kg	127.5kg
CODE	DETAILS	
RAS423BL130ADV	Tile Holding Device	
RAS423KITDL	Folding Extensions & Left Square 90°	
RAS192SQ04A	Right Hand Sliding Square	
RAS192SQ07A	Left Hand Sliding Square	
RAS191CL04A	Counter-square	
RAS240	Water Pump	
RAS374RU10D40	Self Standing 10 Roller Bench	



### MANTA 150 & 200

Available in both 1.5m and 2m versions, the Manta is a heavy duty single phase manual saw for cutting natural stone, porcelain, and ceramics. The head slides on two rectified chrome ground bars by means of linear ball-bearings. It is equipped with a submersible pump placed inside the base, which doubles as the water reservoir. Vertical head motion is by means of a hand-wheel for a fast and stable adjustment. Tilting head for 45° cuts.

EQUIPPED WITH: 1 submersible pump and a set of servicing wrenches.

Excluding Diamond Blade

Machine	Manta 150	Manta 200
Product Code	MN120350ED	MN120458
Power	230V, 2.2kW	230V, 2.2kW
Max Blade Size	350mm x 25.4mm	350mm x 25.4mm
Max cutting length	1500mm	2000mm
Max cutting depth	110mm	150mm
Weight	210kg	260kg
CODE	DETAILS	
MNS17M003	Side Stop	
MNS17M004	Long Diagonal Square 50cm	
MNS17M005	Short Diagonal Square	
MNS020022NMM	Water Pump	
MNS17M000	Side Roller Bench	



## Tool-Co Tile Cutters



### 430MM MANUAL TILE CUTTER

Manual tile cutter is for ceramic tiles only.

CODE	DETAILS
MTT11000	Manual Tile Cutter DIY 430mm
MTT11003	Replacement Scoring Wheel (15 x 6 x 1.5mm)

### 600MM MANUAL TILE CUTTERS

Available in Heavy Duty and Light Duty versions. These tile cutters are for ceramic tiles only.

CODE	DETAILS
MTT11001	Light Duty 600mm Tile Cutter
MTT11002	Heavy Duty 600mm Tile Cutter
MTT11004	Replacement Scoring Wheel (22 x 6 x 2mm)



### 1200MM MANUAL TILE CUTTER

A heavy duty manual tile cutter for cutting ceramic and porcelain tiles.

CODE	DETAILS
MTT11009	Heavy Duty 1200mm Tile Cutter
MTT11402	Replacement Scoring Wheel (22 x 6 x 6mm)

### 1650MM MANUAL TILE CUTTER

A heavy duty manual tile cutter for cutting ceramic and porcelain tiles.

CODE	DETAILS
MTT11020	Heavy Duty 1650mm Tile Cutter
MTT11402	Replacement Scoring Wheel (22 x 6 x 6mm)
MTT11303	Ruler Angle (Complete)



### 1800MM MANUAL TILE CUTTER

A heavy duty manual tile cutter for cutting ceramic and porcelain tiles.

CODE	DETAILS
MTT11021	Heavy Duty 1800mm Tile Cutter
MTT11402	Replacement Scoring Wheel (22 x 6 x 6mm)



CHECK OUR WEBSITE FOR SPARES

# sigma Series 4


## SIGMA Tile Cutters



CODE	DETAILS	ART. №	SIGMA 370 SIG03001 ART. 7F	SIGMA 620 SIG06201N ART. 4BN	SIGMA 660 SIG06601 ART. 2B3	SIGMA 760 SIG07601N ART. 4CN	SIGMA 950 SIG09501N ART. 4DN	SIGMA 1.25 SIG12501N ART. 4EN	SIGMA 1.55 SIG15501N ART. 4FN
SIG03003	370 - Handle 6mm Grove, 12mm Scoring Wheel	24F	x						
SIG06602	660 - Handle 7mm Grove, 12mm Scoring Wheel	24C			x				
SIG06603	660 - Measurement Bar/Ruler	90D3			x				
SIG06604	660 - Ruler Square	19B3			x				
SIG06605	660 - Clamping Lever Nut	315			x				
SIG06606	660 - Sliding Bar	39E			x				
SIGS0001	370/660 - 12mm Scoring Wheel	14A	x		x				
SIGS0002	370/660 - 12mm Scoring Wheel - Titanium	14T	x		x				
SIGS0008	370/660 - Handle Guide Wheel	10144	x		x				
SIGS0029	NEX Replacement Handle - All Series 4 Models	24N		x		x	x	x	x
SIGS0028	NEX 16mm Scoring Wheel	14N		x		x	x	x	x
SIGS0036	NEX 16mm Titanium Scoring Wheel	14NT		x		x	x	x	x
SIGS0030	NEX "No-Mark" Handle Foot Rubber	104096		x		x	x	x	x
SIGS0031	NEX Handle Bearing with groove	10168		x		x	x	x	x
SIGS0032	NEX 260mm Ruler Square	19N		x		x	x	x	x
SIGS0038	NEX Swivel Measuring Bar 47-0-35cm	90NB		x					
SIGS0039	NEX Swivel Measuring Bar 54-0-40cm	90NC				x			
SIGS0040	NEX Swivel Measuring Bar 64-0-46cm	90ND					x		
SIGS0033	NEX Swivel Measuring Bar 64-0-64cm	90NE						x	x
SIGS0020	NEX Ruler Tape Replacement (330mm to 1280mm)	107126		x		x	x	x	x
SIGS0037	NEX Plug for Spare Scoring Wheel Compartment	106742		x		x	x	x	x
SIGS0004	NEX Ruler Clamping Lever	108621		x		x	x	x	x
SIGS0034	NEX Nut M8 Square 20 for Clamping Knob Lever	108362		x		x	x	x	x
SIGS0013	NEX Universal Base Rubber Foot	106725		x		x	x	x	x
SIGS0026	NEX Complete Left Support Lever	483		x		x	x	x	x
SIGS0027	NEX Complete Right Support Lever	484		x		x	x	x	x

PLEASE CHECK [WWW.MACTOOL.CO.ZA](http://WWW.MACTOOL.CO.ZA) FOR OUR LEGACY SIGMA SPARES

# sigma Series XL



CODE	DETAILS	ART. №	SIGMA 2.05 SIG20501 ART. 12D1	SIGMA 2.45 SIG24501 ART. 12E1	SIGMA 2.05 NEW ART. 12D2	SIGMA 2.45 NEW ART. 12E2
SIG20502	13mm Scoring Wheel	14X	x	x		
SIG20503	XL Handle, 13mm Scoring Wheel	24XL	x	x		
SIG20504	Swivel Ruler 64cm-0-64cm	90LG	x	x		
SIGS0003	OLD Ruler Square	19D	x	x		
SIGS0033	Front Measure From 410-0-410mm	90E3	x	x		
SIG24506	Back Main Right Base Plate	108826	x	x		
SIG24505	Back Main Left Base Plate	108825	x	x		
SIG15103	"No Mark" Handle Foot Rubber	104058	x	x	x	x
SIGS0004	Ruler Clamping Lever	108621	x	x	x	x
SIGS0005	Ruler Clamping Lever Nut	1079104	x	x	x	x
SIG24502	Complete Left Support Arm	1089143	x	x	x	x
SIG24503	Complete Right Support Arm	1089144	x	x	x	x
SIG24504	Front Small Base Plate	10882	x	x	x	x
SIGS0028	16mm Scoring Wheel	14N			x	x
SIGS0036	16mm Titanium Scoring Wheel	14NT			x	x
SIGS0042	XL Handle, 16mm Scoring Wheel	24XL2			x	x
SIGS0033	Swivel Measuring Bar 64-0-64cm	90NE			x	x
SIGS0032	260mm Ruler Square	19N			x	x
SIG20506	Front Measure From 410-0-410mm	510			x	x
SIG07505	Back Main Right Base Plate	108818			x	x
SIGS0023	Back Main Left Base Plate	108817			x	x

PLEASE NOTE: PICTURES ARE ONLY AN INDICATION AND MAY NOT ALWAYS BE TO SCALE



## SIGMA Large Format Tiling Tools

**sigma**



### KERA-CUT

The Sigma Kera-Cut is designed to cut large format tiles. The sliding guide in a single piece is light and strong and remains accurate even in the event of accidental falls. It can be fixed either with suction cups to the tile or attached to a work bench for repetitive cuts.

#### CODE DETAILS

SIGK0013	Kera-Cut Rail and Cutter 332cm (8AE3)
SIGK0014	Kera-Cut Rail Extension 550mm (8AEP)
SIGK0012	Kera-Cut Replacement Suction Cups (51C)
SIGK0002	Kera-Cut 12mm scoring wheel & bolt (14G)
SIGK0003	Kera-Cut 19mm scoring wheel & bolt - Old Model (14K)
SIGK0005	Universal Separator for breaking tiles between 20-30mm (41D)
SIGK0008	Kera-Flex Attachment, inc. Blade, exc. Grinder (38F13D)
POG125K002	KYNKO KD69 125mm 800W (Constant Speed 11000RPM)
POG125K003	KYNKO KD69-VS 125mm 800W (Variable Speed 0-11000RPM)



Kera-Flex Attachment  
SIGK0008

**sigma**



KYNKO KD69



KYNKO KD69-VS



SCAN FOR  
MORE INFO

### SIMPLE BEVEL

Precision Machine for chamfering porcelain tiles, marble, granite & glass. Rests on top of the tile and slides along its edge to create a uniform chamfer along the entire length of the edge. It will follow the curves in the tile which would not be possible if using a rigid guide. Bevel from 1 to 12mm (from 1 to 6mm on porcelain) Adjustable to any angle between 22° and 90°. The BULL is obtained with multiple passes at different angles. Allows finishing of the lateral edge of the tile. (max 30mm)

#### CODE DETAILS

SIGK006	Sigma Simple Bevel - Excluding Grinder (36A4D)
LCGC105P	Turbo Cup Grinder 105mm x M14 (Course)
LCGM105P	Turbo Cup Grinder 105mm x M14 (Medium)
LCGF105P	Turbo Cup Grinder 105mm x M14 (Fine)
BPAD115	Backing Pad 100mm x M14
BPN0050	Polishing Pad 100 x 3mm x 50# Light Blue
BPN0200	Polishing Pad 100 x 3mm x 200# Yellow
BPN0800	Polishing Pad 100 x 3mm x 800# Dark Green
BPN1500	Polishing Pad 100 x 3mm x 1500# Orange
SIGK008	Sigma Simple Bevel Table Fixing Kit (36C4)
MS3270W	Plastic 10L Mesto PROFI water tank, 3bar
POG125K002	KYNKO KD69 125mm 800W (Constant Speed 11000RPM)
POG125K003	KYNKO KD69-VS 125mm 800W (Variable Speed 0-11000RPM)

#### Turbo Cup Grinder



#### Backing Pad



Polishing Pads



Table Fixing Kit



Water Tank

**sigma**



KYNKO KD69



KYNKO KD69-VS



SCAN FOR  
MORE INFO

### JOLLY EDGE

The Jolly Edge is a combination of the Jolly Bull and the Jolly Angle. It rests on the edge of the tile/slab (stoneware, marble, granite, etc.) to ensure the uniformity of the chamfer along the entire edge being worked. It will follow the curves of the slab, which would not be possible with a cutter guided by a rigid guide. It can work in a single pass on tiles with thickness of 5mm to 20mm. If it is fitted with a diamond blade, it can cut a flat bevel at any angle from 40° to 50°. If it is fitted with a diamond grinding wheel, it can create a bullnose with radius of 6mm, 8mm, or 10mm.

#### CODE DETAILS

SIGJE001	Sigma Jolly Edge - Excluding Grinder (37A1D)
BNC125P	Sintered Stone & Porcelain Laser Slot - 125 x 22.23mm
BNT125P	Sintered Stone Turbo Rim - 125 x 22.23mm
BGS125DN	125mm ADW Epic Diamond Blade
SIGJE006	Jolly Edge Bullnose Wheel R6mm (072L06)
SIGJE005	Jolly Edge Bullnose Wheel R8mm (072L)
SIGJE004	Jolly Edge Bullnose Wheel R10mm (072L10)
BPAD115	Backing Pad 100mm x M14
BPD0200	Polishing Pad, Dry 100 x 1.5mm x 200#
BPD0800	Polishing Pad, Dry 100 x 1.5mm x 800#
BPD1500	Polishing Pad, Dry 100 x 1.5mm x 1500#
SIGJE002	Sigma Jolly Edge Table Fixing Kit (37C)
POG125K002	KYNKO KD69 125mm 800W (Constant Speed 11000RPM)
POG125K003	KYNKO KD69-VS 125mm 800W (Variable Speed 0-11000RPM)

#### BNC125P



#### BNT125P

#### BGS125DN



Bullnose Wheels



Backing Pad



Polishing Pads



Table Fixing Kit



## RAIMONDI Large Format Tiling Tools



## BULL DOG ADVANCED BULLNOSE MACHINE

The Raimondi Bulldog Advanced Bullnose Machine enables you to perform perfect bullnose and 45-degree mitre cuts on just about any Porcelain or Natural Stone up to 30mm thick. It has a dual motor assembly operating two different diamond wheels in one pass and will produce a perfect edge, regardless of the thickness of the tile.

It has an extend length of shaping up to 120cm tiles thanks to side extensions and table available for large materials.

## SPECIFICATIONS BULL DOG \*On Request Only\*

Product Code	RA428BI-BULL
Maximum Length	120cm
Mill Radius	8mm - 30mm
Motor Power	1000W, Single Phase
Weight	155kg

Milling Wheel




Finishing Wheel



Shaping &amp; Finishing Wheel




Shaping Wheel



45° Profile Wheel



Bullnose Wheels For Polishing



BNC200P



RAD179SET200SP

## LAB 330 BRIDGE WET SAW

- For straight and 45° angle cut of porcelain, ceramic, granite, marble, etc.
- Plunge cut and adjustable cutting depth.
- Heavy duty water pump and multiple jet nozzles for superior cooling.
- Framework made of aluminum (die-cast and extruded) and galvanized steel.
- Easy-to-remove polypropylene tank for easy cleaning. Capacity 38 lt.
- Equipped with the motor feed system with wheel kit.

## SPECIFICATIONS LAB 330 \*On Request Only\*

LAB 330 Single Phase Code	RAL379CA330EU
LAB 330 Three Phase Code	RAL379CA330V400
Power:	2200W
Blade Speed:	2800RPM
Blade Size:	200mm
Thickness in 90° Cut:	20mm
Thickness in 45° Cut:	20mm
Max Length:	3300mm
Max Width:	1610mm
Dimensions:	400 x 170 x 120cm x 241kg
Shipping Dimensions:	408 x 94 x 127cm x 315kg

2 Extra Side Benches and Connection Kit

RAL374BRU2F2

Raimondi 200mm Porcelain Recommended Blade

RAD179SET200SP

Tool-Co Sintered Stone &amp; Porcelain Blade

BNC200P



SCAN THE QR CODE ABOVE FOR MORE INFORMATION





## RAIMONDI Large Format Tiling Tools



Power Raizor MKI

### RAIZOR MKI CUTTING SYSTEM

**\*To Be Discontinued\***

The RAIZOR is a reliable cutting system for large format tiles, capable of cutting up to 332 cm, extendable to 447 cm with an optional extension. It weighs 9 kg, making it easy to transport, and includes a padded bag for convenience. Equipped with six stain-free suction cups (Ø 88 mm), it ensures stability during cuts. The die-cast aluminium cutting unit uses a single rail with a titanium scoring wheel (Ø 16 mm) and SNAP pliers for tiles 3-12 mm thick, offering precision for standard tiling tasks. As the original model, it provides a solid foundation for professional large format tile cutting.

CODE	DETAILS
RAL433CRR	*Discontinued* Raizor MKI Cutting System 3320mm
RAL433CRP100	1150mm Extension Bar
RAL135D16A	Wheel, 16mm with axle
RAL169TBRAI	Cutting-off pliers for 3-12mm Thick Tiles/Slabs
RAL433GT01A	Raizor Cutting Head Including Scoring Wheel
RAS185G003SG	Replacement Suction Cup
RAL433PWROHR	Power Raizor MKI (Grinder Not Included)



Cutting off Pliers



3-12mm



made in ITALY



### POWER RAIZOR UPGRADE FOR RAIZOR MKII

A multi-angle cutting unit to be used with most popular angle grinders and the RAIZOR MKII cutting guide. It performs cuts with the following angles: 45°, 90°, and 180°. It also has a tilting movement for plunge cuts to adjust the depth of the cut. Can be used for both dry and wet use if you purchase the wet cut kit.

CODE	DETAILS
RAL433PWRM2EUD	Power Raizor MKII (Grinder Not Included)
BNC125P	Sintered Stone & Porcelain Laser Slot - 125 x 22.23mm
BNT125P	Sintered Stone Turbo Rim - 125 x 22.23mm
BGS125DN	ADW Epic Diamond Blade - 125 x 22.23mm
RAL179FLEX006SE	Shaping Wheel Half Bullnose 6mm
RAL179FLEX010SE	Shaping Wheel Half Bullnose 10mm
RAL179FLEX012SE	Shaping Wheel Half Bullnose 12mm
RAL179FLEX045SE	Shaping Wheel 45 Profile
MS3270W	Plastic 10L Mesto PROFI water tank, 3bar
RAL324RA01A	Spray Bottle Water Valve
RAL433PWZPA	Dust Containment Device
BPH0060	Handheld Diamond Polishing Block 60# (Other Grits Available On Page 57)



BNT125P

BNC125P

BGS125DN

Bullnose Wheels

Spray Bottle, 10 Litres

Dust Containment Device

Handheld Diamond Polishing Block

Spray Bottle Water Valve



### RAIZOR MKII CUTTING SYSTEM

The RAIZOR MKII is an improved rail cutting system, offering a cutting length of up to 330cm, extendable to 450cm. It is lighter than the RAIZOR and 28% more rigid, enhancing portability and durability. Its six dual-lip suction cups (Ø 95mm) work well on textured tiles, improving grip. The cutting unit features a TiAlN-coated Ø 22mm wheel for better wear resistance and SNAP pliers for tiles 3-12 mm thick. Compared to the RAIZOR, it provides a lighter, more rigid design with enhanced suction capabilities.


CODE	DETAILS
RAL433CP00AR	Raizor MKII Cutting System
RAL169TBRAI	Cutting-off pliers for 3-12mm Thick Tiles/Slabs
RAS135D22CTRIC	22mm Titanium-coated wheel with internal bearing and built-in screw



Cutting off Pliers



3-12mm



### RAIZOR MKII PLUS CUTTING SYSTEM

The RAIZOR MKII PLUS is a premium cutting system for large format tiles, with a cutting length of up to 330cm, extendable to 450cm. Its two-rail system offers superior stability, complemented by six dual-lip suction cups (Ø 95mm) for secure attachment, even on textured surfaces. The cutting unit includes a titanium-coated Ø 20mm wheel and PREMIUM pliers for tiles 3-15mm thick, ideal for thicker materials. Compared to the RAIZOR MKII, it offers a more stable two-rail design and the ability to handle thicker tiles, making it suitable for demanding projects.

CODE	DETAILS
RAL433CP00APR	Raizor MKII Cutting System
RAL169TX01AR	Cutting-off pliers for 3-15mm Thick Tiles/Slabs
RAS135D20CTRIC	20mm Titanium-coated wheel with internal bearing and built-in screw



Cutting off Pliers



3-15mm

# RAIMONDI Large Format Tiling Tools

## TIP-TOP

A pair of face-up mitre-clamping-devices for stairs and countertops of any length.

### CODE DETAILS

RAL171TGRAI Tip-Top

## CLOSER

Large slabs, once positioned are hard to move in order to bring it closer to an adjacent slab properly. The Raimondi Closer is made to mechanically accost slabs with ease.

### CODE DETAILS

RAL185DAL01A Closer



## TOOL-CO TIGER NOTCH TROWEL

Unique notch design provides superior coverage, reducing air pockets. Ideal for large-format tiles when used with thin-set or flexible tile adhesive.

### CODE DETAILS

MTT05010 Tiger Notch Trowel 10mm

## TOOL-CO HEAVY DUTY CUTTING PLIERS

Break tiles 6-20mm thick. Features a 3 in 1 cutting line for precise cuts. Two nylon pressers to maximise applied force to the tile. Heavy duty solid galvanised body and soft grip handle.

### CODE DETAILS

MTT15006 Heavy Duty Cutting Pliers



## TOOL-CO CARRY SYSTEM 8 x VACUUM PUMP

Designed for the effortless handling and installation of large format tiles and slabs. It features suction cups equipped with vacuum gauges. These suction cups are suitable for both smooth and textured surfaces and are made of special stain-free rubber. The device is adaptable for handling various lengths of tiles or slabs.

### CODE DETAILS

MTT15000 3.2m x 1.6m x 8 Vacuum Pump Carry System

## TOOL-CO WORKBENCH 1.8m x 1.4m

The perfect adjustable workbench for cutting and processing large format slabs. The table is designed to be extendible, allowing for a range of worktop dimensions to suit various project needs job sites.

MAX Weight 200kg

### CODE DETAILS

MTT15001 1.8m x 1.4m x 700mm Workbench



## TOOL-CO TRANSPORT CART

For the transportation and handling of large format tiles, streamlining the process of applying tiling adhesive, commonly known as "back-buttering." When the Tool-Co Carry System frame is mounted on the cart, the suction cups remain fully accessible, making it convenient to restore or adjust the vacuum as needed. This feature is especially useful when working with textured large format tiles.

MAX Weight 300kg

### CODE DETAILS

MTT15003 Large Format Tile & Slab Transport Cart

## TOOL-CO TILE BEATER

Designed to ensure optimal adhesion and alignment, this handy device eliminates air pockets and voids between your tile and substrate. Its ergonomic handle and padded surface make it easy to use without damaging your tiles. Ideal for large-format tiles, the Tile Beater is your go-to for achieving a level, secure, and professional-looking finish.

### CODE DETAILS

MTT15004 Tile Beater with Non-Marking Rubber Base



## TOOL-CO ELECTRIC TILE VIBRATOR

For effortless and precise tile installations. Engineered for optimal convenience, this electric-powered tile vibrator ensures seamless adhesion by eliminating air pockets and voids between your tile and the substrate. With its easy-to-use controls and ergonomic design, achieve a perfectly level and secure installation every time. Ideal for large-format tiles, the Electric Tile Vibrator takes the hard work out of tiling, delivering professional results at the push of a button.

### CODE DETAILS


MTT15005 Electrically Powered Tile Vibrator

## TILE TEMPLATE XL

This multifunctional device allows you to transfer the dimensional positions of various elements, such as holes for sockets, water pipes of different diameters, holes for pre-installed pipes, and even non-standard diameters with the help of a plastic stencil. Additionally, it facilitates drawing angles for columns and other elements, making it a valuable tool for large format tiling projects.

### CODE DETAILS

MTT09016 TILE TEMPLATE XL




## SLIDER 45 PRO V2

The Slider 45 PRO is a professional tool for making high-quality 45° cuts on tiles up to 20mm thick. It features a large sliding surface for maximum control, universal compatibility with 115-125mm angle grinders, precise adjustments, an adaptable dust collector, water supply points, and an inverted cutting function ideal for smaller tiles.

Includes Diamond Blade 125x30mm Edge Dry Slider

### CODE DETAILS

PED-10024 SLIDER 45 PRO V2 Cutting Guard 115-125mm






# Tool-Co

## WEDGE TILE LEVELLING SYSTEM

CODE	DETAILS
MTT01550	Tool-Co Starter Bucket Containing Pliers + 100pcs 3-12mm Clips & Wedges
MTT01510	100pcs x Tool-Co Levelling System Clips 1.5mm (Tile Thickness 3-12mm)
MTT01512	500pcs x Tool-Co Levelling System Clips 1.5mm (Tile Thickness 3-12mm) + Bucket
MTT01514	2000pcs x Tool-Co Levelling System Clips 1.5mm (Tile Thickness 3-12mm)
MTT01520	100pcs x Tool-Co Levelling System Clips 1.5mm (Tile Thickness 11-20mm)
MTT01530	100pcs x Tool-Co Levelling System Wedges (Reusable)
MTT01540	Tool-Co Levelling System Pliers




Clips for tiles with a thickness of 3-12mm  
Tile Spacing of 1.5mm



Wedge (Reusable)



Clips for tiles with a thickness of 11-20mm  
Tile Spacing of 1.5mm



Pliers

For tile spacing larger than 1.5mm use standard tile spacers in conjunction with Tool-Co Levelling Systems ( See page 21 )



Tool-Co		Levelling System Tile Size Chart																	
		Clip amounts are for a 10sqm area.																	
TILE SIZE (cm)		20	30	50	60	75	80	90	100	120	150	180	200						
10	495	660	396	330	396	371	330	297	330	330	330	330	347						
15	328	438	263	219	263	246	219	197	219	219	219	219	230						
20	490	488	291	242	258	241	214	192	200	192	186	192							
25	391	389	232	193	206	192	171	153	160	153	149	153							
30	488	431	256	212	212	198	176	157	157	146	139	140							
40	365	322	191	158	158	148	131	117	117	109	103	104							
45	324	285	169	141	140	131	116	104	104	96	91	92							
50	291	256	152	126	126	117	104	93	93	86	82	83							
55	264	232	138	114	114	107	94	84	84	78	74	75							
60	242	212	126	105	104	97	86	77	77	71	68	68							
75	258	212	126	104	99	99	82	73	71	64	60	59							
80	241	198	117	97	93	87	77	68	66	60	56	55							
90	214	176	104	86	82	77	68	61	59	53	49	49							
100	192	157	93	77	73	68	61	54	52	47	44	44							
120	200	157	93	77	71	66	59	52	49	44	40	39							
150	192	146	86	71	64	60	53	47	44	38	34	33							
180	186	139	82	68	60	56	49	44	40	34	31	30							
200	192	140	83	68	59	55	49	44	39	33	30	28							

NOTE: Table Suitable For Both Systems

# Tool-Co


## SPIN TILE LEVELLING SYSTEM




Spin Cap (Reusable)



Anti-Friction (Reusable)



1.5mm Base



3mm Base

CODE	DETAILS
MTT01566	50pcs x Spin Tile Levelling Caps (Reusable)
MTT01561	100pcs x 1.5mm Levelling Base
MTT01563	100pcs x 3mm Levelling Base
MTT01569	100pcs x Anti-Friction Pads (Reusable)

Tiling Tools



TILE SPACERS

CODE	DETAILS
MTT01002	2mm x 300pcs
MTT01003	3mm x 120pcs
MTT01005	5mm x 120pcs
MTT01006	6mm x 120pcs
MTT01008	8mm x 60pcs
MTT01010	10mm x 60pcs

GROUT REMOVERS

CODE	DETAILS
MTT06000	Light Duty Grout Remover
MTT06001	Heavy Duty Grout Remover (Includes 2 Blades)
MTT06002	Heavy Duty Grout Remover Replacement Blades (2pcs)



Light Duty



Heavy Duty



Heavy Duty Replacement Blades

NIPPERS & CUTTERS

CODE	DETAILS
MTT03000	Mosaic Nipper
MTT03001	Tile Cutter Pliers
MTT03002	Tile Nipper
MTT03003	Tile Scorer

NOTCHED TROWELS

CODE	DETAILS
MTT05007	Square Notched Trowel 6mm
MTT05006	Square Notched Trowel 8mm
MTT05005	Square Notched Trowel 10mm



Mosaic Nipper

Cutting Plier

Tile Nipper

Tile Scorer

CHIPPING HAMMER

CODE	DETAILS
MTT02005	Chipping Hammer
MTT02006	Chipping Hammer Blade Refill (each)

SILICONE SEALANT SET

CODE	DETAILS
MTT05009	Silicone Sealant Set



APPLICATORS

CODE	DETAILS
MTT05000	Dual Purpose Squeegee
MTT05001	Grout Floor Squeegee & Applicator 10x10mm
MTT05002	Grout Wall Squeegee & Applicator 6x6mm
MTT05003	Plastic Floor Applicator 10x10mm
MTT05004	Plastic Wall Applicator 6x6mm

RUBBER MALLETS

CODE	DETAILS
MTT02002	Rubber Mallet Black 340g
MTT02003	Rubber Mallet White 340g
RAT176500B	Solid Rubber Mallet White 500g
MTT02004	Rubber Mallet White 680g



340g

340g

500g

600g



Squeegee: MTT05000

10x10: MTT05001

6x6x: MTT05002

10x10: MTT05003

6x6x: MTT05004

BLOCK BRUSH

CODE	DETAILS
MTT12005	Block Brush Synthetic 190g

KNEE PADS

CODE	DETAILS
MTT10003	Knee Pads Plain
MTT10004	Knee Pads Plastic Cap



Plain

Plastic Cap

CLOTHS & RAGS

CODE	DETAILS
GM0044	Rags 5kg Assorted Colours

MARKING TOOLS

CODE	DETAILS
MTT09007	Chalk Line- Including Chalk
MTT12001	Carpenters Pencil (Twin Pack)
GM0004	Yellow China Markers (Single)
GM0005	Red China Markers (Single)



Chalk Line Including Chalk

Carpenters Pencil

China Markers



Rags Assorted Colours



## Tiling Tools



### TAPE MEASURE

CODE	DETAILS
MTT09000	Tape Measure 3m x 16mm Rubber Case Magnetic H/D
MTT09001	Tape Measure 5m x 19mm Rubber Case Magnetic H/D
MTT09002	Tape Measure 8m x 25mm Rubber Case Magnetic H/D
MTT09003	Tape Measure 10m x 25mm Rubber Case Magnetic H/D
MTT09008	Tape Measure 3m x 16mm Plastic Case 2-Stop
MTT09009	Tape Measure 5m x 19mm Plastic Case 2-Stop
MTT09010	Tape Measure 8m x 25mm Plastic Case 2-Stop

### SUCTION CUPS

CODE	DETAILS
MTT13000	Single Suction Cup - 40kg
MTT13001	Double Suction Cup - 80kg
MTT13002	Triple Suction Cup - 120kg
RAT185	Raimondi Single Suction Cup - 24kg



### TILE CLEANING

CODE	DETAILS
MTT12000	Cleaning Sponge
SIGX0001	Sigma Sponge - 300x140mm (Complete)
SIGX0002	Sigma Sponge Refill
RAT244SWE4	Raimondi Smart Bucket & Sponge




Raimondi Smart Bucket



### MICROFIBRE MOP & FLOOR SQUEEGEE

CODE	DETAILS
FAPA1000	Microfibre Mop- Complete
FAPA1001	Microfibre Mop- Frame 385 x 110mm
FAPA1022	Microfibre Mop- Sleeve (Dry) 450 x 140mm
FAPA1023	Microfibre Mop- Sleeve (Wet) 460 x 150mm
FA-HA1300	Aluminium Broomstick Handle 1.3m x 22mm
FA-HA1500	Aluminium Broomstick Handle 1.5m x 22mm
FA-SQ91500	Flooring Squeegee



## Electric Mixers

### RAIMONDI IPERBET

230v mixer, including two 45 litre drums. For mixing tile adhesives, thinset, mortar for plasters, quartz plasters, concrete, etc. Mixing at low speed does not entrap air and provides a homogeneous mix. Fixed paddle, rotating bucket.

This system provides a higher level of operator safety and allows the operator to check the mix quality while mixing.

CODE	DETAILS
RAI110	Iperbet Mixer with two 45 litre drums included.
RAI289IPER	Standalone black 45 litre drum to fit the Iperbet. Replacement Mixing Paddle.



### RAIMONDI FLUID MIX

A 75 Litre mixing drum attached to a trolley to easily manoeuvre and pour out the contents such as self-levelling, premixed, cement-based grout, paint, and other fluids.

RA238EUN: 2 fixed wheels and two levers for pouring the mixture.  
RA238 UN: 4 swivel wheels and tilt-able bucket which allows to pour the mixture uniformly while mobile.

CODE	DETAILS
RA238EUN	Raimondi Fluid Mix Bucket- 2 Wheels
*On Request*	Raimondi Fluid Mix Bucket- 4 Wheels




### M14 PADDLE MIXERS

Helix style mixing paddles to fit the AGP EV160 and mixers that accept a M14 thread.

General Purpose Paddle: Ideal for liquid materials with a low viscosity, including wall paints, lacquers, concrete paints, chemicals, and coating compounds.

High Viscosity Paddles: Extra-robust stirring paddle for finished mortar, finished plaster, floor compounds, refractory concrete, insulating materials and epoxy resins.

CODE	DETAILS
PT0101003	160 x 590mm x M14 (General Purpose)
PT0101004	120 x 590mm x M14 (High Viscosity)
PT0101005	140 x 590mm x M14 (High Viscosity)
PT0101006	160 x 590mm x M14 (Highest Viscosity)



### AGP EV160

The AGP EV series electric mixers with revolutionary ergonomic design and sturdy mechanics features electronic speed control thumb wheels which allows the operator to adjust the speed without taking his hands off the handles.

Compound, curved handle gives extra strength and ideal ergonomic hand positioning. Locking trigger switch. Fibre reinforced nylon motor housing with easily accessible brushes. Anti-dust staggered vent.

We recommend using the AGP EV160 electric mixer with our Raimondi Fluid Mix buckets.


SPECIFICATIONS	EV160
Product Code	PTM-EV160
Voltage	230V
Power	1600W
Load Speed	180 - 350 / 280 - 550rpm
Thread	M14
Dimensions	350 x 322 x 190mm
Weight	5.6kg



### STRAIGHT SHANK PADDLE MIXERS

To be used with normal chuck drills.

CODE	DETAILS
MTT04000	Tile Grout & Adhesive Mixer Light Duty
MTT04001	Tile Grout & Adhesive Mixer Heavy Duty



**LEM-3 DETERGENT**

LEM-3 is a concentrated detergent which is used to clean all surfaces. It is especially suited for the treatment of marble, granite and natural stones. Designed for resistant dirt. Can be used to clean and wash all cleanable surfaces such as glass.

CODE	DETAILS
GB06201	Lem-3 Neutral Detergent 1L
GB06202	Lem-3 Neutral Detergent 5L
GB06204	Lem-3 Neutral Detergent 25L

**L&L CLEAN & POLISH**

Product for an easy and quick maintenance of ceramic, natural and agglomerated stone floors. Used for the maintenance of polished or waxed natural stones.

CODE	DETAILS
GB06401	L & L Clean & polish 1L
GB06402	L & L Clean & polish 5L

**B-SANYCHLOR MOULD CLEANER**

A very concentrated cleaner with strong hygienic action, removes and prevents the formation of mould and the subsequent settlement of fungi, algae, mildew and musk.

CODE	DETAILS
GB05703	Mould Cleaner 750ml

**ULTRA STRIPPER**

Highly efficient detergent for every type of dirt: grease, smog, oily stains. It removes very resistant metallic, acrylic and solvent based waxes from floors and walls and it is also suitable for deep cleaning of floors before polishing.

CODE	DETAILS
GB06101	Ultra-stripper Concentrate Cleaner 1L
GB06102	Ultra-stripper Concentrate Cleaner 5L

**B-GTX TILE JOINTS CLEANER**

Concentrated cleaner for all types of joints. Easy rinsing, no acid, no colour change.

CODE	DETAILS
GB12002	Tile & Grout Cleaner 750ml

**DECER DOS**

How many times have you seen floors become yellow or covered with an unsightly, film or tiles corroded by exceptionally aggressive or acid-based wax-removing products? Now there is DECER-DOS, a wax-remover which emulsifies resin-based or synthetic waxes, without corroding materials. Even if heavily diluted the waxremoving power of DECER-DOS remains unchanged and removes all traces of wax from the floor while restoring its natural appearance.

CODE	DETAILS
GB10001	Decer Dos De-waxer 1L

**AS11 ANTI-SLIP POLISH**

Liquid wax based on natural and synthetic waxes, its special formula gives reduced slipperiness compared to traditional waxes. Suitable for all kind of marble, granite, terrazzo and ceramic floors. It gives a brilliant-warm sheen.

CODE	DETAILS
GB05101	AS11 Anti-Slip Polish 1L



Galleria Vittorio Emanuele II  
Milano - Italy




## Tile Trim Edging

### STRAIGHT EDGE

CODE	DETAILS
SEA5	5mm x 2.5m- Aluminium
SEA8	8mm x 2.5m- Aluminium
SEA10	10mm x 2.5m- Aluminium
SEA12	12mm x 2.5m- Aluminium
SEA15	15mm x 2.5m- Aluminium
SEA225	22.5mm x 2.5m- Aluminium
430 GRADE POLISHED	
SES8P	8mm x 2.5m- Stainless Steel
SES10P	10mm x 2.5m- Stainless Steel
SES12P	12mm x 2.5m- Stainless Steel
SES15P	15mm x 2.5m- Stainless Steel
SES225P	22.5mm x 2.5m- Stainless Steel
304 GRADE MATT	
SES8	8mm x 2.5m- Stainless Steel
SES10	10mm x 2.5m- Stainless Steel
SES12	12mm x 2.5m- Stainless Steel
SES15	15mm x 2.5m- Stainless Steel
SES225	22.5mm x 2.5m- Stainless Steel
ALUMINIUM ECONOMY	
ESEA10	10mm x 2.5m- Aluminium
ESEA12	12mm x 2.5m- Aluminium

### SQUARE EDGE

CODE	DETAILS
QEA10	10mm x 10mm x 2.5m- Aluminium
QEA12	12mm x 10mm x 2.5m- Aluminium
430 GRADE POLISHED	
QES8P	8mm x 10mm x 2.5m- Stainless Steel
QES10P	10mm x 10mm x 2.5m- Stainless Steel
QES12P	12mm x 10mm x 2.5m- Stainless Steel
QES15P	15mm x 10mm x 2.5m- Stainless Steel
QES225P	22.5mm x 10mm x 2.5m- Stainless Steel
304 GRADE MATT	
QES8	8mm x 10mm x 2.5m- Stainless Steel
QES10	10mm x 10mm x 2.5m- Stainless Steel
QES12	12mm x 10mm x 2.5m- Stainless Steel
QES15	15mm x 10mm x 2.5m- Stainless Steel
QES225	22.5mm x 10mm x 2.5m- Stainless Steel




### 45 RAMP

CODE	DETAILS
RA4510	10mm x 2.5m- Aluminium
RA4512	12mm x 2.5m- Aluminium

### T-PIECE

CODE	DETAILS
TEE	22mm Wide x 2.5m




### FORMABLE EDGE

CODE	DETAILS
FEA8	8mm x 2.5m- Aluminium
FEA10	10mm x 2.5m- Aluminium
FEA12	12mm x 2.5m- Aluminium
FEA15	15mm x 2.5m- Aluminium
FEA225	22.5mm x 2.5m- Aluminium
430 GRADE POLISHED	
FES8P	8mm x 2.5m- Stainless Steel
FES10P	10mm x 2.5m- Stainless Steel
FES12P	12mm x 2.5m- Stainless Steel
FES15P	15mm x 2.5m- Stainless Steel
FES225P	22.5mm x 2.5m- Stainless Steel
304 GRADE MATT	
FES10	10mm x 2.5m- Stainless Steel

### HEAVY DUTY MOVEMENT JOINT

Available in Black or Grey. (Add B/G to end of code)

CODE	DETAILS
HDA10	10mm x 2.5m- Aluminium
HDA12	12mm x 2.5m- Aluminium
HDA15	15mm x 2.5m- Aluminium
HDA22.5	22.5mm x 2.5m- Aluminium
430 GRADE POLISHED	
HDS10	10mm x 2.5m- Stainless Steel
HDS12	12mm x 2.5m- Stainless Steel
HDS15	15mm x 2.5m- Stainless Steel
HDS22.5	22.5mm x 2.5m- Stainless Steel




### RETRO STAIR NOSING

CODE	DETAILS
RET2.5	40mm x 25mm x 2.5m- Aluminium
RETS2.5B	2.5m- Aluminium Single Insert- Black RUBBER INSERT INCLUDED
RETS2.5G	2.5m- Aluminium Single Insert- Grey RUBBER INSERT INCLUDED
RETS3B	3m- Aluminium Single Insert- Grey RUBBER INSERT INCLUDED
RETD2.5B	2.5m- Aluminium Double Insert- Black RUBBER INSERT INCLUDED
RETD2.5G	2.5m- Aluminium Double Insert- Grey RUBBER INSERT INCLUDED

### COVER STRIP

CODE	DETAILS
CSA1	40mm x 1m- Aluminium- Drilled
CSA3	40mm x 3m- Aluminium- No Holes
CSA3D	40mm x 3m- Aluminium- Drilled
CSA1AB	40mm x 1m- Aluminium- No Holes Anodised Bronze
CSA3AB	40mm x 3m- Aluminium- No Holes- Anodised Bronze




### LISSTELLO


CODE	DETAILS
LIS10	10mm x 10mm x 2.5m- Aluminium
LIS30	30mm x 10mm x 2.5m- Aluminium
430 GRADE POLISHED	
LISS2010P	20mm x 10mm x 2.5m- Stainless Steel
LISS2012P	20mm x 12mm x 2.5m- Stainless Steel

### TILE IN CORNER PROTECTOR

CODE	DETAILS
TICPA10	30mm x 30mm x 10mm x 2.5m- Aluminium
430 GRADE POLISHED	
STIC3010P	30mm x 30mm x 10mm x 2.5m- Stainless Steel
STIC5010P	50mm x 50mm x 10mm x 2.5m- Stainless Steel




## RETRO CORNER PROTECTOR




CODE	DETAILS
ANG12163	12mm x 12mm x 1.6mm x 3m- Aluminium
ANG15153	15mm x 15mm x 1.5mm x 3m- Aluminium
ANG19163	19mm x 19mm x 1.6mm x 3m- Aluminium
ANG25163	25mm x 25mm x 1.6mm x 3m- Aluminium
ANG50	50mm x 50mm x 2mm x 3m- Aluminium
430 GRADE POLISHED	
SRC30P	30mm x 30mm x 2.5m- Stainless Steel
SRC50P	50mm x 50mm x 2.5m- Stainless Steel

## ROUND EDGE




CODE	DETAILS
REA8	8mm x 2.5m- Aluminium
REA10	10mm x 2.5m- Aluminium
REA12	12mm x 2.5m- Aluminium
430 GRADE POLISHED	
RES10P	10mm x 2.5m- Stainless Steel
RES12P	12mm x 2.5m- Stainless Steel
ALUMINIUM ECONOMY	
ERE10	10mm x 2.5m- Aluminium
ERE12	12mm x 2.5m- Aluminium

## TILE IN STEP




CODE	DETAILS
TSA10	10mm x 2.5m- Aluminium
TSA12	12mm x 2.5m- Aluminium

## CARPET TO TILE



CODE	DETAILS
CTT1	1m- Aluminium
CTT25	2.5m- Aluminium

## ONE SIDED ROUND EDGE



CODE	DETAILS
VAR1	1m- Aluminium
VAR2.5	2.5m- Aluminium

## CARPET TREAD COVER



CODE	DETAILS
TRE2.5	2.5m- Aluminium

## WOOD EXPANSION COVER STRIP



CODE	DETAILS
EXP2.5	33mm x 2.5m- Aluminium

## WOOD TRANSITION RAMP



CODE	DETAILS
TRA3	44mm x 3m- Aluminium

## PVC MOVEMENT JOINT



CODE	DETAILS
PVCMJ10DG	10mm x 2.5m- Dark Grey
PVCMJ10LG	10mm x 2.5m- Light Grey
PVCMJ12DG	12mm x 2.5m- Dark Grey
PVCMJ12LG	12mm x 2.5m- Light Grey
PVCMJ10BL	10mm x 2.5m- Black

## FLEXIBLE SEALS



CODE	DETAILS
PVC19LG	9mm x 3m- Flexi Seal- Light Grey
PVC19W	9mm x 3m- Flexi Seal- White
PVC12LG	12mm x 3m- Flexi Seal- Light Grey
PVC12W	12mm x 3m- Flexi Seal- White

## PVC ROUND EDGE

\*Sold in Packs of 10\*



CODE	DETAILS
PVC7B	7mm x 2.4m- Black
PVC7BF	7mm x 2.4m- Buff
PVC7C	7mm x 2.4m- Cappuccino
PVC7DB	7mm x 2.4m- Dark Brown
PVC7DG	7mm x 2.4m- Dark Grey
PVC7I	7mm x 2.4m- Ivory
PVC7LB	7mm x 2.4m- Light Brown
PVC7LG	7mm x 2.4m- Light Grey
PVC7T	7mm x 2.4m- Terracotta
PVC7W	7mm x 2.4m- White

CODE	DETAILS
PVC12BL	12mm x 2.4m- Black
PVC12BF	12mm x 2.4m- Buff
PVC12C	12mm x 2.4m- Cappuccino
PVC12DB	12mm x 2.4m- Dark Brown
PVC12DG	12mm x 2.4m- Dark Grey
PVC12I	12mm x 2.4m- Ivory
PVC12LB	12mm x 2.4m- Light Brown
PVC12LG	12mm x 2.4m- Light Grey
PVC12T	12mm x 2.4m- Terracotta
PVC12W	12mm x 2.4m- White



## GENERAL CLEANING:

### ROUTINE CLEANING:

Stainless Steel / Aluminium / PVC

The best method for cleaning Stainless Steel is quite simply soap, or a mild detergent (such as SUNLIGHT LIQUID®) in warm water, applied with a soft cloth or synthetic sponge. Rinse in hot water, dry with a soft cloth or allow to "drip dry". Occasionally, the use of a mild household cleaner (HANDY ANDY®) and fine synthetic scourer (Green SCOTCH-BRITE®) or a brush with nylon bristles may be used. Routine cleaning applied over several days will generally remove heavy soiling and staining.

### USE:

Routine gentle cleaning.  
Household cleaners showing "Suitable for Stainless Steel".  
Repeated routine gentle cleaning rather than a single aggressive cleaning.

### DO NOT USE:

Coarse abrasive powders.  
Metallic scourers.  
Silver or brass cleaners.

## DISCLAIMER:

- The 430 grade of Stainless Steel is recommended to be used for indoor use in dry areas only.
- The 304 grade of Stainless Steel is recommended for outside use and wet / moist areas indoors.
- The 316 grade of Stainless Steel is available for highly corrosive applications- salt water, sea-spray, mist and fog.



## KYNKO



**KYNKO KD69  
115MM ANGLE GRINDER**

CODE	POGI15K001
Power	800W
Blade Size	115mm
Speed	11000rpm
Weight	1.7kg

**KYNKO KD69-V5  
125MM VARIABLE SPEED GRINDER**

CODE	POGI25K002
Power	800W
Blade Size	125mm
Speed	3000-11000RPM
Weight	1.8kg



**KYNKO KD69  
125MM ANGLE GRINDER**

CODE	POGI25K003
Power	800W
Blade Size	125mm
Speed	11000rpm
Weight	1.7kg

**KYNKO KD78  
125MM ANGLE GRINDER**

CODE	POGI25K001
Power	1600W
Blade Size	125mm
Speed	9000rpm
Weight	3.2kg



**KYNKO KD78-DG  
125MM DUSTLESS GRINDER**

CODE	POGI25K004
Power	1600W
Cup Wheel Size	125mm
Speed	9000rpm
Weight	3.5kg

**KYNKO KD78  
150MM ANGLE GRINDER**

CODE	POGI50K001
Power	1600W
Blade Size	150mm
Speed	9000rpm
Weight	3.2kg



**KYNKO KD71-DG  
180MM DUSTLESS GRINDER**

CODE	POGI80K001
Power	2600W
Cup Wheel Size	180mm
Speed	6600RPM
Weight	5.3kg

**KYNKO KD71  
230MM ANGLE GRINDER**

CODE	POG230K001
Power	2600W
Blade Size	230mm
Speed	6600RPM
Weight	5.0kg



**KYNKO KD05  
150MM STONE POLISHER**

CODE	POPI50K01
Power	710W
Max Pad Size	150mm
Speed	4500rpm
Weight	2.9kg

**KYNKO KD11  
SDS MAX DEMOLITION HAMMER**

CODE	POD1HK001
Power	1700W
Chuck Type	SDS MAX
Speed	0-2100BPM
Impact	0-45J
Weight	11kg



**KYNKO KD09  
13MM IMPACT DRILL**

CODE	POD013K001
Power	850W
Max Bit	Steel: 13mm, Concrete: 16mm, Wood: 25mm
Speed	0-3000RPM
Impact	0-44800BPM
Weight	2.47kg

**KYNKO KD28  
26MM SDS+ ROTARY HAMMER**

CODE	POD50S026K002
Power	800W
Max Bit	26mm SDS PLUS
Speed	0-1300RPM
Impact	0-4500BPM @ 3.3J
Weight	2.9kg



## FLEX



**FLEX LW 1202N  
130MM POLISHER**

CODE	POPI30F002
Power	1600W
Size	130mm
Speed	1750rpm
Fixture	M14
Weight	5.1kg

**FLEX L2200  
230MM ANGLE GRINDER**

CODE	POG230F005
Power	2200W
Blade Size	230mm
Speed	6500rpm
Fixture	M14
Weight	5.4kg



## Safety Equipment

## APRONS



CODE	DETAILS
MTT10401	PVC Kahki Green Aprons 450gr
MTT10402	PVC Green Aprons 400gr

## SAFETY GEAR



MTT10001

MTT10002

CODE	DETAILS
MTT10001	Safety Glasses- Clear
MTT10002	Safety Vests ZIP- Large

## KNEE PADS



CODE	DETAILS
MTT10003	Knee Pads Plain
MTT10004	Knee Pads Plastic Cap

## EAR PROTECTION

Re-Usable  
Ear Plugs

Ear Muffs

CODE	DETAILS
MTT10006	Ear Plugs Re-usable with cord
MTT10700	Ear Muffs

## DUST MASK



CODE	DETAILS
MTT10000	Dust Mask FFP1 (Loose)
MTT10101	Dust Mask FFP2 NR No Valve (Box of 20)
MTT10103	Dust Mask FFP2 Valve (Box of 20)
MTT10105	Dust Mask FFP2 Valve (Loose)
MTT10104	Respirator Cartridge C8 Solvents, Organic, Petrolm Fumes
MTT10106	Respirator Cartridge D2 Dust, Fumes & Mist
MTT10102	Dust Mask Single Respirator
MTT10107	Dust Mask Double Respirator

## GLOVES



MTT10802

MTT10804

MTT10803

CODE	DETAILS
MTT10802	PVC Red Elbow Gloves 40 Density
MTT10803	Rubber Shoulder Gloves H2-55
MTT10804	Rubber Elbow Gloves H2-55







Tool-Co Blade Counter Stand




Tool-Co Drill Bit Counter Stand




### DISPLAY STANDS

CODE	DETAILS
STAND08	Tool-Co Blue Display Stand
STAND03	Tool-Co Blade Counter Stand
STAND10	Tool-Co Drill Bit Counter Stand
STAND02	Tool-Co Edge Trim Display Stand
STAND09	KYNKO Powertool Display Stand
SIGZ0001	Sigma Tile Cutter Display Stand
ON REQUEST	KAM Tools Display Stand

Tool-Co Edge Trim Stand



Sigma Tile Cutter Display Stand







Diamond Blade Size Chart

Blade Size	Depth of Cut	Min RPM	Max RPM
115mm	25mm	8000	11000
125mm	30mm	7200	12200
180mm	50mm	5100	8730
230mm	80mm	4000	6700
300mm	92mm	3000	5095
350mm	120mm	2500	4365
400mm	150mm	2200	3820
450mm	170mm	2000	3300
500mm	195mm	1800	3000
600mm	250mm	1500	2550
700mm	280mm	1200	2185
800mm	350mm	1100	1910
900mm	370mm	1000	1700
1200mm	500mm	700	1275

Core Drilling Bit Segment Spacing

Core Bit Size	Number of Segments	Core Bit Size	Number of Segments
42mm	4	127-132mm	11
52mm	5	152-160mm	12
60-67mm	6	180mm	13
77mm	7	200mm	14
82-92mm	8	250mm	16
102-109mm	9	300mm	18
112-117mm	10	350mm	20










Core Drilling Speed Chart

One of the major factors in grinding properly and avoiding the diamond segments glazing over is your core drill motor's rpm, which stands for revolutions per minute. Diamonds perform their optimal cutting at a predetermined surface speed, which is why every core bit should run at the proper rpm. If you have a large core diameter, you need to have a low rpm, whereas if you have a small core diameter, you will need to have a higher rpm. Thankfully, these ratings are standard for almost all manufacturers in the industry. Most electric core drill motors have multiple speeds, so you can use different sized core bits and operate them at their appropriate speed. The table below can assist you in selecting the recommended speed for the core size you are drilling.

Core Bit Diameter (mm)	25	50	75	100	150	200	250	300	350	450	500	600	900	1000
Recommended Speed (rpm)	3200	1600	1050	800	530	400	320	265	225	175	160	130	85	75



## Diamond Blade Troubleshooting

PROBLEM	CAUSE	SOLUTION
<p>Blade Work Out Of Round</p> 	<p>Shaft bearings are worn (masonry &amp; concrete).</p> <p>Blade rotation surges; engine not tuned for concrete saws.</p> <p>Blade arbour hole is damaged from previous mounting.</p> <p>Blade mounting arbour worn in a groove-like formation from previous blades.</p> <p>Blade is slipping on arbour shaft.</p> <p>Bond too hard for material causing a "pounding" and wearing one half of the blade more than the other half.</p>	<p>Install new blade shaft or replace blade shaft bearings.</p> <p>Tune engine according to manufacturer's manual.</p> <p>Re-braze segments onto new steel centre if the steel thickness is 3mm or less. If steel centre is more than 3mm, re-bore the arbour hole and brush to original size.</p> <p>Replace worn shaft or mounting arbour bushing.</p> <p>Masonry saws: Tighten blade collar. Concrete saws: Check drive pin is functioning correctly.</p> <p>Use proper blade specification.</p>
<p>Blade Will Not Cut</p> 	<p>Blade is too hard for material being cut.</p> <p>Blade has become dull as a result of being used on too hard a material.</p> <p>Blade does not cut material it was specified for.</p>	<p>Select proper blade specification for material being cut.</p> <p>Sharpen by cutting on a lightweight abrasive building block to expose the blade's diamonds. If continual sharpening is required, the blade is too hard for the material being cut.</p> <p>Make sure the blade is correct. If so, allow it to dress itself on the material to be cut. If it does not dress itself, sharpen it as you would a dull blade.</p>
<p>Loss Of Tension</p> 	<p>Steel centre has been overheating.</p> <p>Steel centre has been overheating as a result of blade spinning on arbour.</p> <p>Steel centre has been overheating from rubbing the side of material being cut.</p> <p>Unequal pressure at blade clamping collars.</p> <p>Improper blade specification; blade is too hard for the material being cut.</p>	<p>Check the water flow, distribution, and lines.</p> <p>Tighten the blade clamping disc nut and make certain the drive pin is functioning on concrete saws.</p> <p>Properly align the saw to prevent square cutting. Make certain the blade RPM is correct, so the blade operates at it's tensioned speed.</p> <p>Blade clamping collars should be identical in diameter and the recommended size.</p> <p>Use a softer bonded blade to reduce operating stresses.</p>
<p>Blade Wobbles</p> 	<p>Blade is too hard for material being cut.</p> <p>Blade has become dull as a result of being used on too hard a material.</p>	<p>Select proper blade specification for material being cut.</p> <p>Sharpen by cutting on a lightweight abrasive building block to expose diamonds. If continual sharpening is required, the blade is too hard for the material being cut and a softer bonded blade is required.</p>
<p>Cracks In Steel Centre Or Segment</p> 	<p>Cracks in steel centre- blade flutters in cut as a result of losing blade tension.</p> <p>Cracks in steel centre- blade specification is too hard for the material being cut.</p>	<p>Tighten the blade clamping disc nut. Make sure the blade is running at proper tensioned speed and that the drive pin is functioning properly.</p> <p>Use a softer bonded blade to eliminate stresses which create cracks.</p>
<p>Uneven Segment Wear</p> 	<p>Insufficient water. (Usually on one side of the blade)</p> <p>Equipment defects cause the segments to wear unevenly.</p> <p>Saw head is misaligned.</p>	<p>Flush out water system and check flow and distribution to both sides of the blade.</p> <p>Replace bad bearings, worn arbour shaft, or misaligned spindle. For concrete saws, the engine must run smoothly to prevent harmonic vibration.</p> <p>Check saw head alignment for squareness both vertically and horizontally.</p>
<p>Segment Loss</p> 	<p>Material is not being firmly secured.</p> <p>Overheating due to lack of water.</p> <p>Steel centre is worn from undercutting.</p> <p>Defective blade collars are setting the blade out of alignment.</p> <p>Blade is too hard for material being cut.</p> <p>Blade is cutting out of round, causing a pounding motion.</p> <p>Improper blade tension.</p>	<p>Hold material firmly against backstop.</p> <p>Check water feed lines, checks flow is adequate on both sides of blade.</p> <p>Use sufficient water to flush out the cut.</p> <p>Clean blade clamp surfaces or replace if the clamps are under recommended diameter.</p> <p>Use proper blade specification for material being cut.</p> <p>Replace worn bearings; realign blade shaft or replace the worn blade mounting arbour.</p> <p>Give running speed of equipment when you order your blades in order to insure they are running at the correct RPM. With concrete saws, check spindle speed with tachometer to ensure blade is running at the correct cutting speed and blade tension.</p>
<p>Arbour Hole Out-Of-Round</p> 	<p>Blade collar is not properly tightened, causing vibration on the shaft which causes the blade to rotate out of round.</p> <p>Blade collars are worn or dirty, not allowing proper blade clamping.</p> <p>Blade is not properly mounted.</p>	<p>Tighten the arbour nut with a wrench to make certain that the blade is adequately secured.</p> <p>Clean blade collars, making sure they are not worn. Tighten arbour nut properly.</p> <p>Make certain the blade is mounted on the proper shaft diameter before tightening the arbour nut. On concrete saws, make sure the pin hole slides over the arbour drive pin. Distorted blade arbour holes can be re-bored, provided they are within tolerance and the blank has not been abused.</p>
<p>Undercutting The Steel Centre</p> 	<p>Abrasion of steel centre due to highly abrasive dust generated during cutting.</p>	<p>Use the correct amount of water in order to flush out the fine dust generated during cutting, or use wear-retardant cores.</p>



# PREVENT THIS...



# ..USE CABLE BUDDY!



**ONE SIZE  
FITS ALL!**



## PREVENTING DOWNTIME & ENSURING SAFETY!

**A PRACTICAL SOLUTION FOR A COMMON PROBLEM!**

 PAT.APP No 2004/7303, 2004/7279

# CABLE BUDDY

CABLE BUDDY PACK OF 10 - CODE: CABBUD10

PLEASE NOTE: PICTURES ARE ONLY AN INDICATION AND MAY NOT ALWAYS BE TO SCALE





**Cape Town**  
021 552 8566  
sales@mactool.co.za  
Head Office:  
Unit 6 Pennisi Park,  
No. 3 Jig Ave,  
Montague Gardens

**Johannesburg**  
011 823 1077  
salesjhb@mactool.co.za  
Unit 4 Hughes Industrial  
Park, Cnr Oscar & Romeo  
Rd, Hughes

**Durban**  
031 350 4004  
saleskzn@mactool.co.za  
Unit 3 Mulsanne  
Business Park, 4 Lemans  
Place, Pinetown



www.MACTOOL.co.za